



# New Zealand Gazette

---

## **CUSTOMS EDITION**

---

---

WELLINGTON: TUESDAY, 27 NOVEMBER 2007

---

## **TARIFF CONCESSION NOTICES**

(INCLUDING OTHER NOTICES UNDER THE  
TARIFF ACT 1988, THE DUMPING AND COUNTERVAILING DUTIES ACT 1988  
AND THE CUSTOMS AND EXCISE ACT 1996)

**TARIFF CONCESSION (ADVERTISEMENT) NOTICE NO. 2007/45**

Applications Advertised for Objection  
Closing Date for Objections 18th December 2007

- 1 Notice is hereby given that the following applications have been made in respect of the goods advertised in the Schedule to this notice. Any person wishing to lodge an objection should do so in writing, to the Ministry of Economic Development, PO Box 1473, Wellington, Fax 04-499 8508, before 18th December 2007. All submissions should include:
- the Tariff Concession (Advertisement) Notice number; the Tariff item; and
  - Reference number.
- 2 All submissions from local manufacturers should include:
- the range of alternative goods made locally;
  - the grounds on which objection is made (including reasons why the local product is a suitable alternative);
  - present and potential output;
  - details of factory cost in terms of materials, labour, overheads, including the proportion of domestic and imported content.
- 3 Where further information is required in order to make a submission an objector should contact the applicant in writing and refer a copy of the enquiry to the Ministry of Economic Development quoting the details in paragraph 1 above.

Tariff Item	Description of Goods	Name and Address of Applicant	Part II Ref.	Appn. No.	*Category of Appn.
3402.19.00	Armid DM 810, being a surfactant of a type used in the manufacture of agricultural herbicides	Polychem Marketing Ltd PO Box 6435 Wellesley Street AUCKLAND 1141	99	301968D	A
3923.90.12	Polylactic acid resin foam, bio-degradable food packaging trays	Sealed Air NZ Ltd C/- DHL Global PO Box 1744 WELLINGTON	99	301967F	A
5107.10.00	Worsted spun yarn of 90% wool, 10% nylon, 2/29Nm, 2/15.5Nm – 18,000 kgs	South Canterbury Textiles Ltd PO Box 520 TIMARU	99	301963C	IM
Chapter 84) Chapter 85) Chapter 90)	Plant and equipment (irrespective of Tariff classification) for the expansion of the Ngawha Geothermal Power Station, including binary plant, turbines, generators, cooling plant and associated catalogued and identifiable parts	Ngawha Generation Ltd C/- Freight Traders Ltd PO Box 27107 AUCKLAND 1440	99	301969B	CE

* Category of Application:	A	–	General Approval
	CE	–	Capital Equipment
	IM	–	Inputs to Manufacturing – Inability to Supply
	MS	–	Manufacturers' Samples
	RUC	–	Revocation of Unused Concession
	S	–	Shortfall of Other Than Manufacturing Inputs
	SMI	–	Shortfall of Manufacturing Inputs
	SS	–	Special Situation
	V	–	Variation of Existing Concession
	W	–	Withdrawal of Concession
	+	–	Denotes amendment or addition

Dated at Wellington this 22nd day of November 2007.

V.A. MANKS, Ministry of Economic Development.

Tariff Act 1988

**TARIFF CONCESSION APPROVALS, WITHDRAWALS AND DECLINES NOTICE (NO. 45) 2007**

I, Vincent Anthony Manks, Executive Officer, Ministry of Economic Development, acting pursuant to section 8 of the Tariff Act 1988 under delegated authority hereby:

- (a) In accordance with Part II of the Tariff approve in respect of the entry of goods listed in the First Schedule to this notice the exemptions from duty specified in that Schedule with effect from the first day of the month so specified subject however to such purposes and conditions which I prescribe
- (b) In accordance with Part II of the Tariff approve in respect of the entry of goods listed in the Second Schedule to this notice the exemptions from duty specified in that Schedule with effect from the first day of the month so specified subject however to such purposes and conditions which I prescribe
- (c) Withdraw with effect fourteen days from the date of this Gazette, or otherwise at the date so specified, the approvals granted in respect of the entry of goods listed in the Third Schedule to this notice
- (d) Decline to approve in respect of the goods listed in the Fourth Schedule to this notice concessions for which application was made.

**FIRST SCHEDULE**  
Concessions Approved

Tariff Item	Description of Goods	Rates of Duty		Part II Ref.	Ref. No.	Effective	
		Normal	Pref.			From	To
A 2309.10.09	Dry dog food in kibble form	Free	Free	99	301879C	9/07	..
A 3924.10.09	Certain plastic tableware/kitchenware, viz: measuring spoons with/without egg separator, cups/jug with angled measuring facility, salad spinner, ice cube tray with cover, cup fat separator having measurement markings, and sets thereof	Free	Free	99	301883A	10/07	..
A 6307.90.28	Fendercovers	Free	Free	99	301880G	10/07	..
A 76.04) 76.06)	Aluminium plates, bars, sheets and strips of a thickness exceeding 0.2mm	Free	Free	99	301887D	9/07	..

**SECOND SCHEDULE**  
Concession Approvals Subject to Prescribed Purposes and Conditions

Tariff Item	Description of Goods	Rates of Duty		Part II Ref.	Ref. No.	Effective	
		Normal	Pref.			From	To
IM 5112.11.08	100% wool – 400m <sup>2</sup>	Free	Free	99	301955B	10/07	6/08
	100% wool – 600m <sup>2</sup>						
	100% wool – 750m <sup>2</sup>						
	100% wool – 900m <sup>2</sup>						
	100% wool – 900m <sup>2</sup>						
	100% wool – 1000m <sup>2</sup>						
	100% wool – 1000m <sup>2</sup>						
	100% wool – 1350m <sup>2</sup>						
	100% wool – 1680m <sup>2</sup>						
	100% wool – 3300m <sup>2</sup>						
IM 5112.11.08	100% wool – 800m <sup>2</sup>	Free	Free	99	301958G	11/07	7/08
	100% wool – 1500m <sup>2</sup>						
	80% wool, 10% cashmere, 10% nylon – 900m <sup>2</sup>						
	100% wool – 1500m <sup>2</sup>						
	65% viscose, 35% wool – 500m <sup>2</sup>						
	55% wool, 45% viscose – 500m <sup>2</sup>						
	60% wool, 40% viscose – 8000m <sup>2</sup>						
	80% wool, 20% nylon – 3000m <sup>2</sup>						
	51% cotton, 49% wool – 400m <sup>2</sup>						
	100% wool – 900m <sup>2</sup>						
IM 5112.11.08	100% wool – 900m <sup>2</sup>	Free	Free	99	301956L	11/07	7/08
	100% wool – 900m <sup>2</sup>						
	100% wool – 900m <sup>2</sup>						
	100% wool – 900m <sup>2</sup>						
	100% wool – 900m <sup>2</sup>						
	100% wool – 5400m <sup>2</sup>						
	100% wool – 150m <sup>2</sup>						
	100% wool – 150m <sup>2</sup>						
	100% wool – 900m <sup>2</sup>						
	65% wool, 20% cashmere, 15% nylon – 300m <sup>2</sup>						

**THIRD SCHEDULE**  
Concession Approvals Withdrawn

Tariff Item	Description of Goods	Rates of Duty		Part II Ref.	Ref. No.	Effective	
		Normal	Pref.			From	To
8483.10.01	Camshafts . lifters	..	..	..	983318J	..	..
8483.10.01	Crankshafts ... engines	..	..	..	992459A	..	..
8483.10.01	Forged ... camshafts	..	..	..	701803H	..	..
8483.10.01	Hollow ... camshafts	..	..	..	986279L	..	..
8483.10.19	Highly ... installations	..	..	..	540414C	..	..
8483.10.19	Power... units	..	..	..	660491K	..	..
8483.10.19	Shafting, ... machines	..	..	..	205639K	..	..
8483.10.19	Verticle ... drives	..	..	..	929751A	..	..
8483.10.19)	Twin ... units	..	..	..	640290K	..	..
8483.40.90)							

Tariff Concession Approvals, Withdrawals and Declines Notice No. 2007/45 *continued*

Tariff Item	Description of Goods	Rates of Duty Normal Pref.		Part II Ref.	Ref. No.	Effective From To	
8483.10.19)	Vehicle ... pumps	..	..	..	505945D	..	..
8483.40.20)							
8483.40.90)							
8483.20.09	Asahi ... units	..	..	..	925516J	..	..
8483.20.09	Bearing ... shaft	..	..	..	300192L	..	..
8483.20.09	Furniture ... assemblies	..	..	..	720325L	..	..
8483.30.01)	Engine bearings	..	..	..	800060D	..	..
8483.30.09)							
8483.30.01)	Spherical ... bearings	..	..	..	560435E	..	..
8483.30.09)							
8483.30.09	Ball ... only	..	..	..	912881G	..	..
8483.30.09	Bearing ... blocks	..	..	..	540820C	..	..
8483.30.09	Bearing ... coil	..	..	..	989346G	..	..
8483.30.09	Bearing ... iron	..	..	..	996656A	..	..
8483.30.09	Control ... bearings	..	..	..	702940D	..	..
8483.30.09	Morse ... bearings	..	..	..	207717F	..	..
8483.30.09	Polyurethane ... non-metallic	..	..	..	504127K	..	..
8483.30.09	Split ... only	..	..	..	702157H	..	..
8483.30.09)	Bronze ... bushings	..	..	..	620474A	..	..
8483.40.90)							
8483.30.09)	Taperlocking ... bushes	..	..	..	986754G	..	..
8483.60.09)							
8483.40	Gear ... coaxial	..	..	..	997630C	..	..
8483.40	Gear ... worm	..	..	..	997631A	..	..
8483.40	Gearboxes, ... engines	..	..	..	113072C	..	..
8483.40.20)	Timing gears	..	..	..	983064C	..	..
8483.40.90)							
8483.40.90	90 ... arrangement	..	..	..	991607F	..	..
8483.40.90	Ball screws	..	..	..	983455K	..	..
8483.40.90	Bevel ... 1.59-1.00	..	..	..	501524D	..	..
8483.40.90	Case ... 4462Nm	..	..	..	921447L	..	..
8483.40.90	Comer ... unit	..	..	..	113061H	..	..
8483.40.90	Gear ... materials	..	..	..	927805C	..	..
8483.40.90	Gear ... Towers	..	..	..	930781J	..	..
8483.40.90	Gears; ... speed	..	..	..	113074K	..	..
8483.40.90	Nylatron ... segments	..	..	..	203147H	..	..
8483.40.90	Parallel ... reducer	..	..	..	982716B	..	..
8483.40.90	Pneumatic ... SP47						
8483.40.90	Reduction ... robots	..	..	..	930330J	..	..
8483.40.90	Right ... machines	..	..	..	930756H	..	..
8483.40.90	Right ... boxes	..	..	..	461001G	..	..
8483.40.90	Spacer ... pumps	..	..	..	521548L	..	..
8483.40.90	Speed ... input	..	..	..	207871G	..	..
8483.40.90	Speed ... maximum	..	..	..	113090A	..	..
8483.40.90	Sprocket wheels	..	..	..	995604C	..	..
8483.40.90	Thordon ... Zealand	..	..	..	203148F	..	..
8483.40.90	Torque ... reducers	..	..	..	461375K	..	..
8483.40.90	Torque ... vehicles	..	..	..	460856K	..	..
8483.40.90	Torque ... metres	..	..	..	204947D	..	..
8483.40.90	Transmittal ... 800	..	..	..	520709G	..	..
8483.40.90	Transmittal ... trucks	..	..	..	520473K	..	..
8483.40.90	Will ... use)	..	..	..	113052J	..	..
8483.40.90)	Sprockets ... belting	..	..	..	987809C	..	..
8483.90.01)							
8483.50.01	Aluminium, ... thereof	..	..	..	998148K	..	..
8483.50.01	Hand ... construction	..	..	..	982914J	..	..
8483.50.01	Running ... construction	..	..	..	985075K	..	..
8483.50.19	Nylatron ... sheaves	..	..	..	909438F	..	..
8483.50.19	Pulleys ... speed	..	..	..	461368G	..	..
8483.50.19	Pulleys ... type	..	..	..	999287B	..	..
8483.50.19	Taperlocking ... pulleys	..	..	..	986755E	..	..
8483.60.01	Spacer ... pumps	..	..	..	521548L	..	..
8483.60.01)	Clutches, ... motors	..	..	..	462467L	..	..
8483.60.09)							
8483.60.09	Flexible ... only	..	..	..	700796F	..	..
8483.60.09	Gear ... couplings	..	..	..	998692J	..	..
8483.60.09	Highly ... installations	..	..	..	540414C	..	..
8483.60.09	Jaw ... couplings	..	..	..	998471C	..	..
8483.60.09	Roller ... size	..	..	..	461370J	..	..
8483.60.09	Sprag clutches	..	..	..	461372E	..	..
8483.60.09	Steel ... couplings	..	..	..	980101E	..	..
8483.60.09	Torque ... metres	..	..	..	204947D	..	..
8483.60.09	Torque ... discs	..	..	..	981334K	..	..
8483.60.09	Torsionally ... couplings	..	..	..	504810K	..	..
8483.60.09	UCC ... 100 r.p.m	..	..	..	461127G	..	..
8483.60.09	Wellman ... 100rpm	..	..	..	721578K	..	..
8483.60.09)	Clutch ... shafts	..	..	..	907470J	..	..
8483.90.01)							
8483.90.01	Manual ... valves	..	..	..	460998A	..	..

Tariff Concession Approvals, Withdrawals and Declines Notice No. 2007/45 *continued*

Tariff Item	Description of Goods	Rates of Duty		Part II Ref.	Ref. No.	Effective	
		Normal	Pref.			From	To
8483.90.01)	Sintered ... components	..	..	..	930758D	..	..
8483.90.09)							
8483.90.09	Parts, ... couplings"	..	..	..	400459A	..	..
8483.90.09	Ringspann ... wheels	..	..	..	461852B	..	..

**FOURTH SCHEDULE**  
Applications for Concessions Declined

Tariff Item	Description of Goods	Ref. No.
3304.10.00	Skin preparations, viz: moisturisers	301881E
8479.89.00	Passenger boarding bridges	301888B
8904.00.01	Tug "Aoraki" deep sea ocean going type fitted with a towing winch of 42 tonne bollard pull capability	301893J

Category of Approval:	A	–	General Approval
	CE	–	Capital Equipment
	GT	–	Goods in Transit
	IM	–	Inputs to Manufacturing – Inability to Supply
	MS	–	Manufacturers' Samples
	RUC	–	Revocation of Unused Concession
	S	–	Shortfall of Other Than Manufacturing Inputs
	SMI	–	Shortfall of Manufacturing Inputs
	SS	–	Special Situation
	V	–	Variation of Existing Concession
	X	–	Administrative Amendment

The concessions approved subject to prescribed purposes and conditions as listed in the Second Schedule to this notice and declined applications listed in the Fourth Schedule to this notice will not be published in the Consolidated List of Approvals.

Dated at Wellington this 22nd day of November 2007.

V.A. MANKS, Ministry of Economic Development.

## Customs

### Customs and Excise Act 1996

#### Customs (Volume of Alcohol) Rules 2007 (CR IG/2007)

Pursuant to section 288(1)(g) of the Customs and Excise Act 1996, the chief executive hereby makes the following rules prescribing the manner in which the volume of alcohol in an alcoholic beverage is to be ascertained and revokes the Customs (Volume of Alcohol) Rules 1996, Amendment No. 1 (CR IG/1996)\*.

#### “Rules

**1. Title, Commencement, Application and Purpose—**  
(a) These rules may be cited as the Customs (Volume of Alcohol) Rules 2007 (CR IG/2007).

(b) These rules shall come into force on the 28th day after the day of the publication of these rules in the *New Zealand Gazette*.

(c) These rules shall apply for the purposes of prescribing the manner in which the volume of alcohol in an alcoholic beverage is to be ascertained.

(d) The volume of alcohol in an alcoholic beverage shall be ascertained by multiplying the quantity of litres of the particular beverage by its alcoholic strength in accordance with these rules.

**2. Interpretation—**In these rules, unless the context otherwise requires:

- (a) the term “the Act” means the Customs and Excise Act 1996;
- (b) Any terms used in these rules which are defined in Section 2 of the Act shall have the meanings given to them by that section;
- (c) “targeted strength” means the intended percentage of alcohol by volume for each product, and each brand of the product in relation to alcoholic beverages, as advised by the manufacturer in accordance with such conditions as may be specified under section 12(2) of the Act;
- (d) “weighted mean value”, in relation to beer which is accounted for in an entry for home consumption, means the percentage of alcohol by volume obtained by dividing the total quantity of litres of alcohol, as ascertained in accordance with these rules, by the total quantity of litres of beer so entered.

**3. Methods to ascertain volume of alcohol in beer—**The volume of alcohol in beer may be ascertained by any one or more of the following processes:

- (a) by use of a Servo Chem Automatic Beer Analyser; or
- (b) by use of headspace gas chromatography; or
- (c) by use of gas chromatography with liquid injection; or
- (d) by way of distillation followed either by the gravimetric measurement of the distillate or by measurement in an oscillating U-tube type density meter; or
- (e) by use of near infra red spectroscopy.

**4. Methods to ascertain volume of alcohol in alcoholic beverages other than beer—**The volume of alcohol in alcoholic beverages other than beer may be ascertained by anyone or more of the following processes:

- (a) by use of headspace gas chromatography; or

- (b) by use of gas chromatography with liquid injection; or
- (c) by way of distillation followed either by the gravimetric measurement of the distillate or by measurement in an oscillating U-tube type density meter; or
- (d) by way of Hydrometric testing using an OIML hydrometer of the British Standard BS 5470, in the case of goods of a class or kind which, if imported, would be classified in Tariff headings 2208.20 to 2208.60, or in Tariff items 2208.90.42 or 2208.90.48.

Provided that if the Chief Executive has reason to believe that any alcoholic beverage analysed by use of the process specified in paragraph (d) of this rule has had added to it any substance so as to impair the hydrometer reading, he or she may disregard the results so obtained and require the beverage to be analysed using any one or more of the processes specified in paragraphs (a), (b) or (c) of this Rule.

**5. Manner of calculating the volume of alcohol—**(1) For the purposes of the Act, the volume of alcohol present in an alcoholic beverage shall be calculated on an entry as the amount corresponding to the value of “C” in accordance with the formula:

$$C = A \times B$$

where:

A is the total quantity of the beverage, in liquid litres, to which the entry relates; and

B is the alcohol strength of the beverage.

(2) For the purposes of paragraph (1) of this rule, in respect of alcoholic beverages, other than beer, the alcohol strength is:

- (a) The targeted strength providing that, when tested, it is equal to the strength obtained from analysis in accordance with these rules; or
- (b) where the targeted strength is not confirmed when tested, the result obtained by analysis in accordance with these rules.

(3) Subject to paragraph (5) of this rule, for the purposes of paragraph (1) of this rule, in respect of beer the alcohol strength is:

- (a) Subject to paragraph (4) of this rule, where the targeted strength is confirmed within plus 0.04% by the weighted mean value, the targeted strength stated to 2 decimal places; or
- (b) Subject to paragraph (4) of this rule, where the targeted strength is not confirmed pursuant to subparagraph (a) of this rule when tested and the weighted mean value exceeds the targeted strength by more than 0.04%, the weighted mean value stated to 2 decimal places; or
- (c) The weighted mean value where the targeted strength is not confirmed when tested and the weighted mean value is less than the targeted strength. Provided that where the weighted mean value is less than the targeted strength for more than two consecutive entries the alcoholic strength shall, in the third entry and all entries made thereafter, be declared as the targeted strength stated to 2 decimal

places, until such time as the targeted strength or more than such strength is achieved.

(4) Notwithstanding subparagraphs 3(a) and (b) of this rule, with respect to beer, if in the case of two successive entries the weighted mean value exceeds the targeted strength, the alcoholic strength for the purposes of paragraph (1) of this rule shall, for the third entry and all entries made thereafter be the weighted mean value until that value is equal to or is less than the targeted strength.

(5) Where the production of beer at any one place of manufacture:

- (a) is not expected to exceed 2,000,000 litres per annum intended to be entered for home consumption; and
- (b) analyses are not done in accordance with paragraph (3) of this rule the alcoholic strength is:
  - (i) The targeted strength when confirmed by analyses of three consecutive brews of that beer, at intervals not exceeding 6 months, obtained by using any one or more of the methods to ascertain the volume of alcohol in beer as set out in rule 3 of these rules; or
  - (ii) Where the beer is packaged with a stated label strength or, in the case of bulk beer, where the product is otherwise packaged with a stated label strength; and
  - (iii) The label strength is no less than the targeted strength for the product, the alcoholic strength

for the purposes of paragraph (1) of this rule shall be the label strength.

**6. Revocation of the Customs (Volume of Alcohol) Rules 1996, Amendment No. 1**—The Customs (Volume of Alcohol) Rules 1996, Amendment No. 1 (CR 1G/1996)\* are hereby revoked.

Dated at Wellington this 12th day of November 2007.

MARTYN DUNNE, Chief Executive.”

**Notice under section 288(7) of the Act.**

Copies of these rules are available for inspection on the Customs Service website ([www.customs.govt.nz](http://www.customs.govt.nz)) or at any of the following Customs offices:

Auckland: The Customhouse, 50 Anzac Avenue, Auckland City.

Wellington: The Customhouse, 19 Whitmore Street.

Christchurch: The Customhouse, 6 Orchard Road, Christchurch Airport.

Dunedin: The Customhouse, 32 Portsmouth Drive.

Copies of these rules may be purchased from the New Zealand Customs Service, Private Bag 1928, Dunedin.

\*Customs edition to the *New Zealand Gazette*, 12 November 1996, No. 164, page 4324  
go7992