



New Zealand Gazette

WELLINGTON: FRIDAY, 8 MAY 2015 — No. 51

CONTENTS

GOVERNMENT NOTICES

General Section

3

Using the Gazette

The *New Zealand Gazette*, the official newspaper of the Government of New Zealand, is published online on Thursdays between 10.00am and 11.00am.

The online version is the official publication and authoritative constitutional record.

Notice Submissions and Style

Notices for publication and related correspondence should be addressed to

New Zealand Gazette
Department of Internal Affairs
PO Box 805
Wellington 6140
Telephone: (04) 462 0313 / (04) 462 0312
Email: gazette@dia.govt.nz

Notices are accepted for publication in the next available issue, unless otherwise specified.

Microsoft Word is the preferred format for notice submissions. Please do not send notices as PDFs as errors can be introduced when converting to Word. Image files should be in JPG or PNG format.

The Gazette Office reserves the right to apply its in-house style to all notices. Any corrections which are related to style will be made at the discretion of the publisher for reasons of consistency.

Please go to www.gazette.govt.nz/howtosubmit/ for more information.

Deadlines

The deadline for submitting notices for publication in the principal edition is **midday Monday for commercial notices** and **midday Tuesday for Government notices**, in the week of publication.

The deadline for cancelling notices in the principal edition is **12.00 midday Wednesday**. Notices cancelled after being accepted for publication will be subject to a charge of \$55.00 to cover costs. Please call the Gazette Office immediately to cancel a notice, and confirm the cancellation by email.

For further information and for public holiday deadlines, please go to www.gazette.govt.nz/deadlines/

Advertising Rates

The standard rate for all notices in the principal edition of the *New Zealand Gazette* is 50 cents per word/number. Additional charges may apply.

Late notices may be accepted at the discretion of the publisher. A late fee of an extra 5 cents per word applies.

Customers will be invoiced in accordance with standard commercial practices. Advertising rates are not negotiable. All rates shown are inclusive of GST.

Availability

New Zealand Gazette notices are published directly online. A search-by-notice facility and PDFs of the notices are available on the website

www.gazette.govt.nz

All editions are also available on subscription from the New Zealand Gazette Office, Department of Internal Affairs, PO Box 805, Wellington 6140 (telephone: (04) 462 0313).

Copyright

© The *New Zealand Gazette* is subject to Crown copyright.

GOVERNMENT NOTICES

General Section

Schedule 20 - Maximum Residue Limits - Food Standards (Proposal P1025 - Code Revision) Variation—Australia New Zealand Food Standards Code - Amendment No. 154 - Part One

The Board of Food Standards Australia New Zealand gives notice of the making of this standard under section 92 of the *Food Standards Australia New Zealand Act 1991*.

The Standard commences on 1 March 2016.

Dated 25 March 2015

Standards Management Officer, Delegate of the Board of Food Standards Australia New Zealand.

Note:

This Standard will be published in the Commonwealth of Australia Gazette No. FSC 96 on 10 April 2015.

Note 1 This instrument is a standard under the *Food Standards Australia New Zealand Act 1991* (Cth). The standards together make up the *Australia New Zealand Food Standards Code*. See also section 1.1.1–3.

Maximum residue limits are regulated by subsection 1.1.1–10(5) and Standard 1.4.2. This Standard identifies agvet chemicals, and their permitted residues, for the purpose of section 1.4.2–4.

2.4.1–1 Name

This Standard is *Australia New Zealand Food Standards Code - Schedule 20 - Maximum residue limits*.

Note Commencement: This Standard commences on 1 March 2016, being the date specified as the commencement date in notices in the *Gazette* and the *New Zealand Gazette* under section 92 of the *Food Standards Australia New Zealand Act 1991* (Cth). See also section 93 of that Act.

Note 2 This Standard applies in Australia only. In New Zealand, maximum residue limits for agricultural compounds are set out in a Maximum Residue Limits Standard.

S20–2 Interpretation

In this Schedule:

- (a) an asterisk (*) indicates that the maximum residue limit is set at the limit of determination; and
- (b) the symbol “T” indicates that the maximum residue limit is a temporary maximum residue limit.

S20–3 Maximum residue limits

For section 1.4.2–4, the *agvet chemicals, permitted residues, and amounts are as follows, expressed in mg per kg:

Maximum residue limits

Agvet chemical: Abamectin

Permitted residue: Sum of avermectin B1a, avermectin B1b and (Z)-8,9 avermectin B1a, and (Z)-8,9 avermectin B1b

Adzuki bean (dry)	T*0.002
Almonds	T*0.01
Apple	0.01
Blackberries	T0.1
Blueberries	T*0.02
Cattle, edible offal of	0.1
Cattle fat	0.1

Cattle meat	0.005
Cattle milk	0.02
Chervil	T0.5
Citrus fruits	0.02
Common bean (dry) (navy bean)	T*0.002
Coriander (leaves, stem, roots)	T0.5
Cotton seed	*0.01
Cucumber	0.02
Currant, black	0.02
Egg plant	0.02
Goat fat	0.1
Goat kidney	0.01
Goat liver	0.05
Goat milk	0.005
Goat muscle	0.01
Grapes	0.02
Herbs	T0.5
Hops, dry	0.1
Kaffir lime leaves	T0.5
Lemon grass	T0.5
Lettuce, head	0.05
Lettuce, leaf	T1
Maize	T*0.01
Melons, except watermelon	T0.02
Mung bean (dry)	T*0.002
Mushrooms	T0.05
Onion, Welsh	T0.05
Papaya (pawpaw)	T0.1
Peanut	T*0.002
Pear	0.01
Peas	T0.5
Peppers	T0.1
Pig kidney	0.01
Pig liver	0.02
Pig meat (in the fat)	0.02
Popcorn	T*0.01
Raspberries, red, black	T0.1
Rhubarb	T0.05
Shallot	T0.05
Sheep, edible offal of	0.05
Sheep meat (in the fat)	0.05
Soya bean (dry)	*0.002
Spring onion	T0.05
Squash, Summer	0.02
Strawberry	0.1
Sweet corn (corn-on-the-cob)	T0.05
Tomato	0.05
Watercress	T0.5
Watermelon	T0.02

Agvet chemical: Acephate

Permitted residue: Acephate (Note: the metabolite methamidophos has separate MRLs)

Banana	1
Brassica (cole or cabbage) vegetables, Head cabbages, Flowerhead brassicas	5
Citrus fruits	5
Cotton seed	2

Edible offal (mammalian)	0.2
Eggs	0.2
Lettuce, head	10
Lettuce, leaf	10
Macadamia nuts	*0.1
Meat (mammalian) [except sheep meat]	0.2
Peppers, Sweet	5
Potato	0.5
Sheep meat	*0.01
Soya bean (dry)	1
Sugar beet	0.1
Tomato	5
Tree tomato (tamarillo)	0.5

Agvet chemical: Acequinocyl

Permitted residue: Sum of acequinocyl and its metabolite 2-dodecyl-3-hydroxy-1,4-naphthoquinone, expressed as acequinocyl

Citrus fruits	0.2
Grapes	1.6

Agvet chemical: Acetamiprid

Permitted residue—commodities of plant origin: Acetamiprid

Permitted residue—commodities of animal origin: Sum of acetamiprid and N-demethyl acetamiprid ((E)-N¹-[6-chloro-3-pyridyl)methyl]-N²-cyanoacetamidine), expressed as acetamiprid

Citrus fruits	0.5
Cotton seed	*0.05
Cranberry	0.6
Cucumber	T0.2
Date	T5
Edible offal (mammalian)	*0.05
Eggs	*0.01
Grapes	0.35
Meat (mammalian)	*0.01
Milks	*0.01
Potato	*0.05
Poultry, edible offal of	*0.05
Poultry meat	*0.01
Stone fruits [except plums]	1
Tomato	T0.1

Agvet chemical: Acibenzolar-S-methyl

Permitted residue: Acibenzolar-S-methyl and all metabolites containing the benzo[1,2,3]thiadiazole-7-carboxyl moiety hydrolysed to benzo[1,2,3]thiadiazole-7-carboxylic acid, expressed as acibenzolar-S-methyl

Cotton seed	*0.02
Edible offal (mammalian)	*0.02
Eggs	*0.02
Meat (mammalian)	*0.02
Milks	*0.005
Poultry, edible offal of	*0.02
Poultry meat	*0.02

Agvet chemical: Acifluorfen*Permitted residue: Acifluorfen*

Edible offal (mammalian)	0.1
Eggs	*0.01
Legume vegetables	0.1
Meat (mammalian)	*0.01
Milks	*0.01
Peanut	0.05
Poultry, edible offal of	0.1
Poultry meat	*0.01
Pulses	0.1

Agvet chemical: Albendazole*Permitted residue: Sum of albendazole, its sulfoxide, sulfone and sulfone amine, expressed as albendazole*

Cattle, edible offal of	*0.1
Cattle meat	*0.1
Goat, edible offal of	*0.1
Goat meat	*0.1
Sheep, edible offal of	3
Sheep meat	0.2

Agvet chemical: Albendazole sulphoxidesee *Albendazole***Agvet chemical: Aldicarb***Permitted residue: Sum of aldicarb, its sulfoxide and its sulfone, expressed as aldicarb*

Citrus fruits	0.05
Cotton seed	*0.05
Edible offal (mammalian)	*0.01
Meat (mammalian)	*0.01
Milks	*0.01
Sugar cane	*0.02

Agvet chemical: Aldoxycarb*Permitted residue: Sum of aldoxycarb and its sulfone, expressed as aldoxycarb*

Cattle, edible offal of	0.2
Cattle meat	*0.02
Eggs	0.1
Milks	*0.02
Poultry, edible offal of	0.2
Poultry meat	*0.02
Wheat	*0.02

Agvet chemical: Aliphatic alcohol ethoxylates*Permitted residue: Aliphatic alcohol ethoxylates*

Cattle, edible offal of	*0.1
Cattle meat	*0.1
Cattle milk	1

Agvet chemical: Altrenogest*Permitted residue: Altrenogest*

Pig meat	*0.005
----------	--------

Pig, edible offal of	0.005
----------------------	-------

Agvet chemical: Aluminium phosphidesee *Phosphine***Agvet chemical: Ametoctradin***Permitted residue—commodities of plant origin:**Ametoctradin**Permitted residue—commodities of animal origin: Sum of ametoctradin and 6-(7-amino-5-ethyl [1,2,4] triazolo [1,5-a]pyrimidin-6-yl) hexanoic acid*

Edible offal (mammalian)	*0.02
Eggs	*0.02
Grapes	3
Meat (mammalian)	*0.02
Milks	*0.02
Poultry, edible offal of	*0.02
Poultry meat	*0.02

Agvet chemical: Ametryn*Permitted residue: Ametryn*

Cotton seed	0.05
Edible offal (mammalian)	*0.05
Meat (mammalian)	*0.05
Milks	*0.05
Pineapple	*0.05
Pome fruits	0.1
Sugar cane	0.05

Agvet chemical: Aminoethoxyvinyl-glycine*Permitted residue: Aminoethoxyvinylglycine*

Apple	0.1
Stone fruits [except cherries]	0.2
Walnuts	*0.05

Agvet chemical: Aminopyralid*Permitted residue—commodities of plant origin: Sum of aminopyralid and conjugates, expressed as aminopyralid**Permitted residue—commodities of animal origin:**Aminopyralid*

Cereal grains	0.1
Edible offal (mammalian) [except kidney]	0.02
Eggs	*0.01
Kidney (mammalian)	0.3
Meat (mammalian)	*0.01
Milks	*0.01
Poultry, edible offal of	*0.01
Poultry meat	*0.01
Wheat bran, unprocessed	0.3

Agvet chemical: Amitraz*Permitted residue: Sum of amitraz and N-(2,4-dimethylphenyl)-N'-methylformamidine, expressed as N-(2,4-dimethylphenyl)-N'-methylformamidine*

Apple	0.5
Cotton seed	*0.1

Cotton seed oil, crude	1
Edible offal (mammalian)	0.5
Meat (mammalian)	0.1
Milks	0.1
Stone fruits [except cherries]	0.5

Agvet chemical: Amitrole*Permitted residue: Amitrole*

Avocado	*0.01
Banana	*0.01
Blueberries	T*0.01
Cereal grains	*0.01
Citrus fruits	*0.01
Edible offal (mammalian)	*0.01
Grapes	*0.01
Hops, dry	*0.01
Meat (mammalian)	*0.01
Milks	*0.01
Oilseed	*0.01
Papaya (pawpaw)	*0.01
Passionfruit	*0.01
Pecan	*0.01
Pineapple	*0.01
Pome fruits	*0.01
Potato	*0.05
Pulses	*0.01
Stone fruits	*0.02
Sugar cane	*0.01

Agvet chemical: Amoxycillin*Permitted residue: Inhibitory substance, identified as amoxycillin*

Cattle milk	*0.01
Edible offal (mammalian)	*0.01
Eggs	T*0.01
Meat (mammalian)	*0.01
Poultry, edible offal of	*0.01
Poultry meat	*0.01
Sheep milk	*0.01

Agvet chemical: Ampicillin*Permitted residue: Inhibitory substance, identified as ampicillin*

Cattle milk	*0.01
Horse, edible offal of	*0.01
Horse meat	*0.01

Agvet chemical: Amprolium*Permitted residue: Amprolium*

Eggs	4
Poultry, edible offal of	1
Poultry meat	0.5

Agvet chemical: Apramycin*Permitted residue: Apramycin*

Edible offal (mammalian)	2
--------------------------	---

Meat (mammalian)	*0.05
Poultry, edible offal of	1
Poultry meat	*0.05

Agvet chemical: Asulam*Permitted residue: Asulam*

Apple	*0.1
Edible offal (mammalian)	*0.1
Hops, dry	*0.1
Meat (mammalian)	*0.1
Milks	*0.1
Poppy seed	*0.1
Potato	0.4
Sugar cane	*0.1

Agvet chemical: Atrazine*Permitted residue: Atrazine*

Edible offal (mammalian)	T*0.1
Lupin (dry)	*0.02
Maize	*0.1
Meat (mammalian)	T*0.01
Milks	T*0.01
Potato	*0.01
Rape seed (canola)	*0.02
Sorghum	*0.1
Sugar cane	*0.1
Sweet corn (corn-on-the-cob)	*0.1

Agvet chemical: Avermectin B1see *Abamectin***Agvet chemical: Avilamycin***Permitted residue: Inhibitory substance, identified as avilamycin*

Poultry, edible offal of	*0.05
Poultry meat	*0.05

Agvet chemical: Azaconazole*Permitted residue: Azaconazole*

Mushrooms	0.1
-----------	-----

Agvet chemical: Azamethiphos*Permitted residue: Azamethiphos*

Cereal grains	0.1
Eggs	*0.05
Poultry, edible offal of	*0.05
Poultry meat	*0.05
Wheat bran, unprocessed	0.5

Agvet chemical: Azaperone*Permitted residue: Azaperone*

Pig, edible offal of	0.2
Pig meat	0.2

Agvet chemical: Azimsulfuron*Permitted residue: Azimsulfuron*

Edible offal (mammalian)	*0.02
Eggs	*0.02
Meat (mammalian)	*0.02
Milks	*0.02
Poultry, edible offal of	*0.02
Poultry meat	*0.02
Rice	*0.02

Agvet chemical: Azinphos-methyl*Permitted residue: Azinphos-methyl*

Blueberries	1
Citrus fruits	2
Edible offal (mammalian)	*0.05
Grapes	2
Kiwifruit	2
Litchi	2
Macadamia nuts	*0.01
Meat (mammalian)	*0.05
Milks	*0.05
Oilseed	*0.05
Pome fruits	2
Raspberries, red, black	1
Stone fruits	2
Strawberry	1

Agvet chemical: Azoxystrobin*Permitted residue: Azoxystrobin*

Almonds	*0.01
Anise myrtle leaves	T100
Avocado	1
Banana	T0.5
Barley	*0.02
Beans [except broad and soya bean]	2
Bergamot	T50
Blackberries	5
Blueberries	5
Boysenberry	5
Brassica leafy vegetables [except mizuna]	2
Brassica (cole or cabbage) vegetables, Head cabbages, Flowerhead brassicas	0.7
Bulb vegetables [except fennel, bulb; onion, bulb]	2
Burnet, Salad	T50
Carrot	0.2
Chervil	T50
Chick-pea (dry)	T0.5
Citrus fruits	10
Cloudberry	T5
Coriander (leaves, stem, roots)	T50
Coriander, seed	T50
Cotton seed	*0.01
Cranberry	0.5
Dewberries (including loganberry)	T3
Dill, seed	T50
Dried grapes	5
Edible offal (mammalian)	*0.01

Eggs	*0.01
Fennel, seed	T50
Fennel, bulb	T0.1
Fruiting vegetables, cucurbits	1
Galangal, Greater	T0.1
Gooseberry	T3
Grapes	2
Herbs [except as otherwise listed under this chemical]	T50
Horseradish	0.5
Kaffir lime leaves	T50
Lemon grass	T50
Lemon myrtle leaves	T100
Lemon verbena (dry leaves)	T50
Lentil (dry)	T0.5
Lettuce, head	15
Lettuce, leaf	15
Maize	T*0.01
Mango	0.5
Meat (mammalian)	*0.01
Mexican tarragon	T50
Milks	0.005
Mizuna	T50
Olives	T2
Passionfruit	0.5
Peanut	0.05
Peanut oil, crude	0.1
Peppers	3
Poppy seed	*0.02
Potato	0.05
Poultry, edible offal of	*0.01
Poultry meat	*0.01
Radish	0.5
Raspberries, red, black	5
Ribberries	T10
Rice	T7
Rose and dianthus (edible flowers)	T50
Spices	*0.1
Stone fruits	1.5
Strawberry	10
Tea, green, black	T20
Tomato	T1
Tree nuts [except almonds]	2
Turmeric, root	T0.1
Wheat	*0.02

Agvet chemical: Bacitracin*Permitted residue: Inhibitory substance, identified as bacitracin*

Chicken, edible offal of	*0.5
Chicken fat	*0.5
Chicken meat	*0.5
Eggs	*0.5
Milks	*0.5

Agvet chemical: Benalaxyl*Permitted residue: Benalaxyl*

Fruiting vegetables, cucurbits	0.2
Garlic	0.1
Grapes	0.5
Lettuce, head	*0.01
Lettuce, leaf	*0.01
Onion, bulb	0.1
Shallot	T0.5
Spring onion	T0.1

Agvet chemical: Bendiocarb*Permitted residue—commodities of plant origin:**Unconjugated bendiocarb**Permitted residue—commodities of animal origin: Sum of conjugated and unconjugated Bendiocarb, 2,2-dimethyl-1,3-benzodioxol-4-ol and N-hydroxymethylbendiocarb, expressed as Bendiocarb*

Banana	*0.02
Cattle, edible offal of	0.2
Cattle meat	0.1
Eggs	0.05
Milks	0.1
Poultry, edible offal of	0.1
Poultry meat	0.05

Agvet chemical: Benfluralin*Permitted residue: Benfluralin*

Lettuce, head	T*0.05
Lettuce, leaf	T*0.05

Agvet chemical: Benomylsee *Carbendazim***Agvet chemical: Bensulfuron-methyl***Permitted residue: Bensulfuron-methyl*

Rice	*0.02
Rice bran, processed	*0.05

Agvet chemical: Bensulide*Permitted residue: Bensulide*

Fruiting vegetables, cucurbits	*0.1
--------------------------------	------

Agvet chemical: Bentazone*Permitted residue: Bentazone*

Beans [except broad bean and soya bean]	*0.1
Broad bean (green pods and immature seeds)	*0.1
Edible offal (mammalian)	*0.05
Eggs	*0.05
Garden pea (shelled)	T*0.05
Meat (mammalian)	*0.05
Milks	*0.05
Onion, bulb	T0.1
Peanut	*0.1
Podded pea (young pods) (snow and sugar snap)	T0.05
Poultry, edible offal of	*0.05

Poultry meat	*0.05
Pulses	*0.01
Rice	*0.03
Sweet corn (corn-on-the-cob)	*0.1

Agvet chemical: Benzocaine*Permitted residue: Benzocaine*

Abalone	*0.05
Finfish	*0.05

Agvet chemical: Benzofenap*Permitted residue: Sum of benzofenap, benzofenap-OH and Benzofenap-red, expressed as benzofenap*

Rice	*0.01
------	-------

Agvet chemical: Benzyladenine*Permitted residue: Benzyladenine*

Apple	0.2
Pear	T0.2
Pistachio nut	T*0.05

Agvet chemical: Benzyl G penicillin*Permitted residue: Inhibitory substance, identified as benzyl G penicillin*

Edible offal (mammalian)	*0.06
Meat (mammalian)	*0.06
Milks	*0.0015

Agvet chemical: Betacyfluthrinsee *Cyfluthrin***Agvet chemical: Bifenazate***Permitted residue: Sum of bifenazate and bifenazate diazene (diazene-carboxylic acid, 2-(4-methoxy-[1,1'-biphenyl-3-yl] 1-methylethyl ester), expressed as bifenazate*

Almonds	0.1
Apricot	0.5
Bitter melon	T0.5
Blackberries	T7
Cherries	2.5
Cloudberry	T7
Cranberry	1.5
Cucumber	T0.5
Dewberries (including boysenberry and loganberry)	T7
Dried grapes	T2
Edible offal (mammalian)	*0.01
Egg plant	T0.1
Grapes [except wine grapes]	T1
Hops, dry	T3
Lettuce, head	T20
Lettuce, leaf	T20
Meat (mammalian) (in the fat)	*0.01
Milks	*0.01
Nectarine	0.5
Papaya (pawpaw)	T0.5

Peach	2
Peas	T0.5
Peppers	T0.5
Plums (including prunes)	0.5
Pome fruits	2
Raspberries, red, black	T7
Sinkwa or Sinkwa towel gourd	T0.5
Squash, Summer	T0.5
Strawberry	T2
Tomato	T1
Yard-long bean (pods)	T1

Agvet chemical: Bifenthrin*Permitted residue: Bifenthrin*

Apple	*0.05
Avocado	T0.1
Banana	0.1
Blackberries	T3
Blueberries	T3
Brassica (cole or cabbage) vegetables, Head cabbages, Flower head brassicas [except Cabbages, Head]	T1
Cabbages, Head	T7
Cereal grains	*0.02
Cherries	T1
Chervil	T10
Citrus fruits	*0.05
Cloudberry	T3
Common bean (pods and/or immature seeds)	T1
Cotton seed	0.1
Cucumber	T0.5
Dewberries (including boysenberry and loganberry)	T3
Edible offal (mammalian)	0.5
Eggs	*0.05
Field pea (dry)	T*0.01
Fruiting vegetables, cucurbits [except cucumber]	0.1
Fruiting vegetables, other than cucurbits	0.5
Galangal, rhizomes	T10
Ginger, root	T*0.01
Gooseberry	T3
Grapes	*0.01
Herbs	T10
Kaffir lime leaves	T10
Leafy vegetables [except chervil; mizuna; rucola (rocket)]	T2
Lemon balm	T10
Lemon grass	T10
Lemon verbena	T10
Lupin (dry)	T*0.02
Meat (mammalian) (in the fat)	2
Milks	0.5
Mizuna	T10
Olives	T0.5
Pear	0.5

Peas (pods and succulent, immature seeds)	*0.01
Pineapple	T*0.01
Poppy seed	*0.02
Poultry, edible offal of	*0.05
Poultry meat (in the fat)	*0.05
Pulses [except field pea (dry) and lupin (dry)]	*0.02
Rape seed (canola)	*0.02
Raspberries, red, black	T3
Rucola (rocket)	T10
Stone fruits [except cherries]	1
Strawberry	1
Sugar cane	*0.01
Sweet potato	*0.05
Taro	T*0.05
Tea, green, black	5
Turmeric, root	T10

Agvet chemical: Bioresmethrin*Permitted residue: Bioresmethrin*

Mango	T0.5
-------	------

Agvet chemical: Bitertanol*Permitted residue: Bitertanol*

Beans [except broad bean and soya bean]	0.5
Edible offal (mammalian)	3
Eggs	*0.01
Meat (mammalian) (in the fat)	0.3
Milks	0.2
Poultry, edible offal of	*0.01
Poultry meat	*0.01
Strawberry	*0.05

Agvet chemical: Boscalid*Permitted residue—commodities of plant origin: Boscalid**Permitted residue—commodities of animal origin: Sum of boscalid, 2-chloro-N-(4'-chloro-5-hydroxybiphenyl-2-yl) nicotinamide and the glucuronide conjugate of 2-chloro-N-(4'-chloro-5-hydroxybiphenyl-2-yl) nicotinamide, expressed as boscalid equivalents*

All other foods	0.5
Blackberries	T10
Blueberries	T15
Boysenberry	T10
Brassica (cole or cabbage) vegetables, Head cabbages, Flowerhead brassicas	2
Bulb vegetables [except onion, bulb]	T3
Cherries	T3
Cloudberry	T10
Dewberries (including loganberry and youngberry) [except boysenberry]	T10
Dried grapes	15
Fruiting vegetables, cucurbits	0.5
Fruiting vegetables, other than cucurbits	1
Edible offal (mammalian)	0.3

Grapes	4
Leafy vegetables	30
Legume vegetables	3
Meat (mammalian) (in the fat)	0.3
Milk fats	0.7
Milks	0.1
Onion, bulb	T1
Pistachio nut	T2
Pome fruits	2
Raspberries, red, black	T10
Root and tuber vegetables	1
Silvanberries	T10
Stone fruits [except cherries]	1.7
Strawberry	10

Agvet chemical: Brodifacoum*Permitted residue: Brodifacoum*

Cereal grains	T*0.00002
Edible offal (mammalian)	T*0.00005
Meat (mammalian)	T*0.00005
Pulses	T*0.00002
Sugar cane	*0.0005

Agvet chemical: Bromacil*Permitted residue: Bromacil*

Asparagus	*0.04
Citrus fruits	*0.04
Edible offal (mammalian)	*0.04
Meat (mammalian)	*0.04
Milks	*0.04
Pineapple	*0.04

Agvet chemical: Bromoxynil*Permitted residue: Bromoxynil*

Cereal grains	*0.2
Edible offal (mammalian)	T3
Eggs	*0.02
Garlic	T0.1
Grapes	*0.01
Linseed	*0.02
Meat (mammalian) (in the fat)	T1
Milks	T0.1
Poultry, edible offal of	*0.02
Poultry meat	*0.02
Sugar cane	*0.02

Agvet chemical: Bupirimate*Permitted residue: Bupirimate*

Apple	1
Egg plant	T1
Fruiting vegetables, cucurbits	1
Peppers	0.7
Strawberry	1

Agvet chemical: Buprofezin*Permitted residue: Buprofezin*

Celery	T5
Chervil	T50
Citrus fruits	2
Coriander (leaves, stem, roots)	T50
Cotton seed	T1
Cotton seed oil, crude	T0.3
Custard apple	0.1
Dried grapes (currants, raisins and sultanas)	1
Edible offal (mammalian)	*0.05
Fruiting vegetables, cucurbits	T2
Fruiting vegetables, other than cucurbits	T2
Grapes	0.3
Herbs	T50
Lettuce, leaf	T10
Mango	0.2
Meat (mammalian) (in the fat)	*0.05
Milks	*0.01
Mizuna	T50
Olives	T0.5
Olive oil, crude	T2
Passionfruit	2
Pear	0.2
Persimmon, Japanese	1
Rucola (rocket)	T50
Stone fruits [except apricot; peach]	1.9
Tree tomato	T1

Agvet chemical: Butafenacil*Permitted residue: Butafenacil*

Cereal grains [except rice]	*0.02
Edible offal (mammalian)	*0.02
Eggs	*0.01
Grapes	T*0.02
Meat (mammalian)	*0.01
Milks	*0.01
Pome fruits	T*0.02
Poultry, edible offal of	*0.02
Poultry meat	*0.01
Stone fruits	T*0.02

Agvet chemical: Butroxydim*Permitted residue: Butroxydim*

Edible offal (mammalian)	*0.01
Eggs	*0.01
Legume vegetables	*0.01
Meat (mammalian)	*0.01
Milks	*0.01
Oilseed	*0.01
Poultry, edible offal of	*0.01
Poultry meat	*0.01
Pulses	*0.0

Agvet chemical: Cadusafos*Permitted residue: Cadusafos*

Banana	*0.01
--------	-------

Citrus fruits	*0.01
Ginger, root	0.1
Sugar cane	*0.01
Tomato	*0.01

Agvet chemical: Captan*Permitted residue: Captan*

Almonds	0.3
Berries and other small fruits [except blueberries; grapes; strawberry]	T30
Blueberries	20
Chick-pea (dry)	T0.1
Cucumber	T5
Dried grapes	15
Edible offal (mammalian)	*0.05
Eggs	*0.02
Grapes	10
Lentil (dry)	T0.1
Lettuce, leaf	T7
Meat (mammalian)	*0.05
Milks	*0.01
Peppers, Chili	T7
Peppers, Sweet	T7
Pitaya (dragon fruit)	T20
Pome fruits	10
Poultry, edible offal of	*0.02
Poultry meat	*0.02
Stone fruits	15
Strawberry	10
Tree nuts [except almonds]	3

Agvet chemical: Carbaryl*Permitted residue: Carbaryl*

Apricot	10
Asparagus	10
Avocado	10
Banana (in the pulp)	5
Barley	15
Blackberries	10
Blueberries	7
Brazilian cherry (grumichama)	5
Carambola	5
Cassava	T1
Cereal grains [except barley; sorghum]	5
Cherries	5
Citrus fruits	7
Cotton seed	3
Cranberry	3
Custard apple	5
Dewberries (including boysenberry and loganberry)	10
Edible offal (mammalian)	T0.2
Eggs	T0.2
Elephant apple	5
Feijoa	5
Fruiting vegetables, cucurbits	3
Galangal, rhizomes (fresh)	T5

Granadilla	5
Grapes	5
Guava	5
Jaboticaba	5
Jackfruit	5
Jambu	5
Kiwifruit	10
Leafy vegetables	10
Litchi	5
Longan	5
Mango	5
Meat (mammalian)	T0.2
Milks	T*0.05
Nectarine	10
Okra	10
Olives	10
Olives, processed	1
Papaya (pawpaw)	5
Passionfruit	5
Peach	10
Plums (including prunes)	5
Pome fruits	5
Potato	0.2
Poultry, edible offal of	T5
Poultry meat	T0.5
Rambutan	5
Raspberries, red, black	10
Sapodilla	5
Sapote, black	5
Sapote, green	5
Sapote, mammey	5
Sapote, white	5
Sorghum	10
Strawberry	7
Sugar cane	T*0.05
Sunflower seed	1
Sweet corn (corn-on-the-cob)	1
Tree nuts	1
Tree nuts (whole in shell)	10
Turmeric, root (fresh)	T5
Vegetables [except as otherwise listed under this chemical]	5
Wheat bran, unprocessed	T20

Agvet chemical: Carbendazim

Permitted residue: Sum of carbendazim and 2-aminobenzimidazole, expressed as carbendazim

Apple	0.2
Apricot	2
Banana	T1
Berries and other small fruits [except grapes]	T5
Cherries	20
Chives	*0.1
Citron	0.7
Edible offal (mammalian)	0.2
Eggs	*0.1
Garlic	T0.2

Ginger, root	T10
Grapefruit	0.2
Grapes	0.3
Lemon	0.7
Lime	0.7
Macadamia nuts	0.1
Mandarins	0.7
Meat (mammalian)	0.2
Milks	*0.1
Mineola	0.7
Mushrooms	T5
Nectarine	0.2
Onion, bulb	T*0.2
Oranges	0.2
Peach	0.2
Pear	0.2
Peppers	*0.1
Peppers, Chili (dry)	20
Poultry, edible offal of	*0.1
Poultry meat	*0.1
Pulses	0.5
Shaddock (pomelo)	0.2
Spices	*0.1
Sugar cane	T0.1
Tangelo [except mineola]	0.2
Tangors	0.7
Tomato	0.5

Agvet chemical: Carbofuran*Permitted residue: Sum of carbofuran and 3-hydroxycarbofuran, expressed as carbofuran*

Barley	0.2
Cotton seed	0.1
Edible offal (mammalian)	*0.05
Eggs	*0.05
Garlic	T0.1
Meat (mammalian)	*0.05
Milks	*0.05
Poultry, edible offal of	*0.05
Poultry meat	*0.05
Rice	0.2
Sugar cane	*0.1
Sunflower seed	0.1
Wheat	0.2

Agvet chemical: Carbon disulphide*Permitted residue: Carbon disulfide*

Cereal grains	10
Pulses	T10

Agvet chemical: Carbonyl sulphide*Permitted residue: Carbonyl sulphide*

Cereal grains	T0.2
Pulses	T0.2
Rape seed (canola)	T0.2

Agvet chemical: Carbosulfan

see *Carbofuran*

Agvet chemical: Carboxin

Permitted residue: Carboxin

Cereal grains	0.1
---------------	-----

Agvet chemical: Carfentrazone-ethyl

Permitted residue: Carfentrazone-ethyl

Assorted tropical and sub-tropical fruits - edible peel	*0.05
Assorted tropical and sub-tropical fruits - inedible peel	*0.05
Berries and other small fruits [except grapes]	T*0.05
Cereal grains	*0.05
Citrus fruits	*0.05
Cotton seed	T*0.05
Edible offal (mammalian)	*0.05
Eggs	*0.05
Grapes	*0.05
Hops, dry	*0.05
Meat (mammalian)	*0.05
Milks	*0.025
Pome fruits	*0.05
Potato	*0.05
Poultry, edible offal of	*0.05
Poultry meat	*0.05
Stone fruits	*0.05
Tree nuts	*0.05

Agvet chemical: Ceftiofur

Permitted residue: Desfuroylceftiofur

Cattle, edible offal of	2
Cattle fat	0.5
Cattle meat	0.1
Cattle milk	0.1

Agvet chemical: Cefuroxime

Permitted residue: Inhibitory substance, identified as cefuroxime

Cattle, edible offal of	*0.1
Cattle meat	*0.1
Cattle milk	*0.1

Agvet chemical: Cephalonium

Permitted residue: Inhibitory substance, identified as cephalonium

Cattle, edible offal of	*0.1
Cattle meat	*0.1
Cattle milk	*0.02

Agvet chemical: Cephapirin

Permitted residue: Cephapirin and des-acetylcephapirin, expressed as cephapirin

Cattle, edible offal of	*0.02
Cattle meat	*0.02
Cattle milk	*0.01

Agvet chemical: Chinomethionatsee *Oxythioquinox***Agvet chemical: Chlorantraniliprole***Permitted residue: Plant commodities and animal commodities other than milk: Chlorantraniliprole**Milk: Sum of chlorantraniliprole, 3-bromo-N-[4-chloro-2-(hydroxymethyl)-6-[(methylamino)carbonyl]phenyl]-1-(3-chloro-2-pyridinyl)-1H-pyrazole-5-carboxamide, and 3-bromo-N-[4-chloro-2-(hydroxymethyl)-6-[[[(hydroxymethyl)amino)carbonyl]phenyl]-1-(3-chloro-2-pyridinyl)-1H-pyrazole-5-carboxamide, expressed as chlorantraniliprole*

Adzuki bean (dry)	T0.5
All other foods	*0.01
Almonds	T0.05
Brassica (cole or cabbage) vegetables, Head cabbages, Flowerhead brassicas	0.5
Celery	5
Cotton seed	0.3
Coriander (leaves, stem, roots)	T20
Cranberry	1
Dried fruits	2
Edible offal (mammalian) [except liver]	*0.01
Eggs	0.03
Fruiting vegetables, cucurbits	0.2
Fruiting vegetables, other than cucurbits [except peppers, chili and sweet corn (corn-on-the-cob)]	0.3
Grapes [except table grapes]	0.3
Herbs	T20
Leafy vegetables [except lettuce, head; rucola]	15
Legume vegetables	1
Lettuce, head	3
Liver (mammalian)	0.02
Meat (mammalian) (in the fat)	0.02
Mexican tarragon	T20
Milk fats	0.1
Milks	*0.01
Mung bean (dry)	T0.5
Peppers, Chili	1
Pistachio nut	T0.05
Pome fruits	0.3
Potato	*0.01
Poultry, edible offal of	*0.01
Poultry meat (in the fat)	*0.01
Radish	T0.05
Rhubarb	5
Rucola (rocket)	T20
Soya bean (dry)	T0.05
Stone fruits	1
Strawberry	T0.5
Swede	T0.05
Sweet corn (corn-on-the-cob)	*0.01
Table grapes	1.2
Turnip, Garden	T0.05

Agvet chemical: Chlorfenapyr*Permitted residue: Chlorfenapyr*

Brassica (cole or cabbage) vegetables, Head cabbages, Flowerhead brassicas	0.5
Brassica leafy vegetables [except chinese cabbage]	T3
Chinese cabbage	3
Cotton seed	0.5
Edible offal (mammalian)	*0.05
Eggs	*0.01
Meat (mammalian) (in the fat)	0.05
Milks	*0.01
Mizuna	T3
Onion, Welsh	T1
Peach	1
Pome fruits	0.5
Poultry, edible of	*0.01
Poultry meat (in the fat)	*0.01
Rucola (rocket)	T5
Shallot	T1
Spring onion	T1

Agvet chemical: Chlorfenvinphos*Permitted residue: Chlorfenvinphos, sum of E and Z isomers*

Broccoli	T0.05
Brussels sprouts	T0.05
Cabbages, head	T0.05
Carrot	T0.4
Cattle, edible offal of	T*0.1
Cattle meat (in the fat)	T0.2
Cattle milk (in the fat)	T0.2
Cauliflower	T0.1
Celery	T0.4
Cotton seed	T0.05
Deer meat (in the fat)	0.2
Egg plant	T0.05
Goat, edible offal of	T*0.1
Goat meat (in the fat)	T0.2
Horseradish	T0.1
Leek	T0.05
Maize	T0.05
Mushrooms	T0.05
Onion, bulb	T0.05
Peanut	T0.05
Potato	T0.05
Radish	T0.1
Rice	T0.05
Sheep, edible offal of	T*0.1
Sheep meat (in the fat)	T0.2
Swede	T0.05
Sweet potato	T0.05
Tomato	T0.1
Turnip, garden	T0.05
Wheat	T0.05

Agvet chemical: Chlorfluazuron*Permitted residue: Chlorfluazuron*

Cattle, edible offal of	0.1
Cattle meat (in the fat)	1
Cattle milk	0.1
Cotton seed	0.1
Cotton seed oil, crude	0.1
Cotton seed oil, edible	*0.05
Eggs	0.2
Poultry, edible offal of	0.1
Poultry meat (in the fat)	1

Agvet chemical: Chlorhexidine*Permitted residue: Chlorhexidine*

Milks	0.05
Sheep, edible offal of	*0.5
Sheep fat	*0.5
Sheep meat	*0.5

Agvet chemical: Chloridazon*Permitted residue: Chloridazon*

Beetroot	*0.05
----------	-------

Agvet chemical: Chlormequat*Permitted residue: Chlormequat cation*

Barley	T2
Dried grapes	0.75
Edible offal (mammalian)	0.5
Eggs	0.1
Grapes	0.75
Meat (mammalian)	0.2
Milks	0.5
Poultry, edible offal of	0.1
Poultry meat	*0.05
Wheat	5

Agvet chemical: Chloropicrin*Permitted residue: Chloropicrin*

Cereal grains	*0.1
---------------	------

Agvet chemical: Chlorothalonil*Permitted residue—commodities of plant origin:**Chlorothalonil**Permitted residue—commodities of animal origin: 4-hydroxy-2,5,6-trichloroisophthalonitrile metabolite, expressed as chlorothalonil*

Almonds	T0.1
Apricot	7
Asparagus	T*0.1
Banana	3
Berries and other small fruits [except blackcurrant and grapes]	T10
Brussels sprouts	7
Carrot	7
Celery	10
Cherries	10
Coriander (leaves, stem, roots)	T20

Currant, black	10
Edible offal (mammalian)	7
Egg plant	T10
Fennel, bulb	5
Fennel, leaf	5
Fennel, seed	5
Fruiting vegetables, cucurbits	5
Galangal, Greater	T7
Galangal, Lesser	T7
Garlic	10
Grapes	10
Herbs [except fennel, leaf]	T20
Leafy vegetables [except lettuce]	T100
Leek	T10
Meat (mammalian) (in the fat)	2
Milks	0.05
Nectarine	7
Onion, bulb	10
Papaya (pawpaw)	10
Peach	30
Peanut	0.2
Peas (pods and succulent, immature seeds)	10
Persimmon, Japanese	T5
Plums (including prunes)	10
Potato	0.1
Poultry, edible offal of	*0.05
Poultry meat	*0.05
Pulses	3
Rice	T*0.1
Spring onion	T10
Sunflower seed	T*0.01
Tomato	10
Tree tomato	T10
Turmeric root	T7
Vegetables [except asparagus; Brussels sprouts; carrot; celery; egg plant; fennel bulb; fruiting vegetables, cucurbits; garlic; leafy vegetables; leek; onion, bulb; peas (pods and succulent, immature seeds); potato; pulses; spring onion; tomato]	T7
Wasabi	T7

Agvet chemical: Chlorpropham*Permitted residue: Chlorpropham*

Garlic	*0.05
Onion, bulb	*0.05
Potato	30

Agvet chemical: Chlorpyrifos*Permitted residue: Chlorpyrifos*

Asparagus	T0.5
Avocado	0.5
Banana	T0.5
Blackberries	0.5
Blueberries	*0.01

Brassica (cole or cabbage) vegetables, Head cabbages, Flowerhead brassicas	T0.5
Cassava	T*0.02
Celery	T5
Cereal grains [except sorghum]	T0.1
Cherries	1
Citrus fruits	T0.5
Coffee beans	T0.5
Cotton seed	0.05
Cotton seed oil, crude	0.2
Cranberry	1
Dried fruits	T2
Edible offal (mammalian)	T0.1
Eggs	T*0.01
Ginger, root	*0.02
Grapes	T1
Kiwifruit	2
Leek	T5
Mango	*0.05
Meat (mammalian) (in the fat)	T0.5
Milks (in the fat)	T0.2
Oilseed [except cotton seed and peanut]	T*0.05
Olives	T*0.05
Parsley	0.05
Passionfruit	*0.05
Peanut	0.05
Peppers, Chili (dry)	20
Peppers, Sweet	T1
Persimmon, Japanese	0.5
Pineapple	T0.5
Pitaya (dragon fruit)	T*0.05
Pome fruits	T0.5
Potato	0.05
Poultry, edible offal of	T0.1
Poultry meat (in the fat)	T0.1
Sorghum	T3
Spices	5
Star apple	T*0.05
Stone fruits [except cherries]	T1
Strawberry	0.3
Sugar cane	T0.1
Swede	T0.3
Sweet potato	T0.05
Taro	0.05
Tea, green, black	2
Tomato	T0.5
Tree nuts	T0.05
Vegetables [except asparagus; brassica vegetables; cassava; celery; leek; peppers, chili (dry); Peppers, Sweet; potato; swede; sweet potato; taro and tomato]	T*0.01

Agvet chemical: Chlorpyrifos-methyl*Permitted residue: Chlorpyrifos-methyl*

Cereal grains [except rice]	10
Cotton seed	*0.01

Edible offal (mammalian)	*0.05
Eggs	*0.05
Lupin (dry)	10
Meat (mammalian) (in the fat)	*0.05
Milks (in the fat)	*0.05
Poultry, edible offal of	*0.05
Poultry meat (in the fat)	*0.05
Rice	0.1
Wheat bran, unprocessed	20
Wheat germ	30

Agvet chemical: Chlorsulfuron*Permitted residue: Chlorsulfuron*

Cereal grains	*0.05
Edible offal (mammalian)	*0.05
Meat (mammalian)	*0.05
Milks	*0.05

Agvet chemical: Chlortetracycline*Permitted residue: Inhibitory substance, identified as chlortetracycline*

Cattle kidney	0.6
Cattle liver	0.3
Cattle meat	0.1
Eggs	0.2
Pig kidney	0.6
Pig liver	0.3
Pig meat	0.1
Poultry, edible offal of	0.6
Poultry meat	0.1

Agvet chemical: Chlorthal-dimethyl*Permitted residue: Chlorthal-dimethyl*

Eggs	*0.05
Edible offal (mammalian)	*0.05
Meat (mammalian)	*0.05
Lettuce, head	2
Lettuce, leaf	2
Milks	*0.05
Parsley	T2
Poultry, edible offal of	*0.05
Poultry meat	*0.05
Vegetables [except as otherwise listed under this chemical]	5

Agvet chemical: Clavulanic acid*Permitted residue: Clavulanic acid*

Cattle, edible offal of	*0.01
Cattle meat	*0.01
Cattle milk	*0.01

Agvet chemical: Clethodimsee *Sethoxydim***Agvet chemical: Clodinafop-propargyl***Permitted residue: Clodinafop-propargyl*

Barley	T*0.02
Edible offal (mammalian)	*0.05
Eggs	*0.05
Meat (mammalian)	*0.05
Milks	*0.05
Poultry, edible offal of	*0.05
Poultry meat	*0.05
Wheat	*0.05

Agvet chemical: Clodinafop acid*Permitted residue: (R)-2-[4-(5-chloro-3-fluoro-2-pyridinyloxy) phenoxy] propanoic acid*

Barley	T*0.02
Edible offal (mammalian)	*0.1
Eggs	*0.1
Meat (mammalian)	*0.1
Milks	*0.1
Poultry, edible offal of	*0.1
Poultry meat	*0.1
Wheat	*0.1

Agvet chemical: Clofentezine*Permitted residue: Clofentezine*

Almonds	T0.5
Banana	*0.01
Edible offal (mammalian)	T*0.05
Grapes	1
Hops, dry	*0.2
Meat (mammalian)	T*0.05
Milks	T*0.05
Pome fruits	0.1
Stone fruits	0.1
Tomato	T1

Agvet chemical: Clomazone*Permitted residue: Clomazone*

Beans [except broad bean and soya beans]	*0.05
Common beans (pod and/or immature seeds)	T*0.05
Fruiting vegetables, cucurbits	*0.05
Poppy seed	*0.05
Potato	*0.05
Rice	*0.01

Agvet chemical: Clopyralid*Permitted residue: Clopyralid*

Cauliflower	T0.2
Cereal grains	2
Edible offal (mammalian) [except kidney]	0.5
Hops, dry	2
Kidney of cattle, goats, pigs and sheep	5
Meat (mammalian)	0.1
Milks	0.05
Rape seed (canola)	0.5

Agvet chemical: Cloquintocet-mexyl

Permitted residue: Sum of cloquintocet mexyl and 5-chloro-8-quinolinoxyacetic acid, expressed as cloquintocet mexyl

Barley	*0.1
Edible offal (mammalian)	*0.1
Eggs	*0.1
Meat (mammalian)	*0.1
Milks	*0.1
Poppy seed	T*0.02
Poultry, edible offal of	*0.1
Poultry meat	*0.1
Rye	*0.1
Triticale	*0.1
Wheat	*0.1

Agvet chemical: Clorsulon

Permitted residue: Clorsulon

Cattle, edible offal of	*0.1
Cattle meat	*0.1
Cattle milk	1.5

Agvet chemical: Closantel

Permitted residue: Closantel

Sheep, edible offal of	5
Sheep meat	2

Agvet chemical: Clothianidin

Permitted residue: Clothianidin

Apricot	T2
Banana	*0.02
Cherries	T5
Cotton seed	*0.02
Cranberry	0.01
Dried grapes	10
Edible offal (mammalian)	*0.02
Eggs	*0.02
Grapes [except wine grapes]	3
Maize	T*0.01
Meat (mammalian)	*0.02
Milks	*0.01
Persimmon, American	T2
Persimmon, Japanese	T2
Pome fruits	T2
Poultry, edible offal of	*0.02
Poultry meat	*0.02
Rape seed (canola)	T*0.01
Sorghum	T*0.01
Soya bean (dry)	T0.02
Stone fruits [except cherries]	T3
Sugar cane	0.1
Sunflower seed	T*0.01
Sweet corn (corn-on-the-cob)	T0.02
Wine grapes	*0.02

Agvet chemical: Cloxacillin

Permitted residue: Inhibitory substance, identified as Cloxacillin

Cattle milk	*0.01
-------------	-------

Agvet chemical: Coumaphos

Permitted residue: Sum of coumaphos and its oxygen analogue, expressed as coumaphos

Cattle fat	*0.02
Cattle kidney	*0.02
Cattle liver	*0.02
Cattle milk	*0.01
Cattle milk fat	0.1
Cattle muscle	*0.02

Agvet chemical: Cyanamide

Permitted residue: Cyanamide

Apple	*0.02
Blueberries	*0.05
Grapes	*0.05
Kiwifruit	*0.1
Pear, Oriental (nashi)	*0.1
Stone fruits	T*0.05

Agvet chemical: Cyanazine

Permitted residue: Cyanazine

Bulb vegetables	*0.02
Cereal grains	*0.01
Leek	0.05
Peas	0.02
Podded pea (young pods) (snow and sugar snap)	0.05
Potato	0.02
Pulses	*0.01
Sweet corn (corn-on-the-cob)	*0.02

Agvet chemical: Cyantraniliprole

Permitted residue—commodities of plant origin:

Cyantraniliprole

Permitted residue—commodities of animal origin for enforcement: Cyantraniliprole

Permitted residue—commodities of animal origin for dietary exposure assessment: Sum of cyantraniliprole and 2-[3-bromo-1-(3-chloropyridin-2-yl)-1H-pyrazol-5-yl]-3,8-dimethyl-4-oxo-3,4-dihydroquinazoline-6-carbonitrile (IN-J9Z38), 2-[3-bromo-1-(3-chloropyridin-2-yl)-1H-pyrazol-5-yl]-8-methyl-4-oxo-3,4-dihydroquinazoline-6-carbonitrile (IN-MLA84), 3-bromo-1-(3-chloropyridin-2-yl)-N-[4-cyano-2-[(hydroxymethyl)carbamoyl]-6-methylphenyl]-1H-pyrazole-5-carboxamide (IN-MYX98) and 3-bromo-1-(3-chloropyridin-2-yl)-N-[4-cyano-2-(hydroxymethyl)-6-(methylcarbamoyl)phenyl]-1H-pyrazole-5-carboxamide (IN-N7B69), expressed as cyantraniliprole

All other foods	0.05
Cotton seed	*0.01
Edible offal (mammalian)	*0.01
Eggs	*0.01
Meat (mammalian) (in the fat)	*0.01
Milk fats	*0.01

Milks	*0.01
Poultry, edible offal of	*0.01
Poultry meat (in the fat)	*0.01

Agvet chemical: Cyclanilide

Permitted residue: Sum of cyclanilide and its methyl ester, expressed as cyclanilide

Cotton seed	0.2
Cotton seed oil, crude	*0.01
Edible offal (mammalian)	2
Eggs	*0.01
Meat (mammalian)	0.05
Milks	0.05
Poultry, edible offal of	*0.01
Poultry meat	*0.01

Agvet chemical: Cyflufenamid

Permitted residue: Cyflufenamid

Dried grapes (currants, raisins and sultanas)	0.5
Edible offal (mammalian)	*0.01
Eggs	*0.01
Fruiting vegetables, cucurbits	0.1
Grapes	0.15
Meat (mammalian) (in the fat)	*0.01
Milks	*0.01
Poultry, edible offal of	*0.01
Poultry meat (in the fat)	*0.01

Agvet chemical: Cyfluthrin

Permitted residue: Cyfluthrin, sum of isomers

Avocado	0.1
Brassica (cole or cabbage) vegetables, Head cabbages, Flowerhead brassicas	0.5
Carambola	T0.1
Cereal grains	2
Chia	T0.5
Citrus fruits	0.2
Cotton seed	0.01
Cotton seed oil, crude	0.02
Custard apple	T0.1
Edible offal (mammalian)	*0.01
Egg plant	T0.2
Eggs	*0.01
Grapes	1
Legume vegetables	0.5
Lemon aspen	T1
Litchi	T0.1
Macadamia nuts	0.05
Mango	T0.1
Mammalian fats [except milk fats]	0.5
Meat (mammalian)	0.02
Milks	0.1
Okra	T0.2
Papaya (pawpaw)	T0.2
Pecan	T0.05
Peppers, Sweet	T0.2

Persimmon, American	T0.1
Persimmon, Japanese	T0.1
Poultry, edible offal of	*0.01
Poultry meat (in the fat)	*0.01
Pulses	0.5
Rape seed (canola)	*0.05
Stone fruits	0.3
Tomato	0.2
Wheat bran, unprocessed	5

Agvet chemical: Cyhalofop-butyl

Permitted residue: Sum of cyhalofop-butyl, cyhalofop and metabolites expressed as cyhalofop-butyl

Edible offal (mammalian)	*0.05
Eggs	*0.05
Meat (mammalian) (in the fat)	*0.05
Milks	*0.05
Poultry, edible offal of	*0.05
Poultry meat	*0.05
Rice	*0.01

Agvet chemical: Cyhalothrin

Permitted residue: Cyhalothrin, sum of isomers

Barley	0.2
Beetroot	*0.01
Berries and other small fruits	0.2
Brassica (cole or cabbage) vegetables, Head cabbages, Flowerhead brassicas	0.1
Cereal grains [except barley; sorghum; wheat]	*0.01
Chard	T0.5
Citrus fruits	*0.01
Coriander (leaves, stem, roots)	T1
Cotton seed	*0.02
Cucumber	T0.05
Edible offal (mammalian)	*0.02
Eggs	*0.02
Garlic	*0.05
Legume vegetables	0.1
Meat (mammalian) (in the fat)	0.5
Milks (in the fat)	0.5
Onion, bulb	*0.05
Onion, Welsh	T0.05
Parsley	T1
Potato	*0.01
Poultry, edible offal of	*0.02
Poultry meat	*0.02
Pulses [except soya bean (dry)]	0.2
Radish	*0.01
Rape seed (canola)	0.02
Shallot	T0.05
Sorghum	0.5
Soya bean (dry)	*0.02
Spring onion	T0.05
Stone fruits	0.5
Sunflower seed	*0.01
Tea, green, black	1

Tomato	0.02
Wheat	*0.05

Agvet chemical: Cypermethrin*Permitted residue: Cypermethrin, sum of isomers*

Adzuki bean (dry)	T0.05
All other foods	*0.01
Asparagus	0.5
Avocado	T0.2
Beetroot	T0.1
Berries and other small fruits [except grapes]	0.5
Brassica (cole or cabbage) vegetables, Head cabbages, Flowerhead brassicas	1
Broad bean (dry) (fava bean)	0.05
Cattle, edible offal of	0.05
Cattle meat (in the fat)	0.5
Celery	T1
Cereal grains [except wheat]	1
Chick-pea (dry)	0.2
Common bean (dry) (navy bean)	0.05
Coriander (leaves, stem, roots)	T5
Coriander, seed	T1
Cotton seed	0.2
Cotton seed oil, crude	*0.02
Cucumber	T0.3
Deer meat (in the fat)	T0.5
Durian	1
Eggs	0.05
Field pea (dry)	0.05
Goat, edible offal of	0.05
Goat meat (in the fat)	0.5
Grapes	T0.05
Herbs	T5
Horse, edible offal of	*0.05
Horse meat (in the fat)	*0.05
Leafy vegetables [except lettuce head]	T5
Leek	T0.5
Lemon balm	T5
Lettuce, head	2
Linola oil, edible	0.1
Linola seed	0.1
Linseed	0.5
Longan	1
Lupin (dry)	*0.01
Milks (in the fat)	1
Mung bean (dry)	0.05
Olives	T*0.05
Onion, bulb	*0.01
Onion, Welsh	T0.5
Peas	1
Peppers, Chili	1
Pig, edible offal of	*0.05
Pig meat (in the fat)	*0.05
Pome fruits	1
Poppy seed	T*0.01
Potato	*0.01
Poultry, edible offal of	*0.05

Poultry meat (in the fat)	*0.05
Radish	T0.05
Rape seed (canola)	0.2
Rape seed oil, edible	0.2
Shallot	T0.5
Sheep, edible offal of	0.05
Sheep meat (in the fat)	0.5
Soya bean (dry)	0.05
Soya bean oil, crude	0.1
Spring onion	T0.5
Stone fruits	1
Sunflower seed	0.1
Sunflower seed oil, crude	0.1
Sweet corn (corn-on-the-cob)	0.05
Tea, green, black	0.5
Tomato	0.5
Wheat	0.2

Agvet chemical: Cyproconazole*Permitted residue: Cyproconazole, sum of isomers*

Barley	*0.02
Chick-pea (dry)	T*0.01
Edible offal (mammalian)	1
Eggs	*0.01
Lentil (dry)	T*0.01
Meat (mammalian)	0.03
Milks	*0.01
Peanut	0.02
Potato	*0.02
Poultry, edible offal of	*0.01
Poultry meat	*0.01
Wheat	*0.02

Agvet chemical: Cyprodinil*Permitted residue: Cyprodinil*

Blackberries	10
Blueberries	3
Boysenberry	10
Cloudberry	T5
Common bean (pods and/or immature seeds)	0.7
Cucumber	0.5
Dewberries (including boysenberry and loganberry)	T5
Dried grapes (currants, raisins and sultanas)	5
Dried stone fruits	0.05
Edible offal (mammalian)	*0.01
Egg plant	T0.2
Grapes	2
Leafy vegetables	10
Meat (mammalian)	*0.01
Melons, except watermelon	T0.2
Milks	*0.01
Onion, bulb	0.2

Peas (pods and succulent, immature seeds)	0.5
Peppers, Sweet	0.7
Pistachio nut	T0.1
Pome fruits	0.05
Raspberries, red, black	10
Stone fruits	2
Strawberry	5
Tomato	T1

Agvet chemical: Cyromazine*Permitted residue: Cyromazine*

Cattle, edible offal of	0.05
Cattle meat	0.05
Eggs	0.2
Goat, edible offal of	0.2
Goat meat	0.2
Milks	*0.01
Pig, edible offal of	0.05
Pig meat	0.05
Poultry, edible offal of	0.1
Poultry meat	0.05
Sheep, edible offal of	0.2
Sheep meat	0.2
Agvet chemical:	2,4-D
Permitted residue:	2,4-D
Cereal grains	0.2
Citrus fruits	5
Edible offal (mammalian)	2
Eggs	*0.05
Grapes	T*0.05
Legume vegetables	*0.05
Lupin (dry)	*0.05
Meat (mammalian)	0.2
Milks	*0.05
Oilseed	*0.05
Pear	*0.05
Potato	0.1
Poultry, edible offal of	*0.05
Poultry meat	*0.05
Pulses	*0.05
Sugar cane	5

Agvet chemical: Daminozide*Permitted residue: Daminozide*

Edible offal (mammalian)	0.2
Eggs	0.2
Meat (mammalian)	0.2
Milks	*0.05
Peach	30
Peanut	20
Pome fruits	30
Poultry, edible offal of	0.2
Poultry meat	0.2

Agvet chemical: 2,4-DB*Permitted residue: 2,4-DB*

Cereal grains	*0.02
Edible offal (mammalian)	0.2
Eggs	*0.05
Meat (mammalian)	0.2
Milks	*0.05
Poultry, edible offal of	*0.05
Poultry meat	*0.05

Agvet chemical: Deltamethrin*Permitted residue: Deltamethrin*

Brassica (cole or cabbage) vegetables, Head cabbages, Flowerhead brassicas	*0.05
Cattle, edible offal of	0.1
Cattle meat (in the fat)	0.5
Cereal grains	2
Eggs	*0.01
Fruiting vegetables, other than cucurbits	0.1
Goat, edible offal of	0.1
Goat meat (in the fat)	0.2
Legume vegetables	0.1
Milks	0.05
Oilseed	0.1
Pig, edible offal of	*0.01
Pig meat (in the fat)	0.1
Poultry, edible offal of	*0.01
Poultry meat (in the fat)	*0.01
Pulses	0.1
Sheep, edible offal of	0.1
Sheep meat (in the fat)	0.2
Sweet corn (kernels)	0.1
Tea, green, black	5
Wheat bran, unprocessed	5
Wheat germ	3

**Agvet chemical: Dexamethasone and
Dexamethasone trimethylacetate***Permitted residue: Dexamethasone*

Cattle, edible offal of	0.1
Cattle meat	0.1
Cattle milk	*0.05
Horse, edible offal of	0.1
Horse meat	0.1
Pig, edible offal of	0.1
Pig meat	0.1

Agvet chemical: Diafenthiuron*Permitted residue: Sum of diafenthiuron; N-[2,6-bis(1-methylethyl)-4-phenoxyphenyl]-N'-(1,1-dimethylethyl)urea; and N-[2,6-bis(1-methylethyl)-4-phenoxyphenyl]-N'-(1,1-dimethylethyl)carbodiimide, expressed as diafenthiuron*

Cotton seed	0.2
Edible offal (mammalian)	*0.02
Eggs	*0.02
Meat (mammalian) (in the fat)	*0.02
Milks	*0.02

Peanut	T0.1
Poultry, edible offal of	*0.02
Poultry meat (in the fat)	*0.02

Agvet chemical: Diazinon*Permitted residue: Diazinon*

Cereal grains	0.1
Citrus fruits	0.7
Coriander (leaves, stem, roots)	*0.05
Coriander, seed	*0.05
Edible offal (mammalian)	0.7
Eggs	*0.05
Fruit [except as otherwise listed under this chemical]	0.5
Kiwifruit	0.5
Meat (mammalian) (in the fat)	0.7
Milks (in the fat)	0.5
Olive oil, crude	2
Parsley	*0.05
Peach	0.7
Poultry, edible offal of	*0.05
Poultry meat	*0.05
Shallot	T0.5
Spring onion	T0.5
Sugar cane	0.5
Sweet corn (corn-on-the-cob)	0.7
Tree nuts	0.1
Vegetable oils, crude [except olive oil, virgin]	0.1
Vegetables	0.7

Agvet chemical: Dicamba*Permitted residue: Dicamba*

Cereal grains	*0.05
Edible offal (mammalian)	0.05
Eggs	*0.05
Meat (mammalian)	0.05
Milks	0.1
Poultry, edible offal of	*0.05
Poultry meat	*0.05
Sugar cane	0.1
Sugar cane molasses	2

Agvet chemical: Dicamba*Permitted residue: Sum of dicamba, 3,6-dichloro-5-hydroxy-2-methoxybenzoic acid and 3,6-dichloro-2-hydroxybenzoic acid, expressed as dicamba*

Soya bean	10
-----------	----

Agvet chemical: Dichlobenil*Permitted residue: Dichlobenil*

Blueberries	T1
Citrus fruits	0.1
Currants, black, red, white	T1
Gooseberry	T1
Grapes	0.1
Pome fruits	0.1

Raspberries, red, black	T1
Stone fruits	0.1
Tomato	0.1

Agvet chemical: Dichlofluanid*Permitted residue: Dichlofluanid*

Berries and other small fruits [except grapes and strawberry]	T50
Grapes	0.5
Peanut	*0.02
Strawberry	10
Tomato	1

Agvet chemical: 1,3-dichloropropene*Permitted residue: 1,3-dichloropropene*

Grapes	0.018
--------	-------

Agvet chemical: Dichlorprop-P*Permitted residue: Sum of dichlorprop acid, its esters and conjugates, hydrolysed to dichlorprop acid, and expressed as dichlorprop acid*

Citrus fruits	0.2
Edible offal (mammalian)	*0.05
Eggs	*0.02
Meat (mammalian)	*0.02
Milks	*0.01
Poultry, edible offal of	*0.05
Poultry meat	*0.02

Agvet chemical: Dichlorvos*Permitted residue: Dichlorvos*

Cacao beans	5
Cereal grains	5
Coffee beans	2
Edible offal (mammalian)	0.05
Eggs	0.05
Fruit	0.1
Lentil (dry)	2
Lettuce, head	1
Lettuce, leaf	1
Meat (mammalian)	0.05
Milks	0.02
Mushrooms	0.5
Peanut	2
Poultry, edible offal of	0.05
Poultry meat	0.05
Rape seed (canola)	T0.1
Rice bran, unprocessed	10
Soya bean (dry)	2
Tomato	0.5
Tree nuts	2
Vegetables [except as otherwise listed under this chemical]	0.5
Wheat bran, unprocessed	10
Wheat germ	10

Agvet chemical: Diclofop-methyl

Permitted residue: Diclofop-methyl

Cereal grains	0.1
Edible offal (mammalian)	*0.05
Eggs	*0.05
Lupin (dry)	0.1
Meat (mammalian)	*0.05
Milks	*0.05
Oilseed	0.1
Peas	0.1
Poppy seed	0.1
Poultry, edible offal of	*0.05
Poultry meat	*0.05

Agvet chemical: Dicloran*Permitted residue: Dicloran*

Beans [except broad bean and soya bean]	20
Berries and other small fruits [except grapes]	20
Broad bean (green pods and immature seeds)	20
Carrot	15
Grapes	10
Lettuce, head	20
Lettuce, leaf	20
Onion, bulb	20
Stone fruits	15
Sweet potato	20
Tomato	20

Agvet chemical: Dicofol*Permitted residue: Sum of dicofol and 2,2,2-trichloro-1-(4-chlorophenyl)-1-(2-chlorophenyl)ethanol, expressed as dicofol*

Almonds	5
Cotton seed	0.1
Cucumber	2
Fruit [except strawberry]	5
Gherkin	2
Hops, dry	5
Strawberry	1
Tea, green, black	5
Tomato	1
Vegetables [except as otherwise listed under this chemical]	5

Agvet chemical: Dicyclanil*Permitted residue: Sum of dicyclanil and its triaminopyridyl metabolite expressed as dicyclanil*

Sheep fat	0.3
Sheep kidney	0.3
Sheep liver	0.3
Sheep meat	0.3

Agvet chemical: Dieldrin

see Aldrin and Dieldrin

Agvet chemical: Difenoconazole*Permitted residue: Difenoconazole*

Asparagus	*0.05
Avocado	0.5
Banana	*0.02
Beetroot	T0.5
Carrot	0.2
Cereal grains	*0.01
Celeriac	T0.5
Celery	T5
Chives	2
Dried grapes	6
Edible offal (mammalian)	*0.05
Eggs	*0.05
Grapes	4
Macadamia nuts	*0.01
Meat (mammalian)	*0.05
Milks	*0.01
Papaya (pawpaw)	1
Parsley	T15
Pome fruits	0.3
Potato	*0.02
Poultry meat	*0.05
Poultry, edible offal of	*0.05
Tomato	0.5

Agvet chemical: Diflubenzuron*Permitted residue: Diflubenzuron*

Cattle, edible offal of	*0.02
Cattle milk	0.05
Cereal grains	T2
Mushrooms	0.1
Sheep kidney	0.05
Sheep liver	0.05
Sheep meat (in the fat)	0.05
Sheep milk	0.05
Wheat bran, unprocessed	T5

Agvet chemical: Diflufenican*Permitted residue: Diflufenican*

Barley	0.05
Edible offal (mammalian)	0.1
Eggs	*0.02
Grapes	*0.002
Meat (mammalian)	0.01
Milks	0.01
Oats	0.05
Peas	0.05
Poultry, edible offal of	*0.02
Poultry meat	*0.02
Pulses	0.05
Rye	0.05
Triticale	0.05
Wheat	0.02

Agvet chemical: Dimethenamid-P

Permitted residue: Sum of dimethenamid-P and its (R)-isomer

Common bean (pods and/or immature seeds)	*0.02
Edible offal (mammalian)	*0.01
Eggs	*0.01
Maize	*0.02
Meat (mammalian)	*0.01
Milks	*0.01
Peas	*0.02
Poppy seed	*0.01
Poultry, edible offal of	*0.01
Poultry meat	*0.01
Pulses	*0.02
Pumpkins	*0.02
Rape seed (canola)	T*0.01
Sweet corn (corn-on-the-cob)	*0.02

Agvet chemical: Dimethipin*Permitted residue: Dimethipin*

Cotton seed	0.5
Cotton seed oil, crude	*0.1
Cotton seed oil, refined	*0.1
Edible offal (mammalian)	*0.01
Eggs	*0.02
Meat (mammalian)	*0.01
Milks	*0.01
Poultry, edible offal of	*0.01
Poultry meat	*0.01

Agvet chemical: Dimethirimol*Permitted residue: Dimethirimol*

Fruiting vegetables, cucurbits	1
--------------------------------	---

Agvet chemical: Dimethoate*Permitted residue: Sum of dimethoate and omethoate, expressed as dimethoate*see also *Omethoate*

Abiu	5
Artichoke, globe	T1
Asparagus	0.02
Assorted tropical and sub-tropical fruits - inedible peel [except avocado; mango]	5
Avocado	3
Banana passionfruit	5
Bearberry	T5
Beetroot	T*0.1
Bilberry	T5
Bilberry, bog	T5
Bilberry, red	T5
Blackberries	T5
Blueberries	T5
Boysenberry	0.02
Broccoli	T0.3
Cabbages, head	T0.2
Cactus fruit	5

Carrot	T0.3
Cauliflower	T0.3
Celery	T0.5
Cereal grains	T0.05
Cherries	T0.2
Citrus fruits	5
Cranberry	T5
Edible offal (mammalian)	0.1
Egg plant	T0.02
Eggs	*0.05
Elderberries	0.02
Grapes	T*0.1
Legume vegetables	T2
Mango	1
Meat (mammalian)	*0.05
Melons, except watermelon	T5
Milks	*0.05
Oilseed [except peanut]	T0.1
Olive oil, refined	T0.1
Onion, bulb	0.7
Parsnip	T0.3
Peanut	T*0.05
Peppers, Chili	T5
Peppers, Sweet	0.7
Potato	0.1
Poultry, edible offal of	*0.05
Poultry meat	*0.05
Pulses	T0.5
Radish	T3
Raspberries, red, black	T5
Rhubarb	0.7
Rollinia	5
Santols	5
Squash, summer (including zucchini)	0.7
Stone fruits [except cherries]	T*0.02
Strawberry	0.02
Sweet corn (corn-on-the-cob)	T0.3
Sweet potato	0.1
Tomato	0.02
Turnip, garden	*0.2
Watermelon	T5
Wheat bran, processed	T1

Agvet chemical: Dimethomorph

Permitted residue: Sum of E and Z isomers of dimethomorph

Brassica leafy vegetables	T2
Edible offal (mammalian)	*0.01
Fruiting vegetables, cucurbits	0.5
Grapes	2
Leafy vegetables [except lettuce head]	T2
Leek	0.5
Lettuce, head	0.3
Meat (mammalian)	*0.01
Milks	*0.01
Onion, bulb	0.05
Onion, Welsh	2

Peas	1
Poppy seed	*0.02
Potato	*0.02
Shallot	T0.5
Spring onion	2

Agvet chemical: Dinitolmide

Permitted residue: Sum of dinitolmide and its metabolite 3-amino-5-nitro-o-toluamide, expressed as dinitolmide equivalents

Poultry, edible offal of	6
Poultry fats	2
Poultry meat	3

Agvet chemical: Dinitro-o-toluamide

see *Dinitolmide*

Agvet chemical: Dinotefuran

Permitted residue: Sum of dinotefuran and its metabolites DN, 1-methyl-3-(tetrahydro-3-furylmethyl)guanidine and UF, 1-methyl-3-(tetrahydro-3-furylmethyl)urea expressed as dinotefuran

Grapes	0.9
--------	-----

Agvet chemical: Diphenylamine

Permitted residue: Diphenylamine

Apple	10
Edible offal (mammalian) [except liver]	*0.01
Eggs	0.05
Liver of cattle, goats, pigs and sheep	0.05
Meat (mammalian) (in the fat)	*0.01
Milks (in the fat)	*0.01
Pear	7
Poultry, edible offal of	*0.01
Poultry meat (in the fat)	*0.01

Agvet chemical: Diquat

Permitted residue: Diquat cation

Anise myrtle leaves	T0.5
Barley	5
Beans [except broad bean and soya bean]	1
Broad bean (green pods and immature seeds)	1
Edible offal (mammalian)	*0.05
Eggs	*0.01
Fruit	*0.05
Hops, dry	T0.2
Lemon myrtle leaves	T0.5
Linseed	*0.01
Maize	0.1
Meat (mammalian)	*0.05
Milks	*0.01
Native pepper (<i>Tasmannia lanceolata</i>) leaves	T0.5
Oats	5

Oilseed [except linseed and poppy seed]	5
Onion, bulb	0.1
Peas	0.1
Poppy seed	0.5
Potato	0.2
Poultry, edible offal of	*0.05
Poultry meat	*0.05
Pulses	1
Rice	5
Rice, polished	1
Rye	2
Sorghum	2
Sugar beet	0.1
Sugar cane	*0.05
Tea, green, black	T0.5
Tree nuts	*0.05
Triticale	2
Vegetable oils, crude	1
Vegetables [except beans; broad bean; onion, bulb; peas; potato; pulses; sugar beet]	*0.05
Wheat	2

Agvet chemical: Disulfoton

Permitted residue: Sum of disulfoton and demeton-S and their sulfoxides and sulfones, expressed as disulfoton

Cotton seed	0.5
Edible offal (mammalian)	0.02
Eggs	*0.02
Hops, dry	0.5
Meat (mammalian)	0.02
Milks	0.01
Potato	0.5
Poultry, edible offal of	*0.02
Poultry meat	*0.02
Vegetables	0.5

Agvet chemical: Dithianon

Permitted residue: Dithianon

Fruit	2
-------	---

Agvet chemical: Dithiocarbamates

Permitted residue: Total dithiocarbamates, determined as carbon disulphide evolved during acid digestion and expressed as milligrams of carbon disulphide per kilogram of food

Almonds	3
Asparagus	T1
Avocado	7
Banana	2
Beans [except broad bean and soya bean]	2
Beetroot	1
Berries and other small fruits [except strawberry]	T10
Brassica (cole or cabbage) vegetables, Head cabbages, Flowerhead brassicas	2

Broad bean (green pods and immature seeds)	2
Bulb vegetables [except garlic and onion, bulb]	T10
Carrot	1
Celery	5
Cereal grains	0.5
Citrus fruits	0.2
Coconut	5
Coffee beans	5
Common bean (pods and/or immature seeds)	2
Cotton seed	10
Custard apple	5
Edible offal (mammalian)	2
Eggs	*0.5
Fig	3
Fruiting vegetables, cucurbits	2
Fruiting vegetables, other than cucurbits [except roselle]	3
Garlic	4
Herbs [except parsley]	T5
Hops	T10
Leafy vegetables	5
Litchi	5
Macadamia nuts	*0.2
Mango	7
Meat (mammalian)	*0.5
Milks	*0.2
Onion, bulb	4
Papaya (pawpaw)	5
Parsley	5
Parsnip	T1
Passionfruit (including Granadilla)	3
Peanut	0.2
Peas (pods and succulent, immature seeds)	2
Persimmon, Japanese	3
Pistachio nut	T3
Pome fruits	3
Pomegranate	3
Poppy seed	*0.2
Potato	1
Poultry meat	*0.5
Poultry, edible offal of	*0.5
Pulses	0.5
Radish	T1
Rhubarb	2
Roselle (rosella)	5
Stone fruits	3
Strawberry	3
Sunflower seed	T*0.05
Swede	T1
Tree tomato	T5
Turnip, garden	T1
Walnuts	T*0.2
Wasabi	T2

Agvet chemical: Diuron*Permitted residue: Sum of diuron and 3,4-dichloroaniline, expressed as diuron*

Asparagus	2
Cereal grains	0.1
Cotton seed oil, crude	0.5
Edible offal (mammalian)	3
Fruit	0.5
Meat (mammalian)	0.1
Milks	0.1
Oilseed	0.5
Pulses	*0.05
Sugar cane	0.2

Agvet chemical: Dodine*Permitted residue: Dodine*

Pome fruits	5
Stone fruits	*0.05

Agvet chemical: Doramectin*Permitted residue: Doramectin*

Cattle, edible offal of	0.1
Cattle fat	0.1
Cattle meat	0.01
Cattle milk	0.05
Pig kidney	0.03
Pig liver	0.05
Pig meat (in the fat)	0.1
Sheep, edible offal of	0.05
Sheep fat	0.1
Sheep meat	0.02

Agvet chemical: 2,2-DPA*Permitted residue: 2,2-dichloropropionic acid*

Avocado	*0.1
Banana	*0.1
Cereal grains	*0.1
Citrus fruits	*0.1
Cotton seed	*0.1
Currants, black, red, white	15
Edible offal (mammalian)	0.2
Grapes	3
Meat (mammalian)	0.2
Milks	*0.1
Papaya (pawpaw)	*0.1
Pecan	*0.1
Pineapple	*0.1
Pome fruits	*0.1
Stone fruits	1
Sugar cane	*0.1
Sunflower seed	*0.1
Vegetables	*0.1

Agvet chemical: EDC*see Ethylene dichloride*

Agvet chemical: Emamectin*Permitted residue: Sum of emamectin B1a and emamectin B1b*

Bergamot	T0.05
Brassica (cole or cabbage) vegetables, Head cabbages, Flowerhead brassicas	0.02
Brassica leafy vegetables	T0.3
Burnet, salad	T0.05
Celery	T0.2
Chervil	T0.05
Coriander (leaves, stem, roots)	T0.05
Coriander, seed	T0.05
Cotton seed	0.005
Dill, seed	T0.05
Edible offal (mammalian)	0.02
Egg plant	T0.1
Fennel, seed	T0.05
Grapes	*0.002
Herbs	T0.05
Kaffir lime leaves	T0.05
Lemon grass	T0.05
Lemon verbena (fresh weight)	T0.05
Lettuce, head	0.2
Lettuce, leaf	0.2
Meat (mammalian) (in the fat)	0.01
Milks	*0.001
Milk fats	0.01
Mizuna	T0.05
Peppers, Sweet	0.01
Pulses	*0.01
Rape seed (canola)	*0.01
Rucola (rocket)	T0.05
Strawberry	T0.1
Sweet corn (corn-on-the-cob)	*0.002
Tomato	0.01

Agvet chemical: Endosulfan*Permitted residue: Sum of A- and B- endosulfan and endosulfan sulphate*

Assorted tropical and sub-tropical fruits - inedible peel	2
Broccoli	1
Cabbages, head	1
Cauliflower	1
Cereal grains	0.1
Citrus fruits	0.3
Edible offal (mammalian)	0.2
Eggs	0.02
Fruiting vegetables, cucurbits	1
Fruiting vegetables, other than cucurbits	1
Meat (mammalian) (in the fat)	0.2
Milks	0.02
Oilseed	1
Pome fruits	1
Poultry, edible offal of	*0.01
Poultry meat (in the fat)	0.05
Pulses	*0.1

Root and tuber vegetables	0.5
Stalk and stem vegetables	1
Strawberry	T0.5
Tea, green, black	T30
Tree nuts	0.05

Agvet chemical: Endothal*Permitted residue: Endothal*

Cotton seed	0.1
Potato	0.1

Agvet chemical: Enilconazolesee *Imazalil***Agvet chemical: Epoxiconazole***Permitted residue: Epoxiconazole*

Avocado	0.5
Banana	1
Cereal grains	0.05
Edible offal (mammalian)	0.05
Eggs	*0.01
Meat (mammalian)	*0.01
Milks	*0.005
Poultry, edible offal of	*0.01
Poultry meat (in the fat)	*0.01
Wheat bran, unprocessed	0.3
Wheat germ	0.2

Agvet chemical: Eprinomectin*Permitted residue: Eprinomectin B1a*

Cattle, edible offal of	2
Cattle fat	0.5
Cattle milk	0.03
Cattle meat	0.1
Deer, edible offal of	2
Deer meat	0.1

Agvet chemical: EPTC*Permitted residue: EPTC*

Cereal grains	*0.04
Edible offal (mammalian)	*0.1
Eggs	*0.01
Meat (mammalian)	*0.1
Milks	*0.1
Oilseed	0.1
Poultry, edible offal of	*0.05
Poultry meat	*0.05
Vegetables	*0.04

Agvet chemical: Erythromycin*Permitted residue: Inhibitory substance, identified as erythromycin*

Edible offal (mammalian)	*0.3
Meat (mammalian)	*0.3
Milks	*0.04
Poultry, edible offal of	*0.3

Poultry meat	*0.3
--------------	------

Agvet chemical: Esfenvaleratesee *Fenvalerate***Agvet chemical: Ethephon***Permitted residue: Ethephon*

Apple	1
Barley	1
Cherries	15
Cotton seed	2
Cotton seed oil, crude	*0.1
Currant, black	1
Edible offal (mammalian)	0.2
Eggs	*0.2
Grapes	10
Kiwifruit	0.1
Macadamia nuts	*0.1
Mandarins	2
Mango	T*0.02
Meat (mammalian)	0.1
Milks	0.1
Nectarine	0.01
Oranges, sweet, sour	2
Peach	0.5
Pineapple	2
Poultry, edible offal of	*0.2
Poultry meat	*0.1
Sugar cane	0.5
Sugar cane molasses	7
Tomato	2
Walnuts	T5
Wheat	T1

Agvet chemical: Ethion*Permitted residue: Ethion*

Cattle, edible offal of	2.5
Cattle meat (in the fat)	2.5
Citrus fruits	1
Cotton seed	0.1
Cotton seed oil, crude	0.05
Grapes	2
Milks (in the fat)	0.5
Pome fruits	1
Stone fruits	1
Tea, green, black	5

Agvet chemical: Ethofumesate*Permitted residue: Ethofumesate*

Beetroot	0.1
Bulb vegetables	*0.1
Chard (silver beet)	1
Edible offal (mammalian)	0.5
Meat (mammalian) (in the fat)	0.5
Milks (in the fat)	0.2
Poppy seed	*0.02
Spinach	T1

Sugar beet	0.1
------------	-----

Agvet chemical: Ethopabate*Permitted residue: Ethopabate*

Poultry, edible offal of	15
Poultry meat	5

Agvet chemical: Ethoprophos*Permitted residue: Ethoprophos*

Banana	*0.05
Cereal grains	*0.005
Custard apple	*0.02
Litchi	*0.02
Potato	*0.02
Sugar cane	*0.1
Sweet potato	*0.02
Tomato	*0.01

Agvet chemical: Ethoxyquin*Permitted residue: Ethoxyquin*

Apple	3
Pear	3

Agvet chemical: Ethoxysulfuron*Permitted residue—commodities of plant origin:**Ethoxysulfuron**Permitted residue—commodities of animal origin: 2-**amino-4, 6-dimethoxypyrimidine, expressed as ethoxysulfuron*

Edible offal (mammalian)	*0.05
Meat (mammalian)	*0.05
Milks	*0.01
Sugar cane	*0.01

Agvet chemical: Ethyl formate*Permitted residue: Ethyl formate*

Dried fruits	1
--------------	---

Agvet chemical: Ethylene dichloride (EDC)*Permitted residue: 1,2-dichloroethane*

Cereal grains	*0.1
---------------	------

Agvet chemical: Etoxazole*Permitted residue: Etoxazole*

Banana	0.2
Cherries	1
Chervil	T1
Citrus fruits	0.2
Coriander (leaves, stem, roots)	T1
Cotton seed	0.2
Custard apple	T0.1
Dried grapes	1.5
Edible offal (mammalian)	*0.01
Eggs	*0.01
Fruiting vegetables, other than cucurbits	0.05

Fruiting vegetables, cucurbits	T0.1
Grapes	0.5
Herbs	T1
Ivy gourd	T0.1
Meat (mammalian) (in the fat)	*0.02
Milks	*0.01
Mizuna	T1
Papaya	T0.1
Podded pea (young pods) (snow and sugar snap)	T*0.02
Pointed gourd	T0.1
Pome fruits	0.2
Poultry, edible offal of	*0.01
Poultry meat (in the fat)	*0.02
Ruola (Rocket)	T1
Stone fruits [except cherries]	0.3

Agvet chemical: Etridiazole*Permitted residue: Etridiazole*

Beetroot	*0.02
Cotton seed	*0.02
Peanut	*0.02
Vegetables [except as otherwise listed under this chemical]	0.2

Agvet chemical: Fenamiphos*Permitted residue: Sum of fenamiphos, its sulfoxide and sulfone, expressed as fenamiphos*

Aloe vera	1
Banana	*0.05
Brassica (cole or cabbage) vegetables, Head cabbages, Flowerhead brassicas	*0.05
Celery	*0.05
Citrus fruits	*0.05
Edible offal (mammalian)	*0.05
Eggs	*0.05
Fruiting vegetables, cucurbits	*0.05
Ginger, root	*0.05
Grapes	*0.05
Leafy vegetables [except lettuce, head; lettuce, leaf]	*0.05
Lettuce, head	0.2
Lettuce, leaf	0.2
Meat (mammalian)	*0.05
Milks	*0.005
Mushrooms	0.1
Onion, bulb	*0.05
Peanut	*0.05
Pineapple	*0.05
Poultry, edible offal of	*0.05
Poultry meat	*0.05
Root and tuber vegetables	0.2
Strawberry	0.2
Sugar cane	*0.05
Tomato	0.5

Agvet chemical: Fenarimol

Permitted residue: Fenarimol

Berries and other small fruits [except grapes]	T0.1
Cherries	1
Fruiting vegetables, cucurbits	0.2
Grapes	0.1
Pome fruits	0.2

Agvet chemical: Fenbendazole*Permitted residue: Fenbendazole*

Cattle, edible offal of	*0.1
Cattle meat	*0.1
Goat, edible offal of	0.5
Goat meat	0.5
Milks	0.1
Sheep, edible offal of	0.5
Sheep meat	0.5

Agvet chemical: Fenbuconazole*Permitted residue: Fenbuconazole*

Banana	0.5
Blueberries	0.3
Edible offal (mammalian)	0.05
Eggs	*0.01
Meat (mammalian)	*0.01
Milks	*0.01
Nectarine	0.5
Poultry, edible offal of	*0.01
Poultry meat	*0.01
Stone fruits [except nectarine]	1
Wheat	*0.01

Agvet chemical: Fenbutatin oxide*Permitted residue: Bis[tris(2-methyl-2-phenylpropyl)tin]-oxide*

Assorted tropical and sub-tropical fruits - inedible peel	5
Berries and other small fruits [except table grapes]	1
Cherries	6
Citrus fruits	5
Citrus peel	30
Dried grapes	T10
Fig	T10
Grapes [except wine grapes]	T3
Hops, dry	20
Nectarine	3
Peach	3
Pome fruits	3
Tomato	T2

Agvet chemical: Fenhexamid*Permitted residue: Fenhexamid*

Blackberries	T20
Blueberries	5
Chervil	T15
Cloudberry	T20

Coriander (leaves, stem, roots)	T15
Cucumber	T10
Dewberries (including boysenberry, loganberry and youngberry)	T20
Dried grapes	20
Edible offal (mammalian)	2
Grapes	10
Herbs	T15
Kiwifruit	15
Lettuce, head	T50
Lettuce, leaf	T50
Meat (mammalian) (in the fat)	*0.05
Milks	*0.01
Mizuna	T15
Peas (pods and succulent, immature seeds)	T5
Peppers	T30
Raspberries, red, black	T20
Rucola (rocket)	T15
Stone fruits [except plums]	10
Strawberry	10
Tomato	T2

Agvet chemical: Fenitrothion*Permitted residue: Fenitrothion*

Apple	0.5
Cabbages, head	0.5
Cacao beans	0.1
Cereal grains	10
Cherries	0.5
Edible offal (mammalian)	*0.05
Eggs	*0.05
Fruit [except as otherwise listed under this chemical]	0.1
Grapes	0.5
Lettuce, head	0.5
Lettuce, leaf	0.5
Meat (mammalian)	T*0.05
Milks (in the fat)	T*0.05
Oilseeds	T0.1
Poultry, edible offal of	*0.05
Poultry meat	*0.05
Pulses [except soya bean (dry)]	T0.1
Rice, polished	0.1
Soya bean (dry)	0.3
Sugar cane	0.02
Tea, green, black	0.5
Tomato	0.5
Tree nuts	0.1
Vegetables [except as otherwise listed under this chemical]	0.1
Wheat bran, unprocessed	20
Wheat germ	20

Agvet chemical: Fenoxaprop-ethyl

Permitted residue: Sum of fenoxaprop-ethyl (all isomers) and 2-(4-(6-chloro-2-benzoxazolylloxy)phenoxy)propanoate and 6-chloro-2,3-dihydrobenzoxazol-2-one, expressed as fenoxaprop-ethyl

Barley	*0.01
Chick-pea (dry)	*0.01
Edible offal (mammalian)	0.2
Eggs	*0.02
Meat (mammalian)	0.05
Milks	0.02
Poultry, edible offal of	*0.1
Poultry meat	*0.01
Rice	T*0.02
Rye	*0.01
Triticale	*0.01
Wheat	*0.01

Agvet chemical: Fenoxycarb

Permitted residue: Fenoxycarb

Currant, black	T2
Currant, red	T2
Gooseberry	T2
Olive oil, virgin	T3
Olives	T1
Pome fruits	2

Agvet chemical: Fenpropathrin

Permitted residue: Fenpropathrin

Cherries	5
Citrus fruits	2
Grapes	5
Tea, green, black	2

Agvet chemical: Fenpyroximate

Permitted residue: Fenpyroximate

Apple	0.3
Citrus fruits	0.6
Pear	0.3
Strawberry	1

Agvet chemical: Fenthion

Permitted residue: Sum of fenthion, its oxygen analogue, and their sulfoxides and sulfones, expressed as fenthion

Apricot	T0.2
Assorted tropical and sub-tropical fruits - inedible peel	5
Cattle, edible offal of	1
Cattle meat	1
Cherries	T0.4
Citrus fruits	T0.7
Eggs	*0.05
Grapes	T0.2
Melons, except watermelon	T3
Milks	T0.2
Nectarine	T0.25
Olive oil, crude	T0.5
Olives	T0.2

Peach	T0.2
Peppers, Chili	T7
Peppers, Sweet	T0.5
Persimmon, Japanese	T0.3
Pig, edible offal of	0.5
Pig meat	0.5
Plums	T0.25
Pome fruits	T0.25
Poultry, edible offal of	*0.05
Poultry meat	*0.05
Sheep, edible offal of	0.2
Sheep meat	0.2
Watermelon	T3

Agvet chemical: Fentin

Permitted residue: Fentin hydroxide, excluding inorganic tin and Di- and Mono-phenyltin

Cacao beans	*0.1
Carrot	0.2
Celeriac	0.1
Celery	1
Coffee beans	*0.1
Peanut	*0.05
Pecan	*0.05
Potato	0.1
Rice	*0.1
Sugar beet	0.2

Agvet chemical: Fenvalerate

Permitted residue: Fenvalerate, sum of isomers

Berries and other small fruits	1
Brassica (cole or cabbage) vegetables, Head cabbages, Flowerhead brassicas	1
Brassica leafy vegetables	1
Cereal grains	2
Celery	2
Dried grapes	0.5
Edible offal (mammalian)	0.05
Eggs	0.02
Grapes	0.1
Legume vegetables	0.5
Meat (mammalian) (in the fat)	1
Milks	0.2
Oilseed [except peanut]	0.5
Peanut	T0.1
Pome fruits	1
Poultry, edible offal of	*0.02
Poultry meat (in the fat)	0.05
Pulses	0.5
Stone fruits	1
Sweet corn (corn-on-the-cob)	0.05
Tea, green, black	0.05
Tomato	0.2
Wheat bran, unprocessed	5

Agvet chemical: Fipronil

Permitted residue: Sum of fipronil, the sulphenyl metabolite (5-amino-1-[2,6-dichloro-4-(trifluoromethyl)phenyl]-4-(trifluoromethyl) sulphenyl]-1H-pyrazole-3-carbonitrile), the sulphonyl metabolite (5-amino-1-[2,6-dichloro-4-(trifluoromethyl)phenyl]-4-(trifluoromethyl)sulphonyl]-1H-pyrazole-3-carbonitrile), and the trifluoromethyl metabolite (5-amino-4-trifluoromethyl-1-[2,6-dichloro-4-(trifluoromethyl)phenyl]-1H-pyrazole-3-carbonitrile)

Asparagus	0.2
Assorted tropical and sub-tropical fruit - inedible peel [except banana; custard apple]	T*0.01
Banana	0.01
Bergamot	T0.1
Brassica (cole or cabbage) vegetables, Head cabbages, Flowerhead brassicas	T0.05
Burnet, salad	T0.1
Celery	T0.3
Chervil	T0.1
Citrus fruits	T*0.01
Coriander (leaves, stem, roots)	T0.1
Coriander, seed	T0.1
Cotton seed	*0.01
Cotton seed oil, crude	*0.01
Custard apple	T0.05
Dill, seed	T0.1
Edible offal (mammalian)	0.02
Eggs	0.02
Fennel, seed	T0.1
Ginger, root	*0.01
Grapes [except wine grapes]	T*0.01
Herbs	T0.1
Honey	0.01
Kaffir lime leaves	T0.1
Lemon grass	T0.1
Lemon verbena (fresh weight)	T0.1
Lettuce, head	T0.1
Lettuce, leaf	T0.1
Meat (mammalian) (in the fat)	0.1
Milks	0.01
Mizuna	T0.1
Mushrooms	0.02
Peanut	T*0.01
Peanut oil, crude	T*0.01
Pecan	T*0.01
Peppers, Chili	*0.005
Peppers, Sweet	T0.1
Pome fruits	T*0.01
Poppy seed	*0.01
Potato	*0.01
Poultry, edible offal of	*0.01
Poultry meat (in the fat)	0.02
Rape seed (canola)	*0.01
Rice	*0.005
Rucola (rocket)	T0.1
Sorghum	0.01
Stone fruits	0.01
Sugar cane	*0.01

Sunflower seed	*0.01
Swede	0.1
Sweet potato	*0.01
Turnip, garden	0.1
Wine grapes	*0.01

Agvet chemical: Flamprop-methyl*Permitted residue: Flamprop-methyl*

Edible offal (mammalian)	*0.01
Lupin (dry)	0.05
Meat (mammalian)	*0.01
Milks	*0.01
Safflower seed	*0.05
Triticale	0.05
Wheat	0.05

Agvet chemical: Flamprop-M-methyl*see Flamprop-methyl***Agvet chemical: Flavophospholipol***Permitted residue: Flavophospholipol*

Cattle fat	*0.01
Cattle kidney	*0.01
Cattle liver	*0.01
Cattle meat	*0.01
Cattle milk	T*0.01
Eggs	*0.02

Agvet chemical: Flonicamid

Permitted residue: Flonicamid [N-(cyanomethyl)-4-(trifluoromethyl)-3-pyridinecarboxamide] and its metabolites TFNA [4-trifluoromethylnicotinic acid], TFNA-AM [4-trifluoromethylnicotinamide] TFNG [N-(4-trifluoromethylnicotinoyl)glycine]

Cotton seed	T1
Edible offal (mammalian)	T*0.02
Eggs	T*0.02
Meat (mammalian)	T*0.02
Milks	T*0.02
Poultry, edible offal of	T*0.02
Poultry meat	T*0.02
Stone fruits	0.6

Agvet chemical: Florasulam*Permitted residue: Florasulam*

Cereal grains	*0.01
Edible offal (mammalian)	*0.01
Eggs	*0.01
Meat (mammalian)	*0.01
Milks	*0.01
Poultry, edible offal of	*0.01
Poultry meat	*0.01

Agvet chemical: Florfenicol

Permitted residue: Sum of florfenicol and its metabolites florfenicol alcohol, florfenicol oxamic acid, monochloroflorfenicol and florfenicol amine expressed as florfenicol amine

Cattle kidney	0.5
Cattle liver	3
Cattle meat	0.3
Fish	T0.5
Pig fat/skin	1
Pig kidney	1
Pig liver	3
Pig meat	0.5

Agvet chemical: Fluazifop-p-butyl

Permitted residue: Sum of fluazifop-butyl, fluazifop and their conjugates, expressed as fluazifop

Assorted tropical and sub-tropical fruits - inedible peel [except avocado and banana]	0.05
Avocado	*0.02
Banana	*0.02
Berries and other small fruits	0.2
Brassica (cole or cabbage) vegetables, Head cabbages, Flowerhead brassicas	1
Celery	*0.02
Chia	T2
Citrus fruits	*0.02
Coriander (leaves, stem, roots)	T2
Date	T0.2
Edible offal (mammalian)	*0.05
Egg plant	T0.7
Eggs	*0.05
Fruiting vegetables, cucurbits	0.1
Galangal, rhizomes	0.05
Garlic	0.05
Ginger, root	0.05
Herbs	T2
Hops, dry	0.05
Leafy vegetables [except lettuce, head]	T2
Leek	T1
Legume vegetables	0.1
Lettuce, head	0.05
Lotus root	T3
Lupin (dry)	0.1
Meat (mammalian)	*0.05
Milks	0.1
Oilseed	0.5
Onion, bulb	0.05
Onion, Chinese	0.05
Onion, Welsh	0.05
Peppers, Sweet	*0.02
Pome fruits	*0.01
Potato	0.05
Poultry, edible offal of	*0.05
Poultry meat	*0.05
Pulses	0.5

Root and tuber vegetables [except potato; sweet potato; taro; yam bean; yams]	T1
Shallot	0.05
Spring Onion	0.05
Stone fruits	0.05
Sugar cane	T*0.1
Sweet potato	T0.3
Taro	T3
Tea, green, black	T50
Tomato	0.1
Turmeric, root	0.05
Water chestnut	T3
Yam bean	T3
Yams	T0.3

Agvet chemical: Fluazinam*Permitted residue: Fluazinam*

Brassica (cole or cabbage) vegetables, Head cabbages, Flowerhead brassicas	*0.01
Pome fruits	*0.01
Potato	*0.01
Wine grapes	*0.05

Agvet chemical: Fluazuron*Permitted residue: Fluazuron*

Cattle, edible offal of	0.5
Cattle meat (in the fat)	7

Agvet chemical: Flubendiamide*Permitted residue—commodities of plant origin:**Flubendiamide**Permitted residue—commodities of animal origin: Sum of flubendiamide and 3-iodo-N-(2-methyl-4-[1,2,2,2-tetrafluoro-1-(trifluoromethyl)ethyl]phenyl)phthalimide, expressed as flubendiamide*

Brassica (cole or cabbage) vegetables, Head cabbages, Flowerhead brassicas	5
Chia	1
Common bean (pods and/or immature seeds)	T2
Cotton seed	0.5
Edible offal (mammalian)	0.03
Eggs	*0.01
Fruiting vegetables, cucurbits	0.2
Fruiting vegetables, other than cucurbits [except sweet corn (corn-on-the-cob)]	2
Grapes	1.4
Herbs	20
Leafy vegetables [except lettuce, head]	10
Lettuce, head	5
Meat (mammalian) (in the fat)	0.05
Milk fats	0.05
Milks	*0.01
Potato	*0.02
Poultry, edible offal of	*0.01
Poultry meat (in the fat)	*0.01

Root and tuber vegetables [except potato]	0.2
Stalk and stem vegetables	5
Stone fruits	1.6
Sweet corn (corn-on-the-cob)	T*0.05

Agvet chemical: Flucythrinate*Permitted residue: Flucythrinate*

Cotton seed	*0.1
Cotton seed oil, crude	*0.1
Edible offal (mammalian)	*0.05
Eggs	*0.05
Meat (mammalian)	*0.05
Milks	*0.05
Poultry, edible offal of	*0.05
Poultry meat	*0.05

Agvet chemical: Fludioxonil*Permitted residue—commodities of animal origin: Sum of fludioxonil and oxidisable metabolites, expressed as fludioxonil**Permitted residue—commodities of plant origin:**Fludioxonil*

Apricot	10
Blackberries	5
Blueberries	2
Boysenberry	5
Broccoli	T*0.01
Chestnuts	T1
Citrus fruits	10
Cloudberry	T5
Common bean (pods and/or immature seeds)	0.7
Cotton seed	*0.05
Cucumber	0.5
Dewberries (including boysenberry and loganberry)	T5
Edible offal (mammalian)	0.1
Egg plant	T0.2
Grapes	2
Kiwifruit	15
Leafy vegetables	10
Maize	*0.02
Mango	3
Meat (mammalian)	0.05
Melons, except watermelon	T0.2
Milks	0.05
Onion, bulb	0.2
Peach	10
Peanut	T*0.01
Peas (pods and succulent, immature seeds)	0.5
Peppers, Sweet	2
Pistachio nut	T0.2
Pome fruits	5
Pomegranate	5
Potato	0.02
Rape seed (canola)	*0.01

Raspberries, red, black	5
Sorghum	*0.01
Stone fruits [except apricot; peach]	5
Strawberry	5
Sunflower seed	T*0.02
Sweet corn (corn-on-the-cob)	*0.02
Tomato	T1

Agvet chemical: Flumethrin*Permitted residue: Flumethrin, sum of isomers*

Cattle, edible offal of	0.05
Cattle meat (in the fat)	0.2
Honey	T*0.005
Horse, edible offal of	0.1
Horse meat	0.1
Milks	0.05

Agvet chemical: Flumetsulam*Permitted residue: Flumetsulam*

Barley	*0.05
Edible offal (mammalian)	0.3
Eggs	*0.1
Garden pea	*0.1
Maize	*0.05
Meat (mammalian)	*0.1
Milks	*0.1
Oats	*0.05
Peanut	*0.05
Poultry, edible offal of	*0.1
Poultry meat	*0.1
Pulses	*0.05
Rye	*0.05
Triticale	*0.05
Wheat	*0.05

Agvet chemical: Flumiclorac pentyl*Permitted residue: Flumiclorac pentyl*

Cotton seed	0.1
Edible offal (mammalian)	*0.01
Eggs	*0.01
Meat (mammalian)	*0.01
Milks	*0.01
Poultry, edible offal of	*0.01
Poultry meat	*0.01

Agvet chemical: Flumioxazin*Permitted residue: Flumioxazin*

Cereal grains	*0.05
Edible offal (mammalian)	*0.01
Eggs	*0.01
Meat (mammalian)	*0.01
Milks	*0.01
Oilseed	*0.1
Poultry, edible offal of	*0.01
Poultry meat	*0.01
Pulses	*0.1

Agvet chemical: Flunixin*Permitted residue: Flunixin*

Cattle kidney	0.02
Cattle liver	0.02
Cattle meat (in the fat)	0.02

Agvet chemical: Fluometuron*Permitted residue: Sum of fluometuron and 3-trifluoromethylaniline, expressed as fluometuron*

Cereal grains	*0.1
Citrus fruits	0.5
Cotton seed	*0.1
Pineapple	*0.1

Agvet chemical: Fluopicolide*Permitted residue: Fluopicolide*

Grapes	2
--------	---

Agvet chemical: Fluoxastrobin*Permitted residue: Sum of fluoxastrobin and its Z isomer*

Cranberry	1.9
-----------	-----

Agvet chemical: Flupropanate*Permitted residue: Flupropanate*

Edible offal (mammalian)	*0.1
Meat (mammalian) (in the fat)	*0.1
Milks	0.1

Agvet chemical: Fluquinconazole*Permitted residue: Fluquinconazole*

Barley	*0.02
Edible offal (mammalian)	0.2
Eggs	*0.02
Meat (mammalian) (in the fat)	0.5
Milks	*0.02
Pome fruits	0.3
Poultry, edible offal of	*0.02
Poultry meat (in the fat)	*0.02
Rape seed (canola)	*0.01
Wheat	*0.02

Agvet chemical: Fluroxypyr*Permitted residue: Fluroxypyr*

Cereal grains	0.2
Edible offal (mammalian) [except kidney]	0.1
Eggs	*0.01
Kidney (mammalian)	1
Meat (mammalian) (in the fat)	0.1
Milks	0.1
Poultry, edible offal of	*0.05
Poultry meat	*0.05
Sugar cane (in the juice)	0.2
Sweet corn (corn-on-the-cob)	0.2

Agvet chemical: Flusilazole

Permitted residue: Flusilazole

Grapes	0.5
Pome fruits	0.2
Sugar cane	*0.02

Agvet chemical: Flutolanil*Permitted residue—commodities of plant origin:**Flutolanil**Commodities of animal origin: Flutolanil and metabolites hydrolysed to 2-trifluoromethyl-benzoic acid and expressed as flutolanil*

Edible offal (mammalian)	*0.05
Eggs	*0.05
Meat (mammalian) (in the fat)	*0.05
Milks	*0.05
Potato	0.05
Poultry, edible offal of	*0.05
Poultry meat (in the fat)	*0.05

Agvet chemical: Flutriafol*Permitted residue: Flutriafol*

Barley	0.2
Cereal grains [except as otherwise listed under this chemical]	*0.02
Edible offal (mammalian)	0.5
Eggs	*0.05
Garden pea (young pods)	*0.01
Meat (mammalian)	*0.05
Milks	*0.05
Poultry, edible offal of	*0.05
Poultry meat	*0.05
Rape seed (canola)	*0.02
Sugar cane	*0.01

Agvet chemical: Fluvalinate*Permitted residue: Fluvalinate, sum of isomers*

Apple	0.1
Asparagus	0.2
Cauliflower	0.5
Cotton seed	0.1
Honey	T*0.01
Stone fruits	0.05
Table grapes	0.05
Tomato	0.5

Agvet chemical: Fluxapyroxad*Permitted residue—commodities of plant origin:**Fluxapyroxad**Permitted residue—commodities of animal origin for enforcement: Fluxapyroxad*

All other foods	0.1
Barley	0.2
Barley bran, unprocessed	0.5
Edible offal (mammalian)	0.03
Eggs	0.005
Meat (mammalian) (in the fat)	0.05
Milk fats	0.02

Milks	0.005
Poultry, edible offal of	*0.01
Poultry meat (in the fat)	*0.01

Agvet chemical: Fluxapyroxad*Permitted residue: Fluxapyroxad*

Plums (including prunes)	3
Pome fruits	0.8
Pulses [except soya bean (dry)]	0.4
Soya bean (dry)	0.3
Soya bean (immature seeds)	0.15
Stone fruits [except plums (including prunes)]	2

Agvet chemical: Forchlorfenuron*Permitted residue: Forchlorfenuron*

Blueberries	T*0.01
Grapes	*0.01
Kiwifruit	T*0.01
Mango	T*0.01
Plums (including prunes)	T*0.01
Prunes	T*0.01

Agvet chemical: Fosetyl*Permitted residue: Fosetyl*

Apple	1
Avocado	5
Brassica (cole or cabbage) vegetables, Head cabbages, Flowerhead brassicas	T0.1
Durian	T5
Fruiting vegetables, other than cucurbits	T0.02
Leafy vegetables [except rucola (rocket); spinach]	T0.2
Peach	1
Pineapple	5
Rucola (rocket)	T0.7
Spinach	T0.7
Stone fruits [except cherries; peach]	T1

Agvet chemical: Furathiocarbsee *Carbofuran**Residues arising from the use of furathiocarb are covered by MRLs for carbofuran***Agvet chemical: Glufosinate and Glufosinate-ammonium***Permitted residue: Sum of glufosinate-ammonium, N-acetyl glufosinate and 3-[hydroxy(methyl)-phosphinoyl] propionic acid, expressed as glufosinate (free acid)*

Assorted tropical and sub-tropical fruits - inedible peel	0.2
Berries and other small fruits	0.1
Cereal grains	*0.1
Citrus fruits	0.1
Coffee beans	T*0.05
Cotton seed	3

Date	T0.1
Edible offal (mammalian)	5
Eggs	*0.05
Hops, dry	T1
Lemon myrtle	T20
Maize	0.2
Meat (mammalian)	0.1
Milks	*0.05
Native foods [except lemon myrtle]	T0.1
Oilseeds [except cotton seed; rape seed (canola)]	*0.1
Olives	*0.1
Pome fruits	*0.1
Poultry, edible offal of	*0.1
Poultry meat	*0.05
Pulses [except soya bean (dry)]	*0.1
Rape seed (canola)	5
Saffron	T*0.05
Soya bean (dry)	2
Stone fruits	*0.05
Tomato	*0.05
Tea, green, black	T20
Tree nuts	0.1

Agvet chemical: Glyphosate

Permitted residue: Sum of glyphosate and Aminomethylphosphonic acid (AMPA) metabolite, expressed as glyphosate

Adzuki bean (dry)	10
Avocado	*0.05
Babaco	*0.05
Banana	0.2
Barley	10
Berries and other small fruits	*0.05
Bulb vegetables	*0.1
Cereal grains [except barley; maize; sorghum; wheat]	T*0.1
Citrus fruits	0.5
Coffee beans	T0.2
Cotton seed	15
Cotton seed oil, crude	*0.1
Cowpea (dry)	10
Custard apple	*0.05
Date	T2
Edible offal (mammalian)	2
Eggs	*0.05
Fig	*0.05
Fruiting vegetables, cucurbits	*0.1
Fruiting vegetables, other than cucurbits	*0.1
Guar bean (dry)	10
Guava	*0.05
Hops, dry	*0.1
Kiwifruit	*0.05
Leafy vegetables	*0.1
Legume vegetables	*0.1
Lemon myrtle	T20
Linseed	T5

Litchi	0.2
Maize	5
Mango	*0.05
Meat (mammalian)	*0.1
Milks	*0.1
Monstero	*0.05
Mung bean (dry)	10
Native foods [except lemon myrtle]	T2
Oilseed [except cotton seed; peanut; poppy seed; linseed; rape seed (canola); sunflower seed]	T*0.1
Olives	*0.1
Papaya (pawpaw)	*0.05
Passionfruit	3
Peanut	*0.1
Persimmon, American	*0.05
Persimmon, Japanese	*0.05
Pome fruits	*0.05
Poppy seed	T20
Poultry, edible offal of	1
Poultry meat	*0.1
Pulses [except adzuki bean (dry); cowpea (dry); guar bean (dry); mung bean (dry); soya bean (dry)]	5
Rape seed (canola)	20
Rollinia	*0.05
Root and tuber vegetables	*0.1
Saffron	T*0.05
Sorghum	15
Soya bean (dry)	10
Stalk and stem vegetables	*0.01
Stone fruits	0.2
Sugar cane	T0.3
Sugar cane molasses	T5
Sunflower seed	T20
Tea, green, black	2
Tree nuts	0.2
Wheat	5
Wheat bran, unprocessed	20

Agvet chemical: Guazatine*Permitted residue: Guazatine*

Citrus fruits	5
Melons, except watermelon	10
Tomato	5

Agvet chemical: Halauxifen-methyl*Permitted residue—Commodities of plant origin:**Halauxifen-methyl**Permitted residue—Commodities of animal origin: 4-Amino-3-chloro-6-(4-chloro-2-fluoro-3-hydroxyphenyl)-pyridine-2-carboxylic acid, expressed as halauxifen-methyl*

Cereal grains	T*0.01
Edible offal (mammalian)	T0.01
Eggs	T*0.01
Meat (mammalian)	T*0.01
Milks	T*0.01

Poultry, edible offal	T*0.01
Poultry meat	T*0.01

Agvet chemical: Halofuginone*Permitted residue: Halofuginone*

Cattle fat	0.025
Cattle kidney	0.03
Cattle liver	0.03
Cattle muscle	0.01

Agvet chemical: Halosulfuron-methyl*Permitted residue: Halosulfuron-methyl*

Cotton seed	*0.05
Edible offal (mammalian)	0.2
Maize	*0.05
Meat (mammalian)	*0.01
Milks	*0.01
Poultry, edible offal of	*0.01
Poultry meat	*0.01
Sorghum	*0.05
Sugar cane	*0.05

Agvet chemical: Haloxyfop*Permitted residue: Sum of haloxyfop, its esters and conjugates, expressed as haloxyfop*

Assorted tropical and sub-tropical fruits - inedible peel	*0.05
Berries and other small fruits	*0.05
Chia	T3
Citrus fruits	*0.05
Cotton seed	0.1
Cotton seed oil, crude	0.2
Edible offal (mammalian)	0.5
Eggs	*0.01
Garlic	T0.05
Guar bean (dry)	T2
Linola seed	0.1
Linseed	0.1
Meat (mammalian) (in the fat)	0.02
Milks	0.02
Onion, bulb	T*0.05
Peanut	0.05
Persimmon, Japanese	*0.05
Pome fruits	*0.05
Poultry, edible offal of	0.05
Poultry meat (in the fat)	*0.01
Pulses	0.1
Rape seed (canola)	0.1
Stone fruits	*0.05
Sugar cane	T0.03
Sunflower seed	*0.05
Tree nuts	*0.05

Agvet chemical: Hexaconazole*Permitted residue: Hexaconazole*

Apple	0.1
Grapes	0.05

Pear	0.1
------	-----

Agvet chemical: Hexazinone*Permitted residue: Hexazinone*

Blueberries	0.6
Edible offal (mammalian)	*0.1
Eggs	*0.05
Meat (mammalian)	*0.1
Milks	*0.05
Pineapple	1
Poultry, edible offal of	*0.05
Poultry meat	*0.05
Sugar cane	*0.1

Agvet chemical: Hexythiazox*Permitted residue: Hexythiazox*

Berries and other small fruits	1
Pome fruits	1
Stone fruits	1

Agvet chemical: Hydrogen phosphidesee *Phosphine***Agvet chemical: Imazalil***Permitted residue: Imazalil*

Chicken, edible offal of	*0.01
Chicken meat	*0.01
Citrus fruits	10
Eggs	*0.01
Melons, except watermelon	10
Mushrooms	T1
Pome fruits	5
Potato	5

Agvet chemical: Imazamox*Permitted residue: Imazamox*

Adzuki bean (dry)	T*0.05
Barley	*0.05
Broad bean (dry) (fava beans)	T*0.05
Edible offal (mammalian)	*0.05
Field pea (dry)	*0.05
Meat (mammalian)	*0.05
Milks	*0.05
Peanut	*0.05
Poppy seed	T*0.05
Rape seed (canola)	*0.05
Soya bean (dry)	*0.05
Wheat	*0.05

Agvet chemical: Imazapic*Permitted residue: Sum of imazapic and its hydroxymethyl derivative*

Edible offal (mammalian)	*0.05
Eggs	*0.01
Meat (mammalian) (in the fat)	*0.05
Milks	*0.01

Peanut	*0.1
Poultry, edible offal of	*0.01
Poultry meat	*0.01
Rape seed (canola)	*0.05
Sugar cane	*0.05
Wheat	*0.05

Agvet chemical: Imazapyr*Permitted residue: Imazapyr*

Barley	*0.05
Edible offal (mammalian)	*0.05
Meat (mammalian) (in the fat)	*0.05
Maize	*0.05
Milks	*0.01
Poppy seed	T*0.05
Rape seed (canola)	*0.05
Wheat	*0.05

Agvet chemical: Imazethapyr*Permitted residue: Imazethapyr*

Edible offal (mammalian)	*0.1
Eggs	*0.1
Legume vegetables	*0.1
Maize	*0.05
Meat (mammalian)	*0.1
Milks	*0.1
Peanut	*0.1
Poultry, edible offal of	*0.1
Poultry meat	*0.1
Pulses	*0.1

Agvet chemical: Imidacloprid*Permitted residue: Sum of imidacloprid and metabolites containing the 6-chloropyridinylmethylene moiety, expressed as imidacloprid*

Apple	0.3
Assorted tropical and sub-tropical fruits - inedible peel [except banana]	T1
Banana	0.5
Beetroot	T0.05
Bergamot	T5
Berries and other small fruits [except blueberries; cranberry; grapes; strawberry]	5
Blueberries	T0.1
Brassica (cole or cabbage) vegetables, Head cabbages, Flowerhead brassicas	0.5
Broad bean (dry)	*0.05
Burdock, greater	T0.05
Burnet, Salad	T5
Celery	0.3
Cereal grains [except maize and sorghum]	*0.05
Citrus fruits	2
Common bean (dry) (navy bean)	T1
Common bean (pods and/or immature seeds)	T1
Coriander (leaves, stem, roots)	T5

Coriander, seed	T5
Cotton seed	*0.02
Date	T1
Dill, seed	T5
Edible offal (mammalian)	0.2
Eggs	*0.02
Fennel, bulb	T0.1
Fennel, seed	T5
Field pea (dry)	*0.05
Fruiting vegetables, cucurbits	0.2
Fruiting vegetables, other than cucurbits [except sweet corn, (corn-on-the-cob)]	0.5
Galangal, Greater	T0.05
Garlic	T0.5
Ginger, Japanese	T5
Ginger, root	T0.3
Grapes	T0.1
Hazelnuts	T*0.01
Herbs	T5
Hops, dry	T10
Kaffir lime leaves	T5
Leafy vegetables [except lettuce, head]	20
Lemon balm	T5
Lemon grass	T5
Lemon verbena (fresh weight)	T5
Lentil (dry)	0.2
Lettuce, head	5
Lupin (dry)	0.2
Maize	0.05
Meat (mammalian)	0.05
Milks	0.05
Peanut	T0.5
Persimmon, Japanese	T1
Potato	0.3
Poultry, edible offal of	*0.02
Poultry meat	*0.02
Radish, Japanese	T0.05
Rape seed (canola)	*0.05
Rhubarb	T0.2
Rose and dianthus (edible flowers)	T5
Sorghum	*0.02
Stone fruits	0.5
Strawberry	0.5
Sugar cane	*0.05
Sunflower seed	*0.02
Sweet corn (corn-on-the-cob)	*0.05
Sweet potato	0.3
Taro	T0.05
Teas (tea and herb teas)	T10
Tree tomato	T2
Turmeric, root (fresh)	T0.05
Yam bean	T0.05
Yams	T0.05

Agvet chemical: Imidocarb (dipropionate salt)

Permitted residue: Imidocarb

Cattle, edible offal of	5
Cattle meat	1
Cattle milk	0.2

Agvet chemical: Indoxacarb*Permitted residue: Sum of indoxacarb and its R-isomer*

Asparagus	T1
Berries and other small fruits [except grapes]	T1
Brassica (cole or cabbage) vegetables, Head cabbages and Flowerhead brassicas	2
Celery	T5
Chervil	T10
Coriander (leaves, stem, roots)	T20
Cotton seed	1
Dried grapes	2
Edible offal (mammalian) [except kidney]	*0.01
Egg plant	0.5
Eggs	*0.01
Grapes	0.5
Herbs	T20
Kidney (mammalian)	0.2
Leafy vegetables [except chervil; lettuce, head; mizuna; rucola]	5
Lemon balm	T10
Lettuce, head	3
Linseed	T0.5
Meat (mammalian) (in the fat)	1
Mexican tarragon	T20
Milk fats	1
Milks	0.01
Mizuna	T10
Olives	T0.2
Peanut	T0.02
Peppers, Sweet	0.5
Pome fruits	2
Poultry (edible offal of)	*0.01
Poultry meat (in the fat)	*0.01
Pulses	0.2
Rape seed (canola)	T*0.05
Rucola (rocket)	T20
Safflower seed	T0.5
Stone fruits	2
Sunflower seed	T1
Tomato	T0.5

Agvet chemical: Inorganic bromide*Permitted residue: Bromide ion*

Avocado	75
Cereal grains	50
Citrus fruits	30
Dates, dried	100
Dried fruits [except as otherwise listed under this chemical]	30
Dried grapes	100

Dried herbs	400
Dried peach	50
Figs, dried	250
Fruit [except as otherwise listed under this chemical]	20
Peppers, Sweet	50
Prunes	20
Spices	400
Strawberry	30
Vegetables [except as otherwise listed under this chemical]	20

Agvet chemical: Iodosulfuron methyl*Permitted residue: Iodosulfuron methyl*

Barley	*0.01
Edible offal (mammalian)	*0.01
Eggs	*0.01
Meat (mammalian) (in the fat)	*0.01
Milks	*0.01
Poultry, edible offal of	*0.01
Poultry meat (in the fat)	*0.01
Wheat	*0.01

Agvet chemical: Ioxynil*Permitted residue: Ioxynil*

Garlic	*0.02
Leek	T2
Onion, bulb	*0.02
Onion, Welsh	T10
Shallot	T10
Spring onion	T10
Sugar cane	*0.02

Agvet chemical: Ipconazole*Permitted residue: Ipconazole*

Cereal grains	*0.01
Edible offal (mammalian)	*0.01
Eggs	*0.01
Meat (mammalian)	*0.01
Milks	*0.01
Poultry, edible offal of	*0.01
Poultry meat	*0.01

Agvet chemical: Iprodione*Permitted residue: Iprodione*

Almonds	*0.02
Beans [except broad bean and soya bean]	T1
Beetroot	T0.1
Berries and other small fruits [except grapes]	12
Brassica leafy vegetables	15
Broad bean (green pods and immature seeds)	0.2
Broccoli	T*0.05
Brussels sprouts	0.5
Cabbages, head	T*0.05

Carrot	T0.5
Cauliflower	T*0.05
Celeriac	T0.7
Celery	2
Chard (silver beet)	T5
Edible offal (mammalian)	*0.1
Egg plant	T1
Garlic	T10
Grapes	20
Kiwifruit	10
Lettuce, head	5
Lettuce, leaf	5
Lupin (dry)	*0.1
Macadamia nuts	*0.01
Mandarins	T5
Meat (mammalian)	*0.1
Milks	*0.1
Onion, bulb	T0.7
Passionfruit	10
Peanut	0.05
Peanut oil, crude	0.05
Peppers	T3
Pistachio nut	T*0.05
Pome fruits	3
Potato	*0.05
Rape seed (canola)	0.5
Soya bean (dry)	0.05
Spinach	T5
Stone fruits	10
Tangelo, large-sized cultivars	T5
Tomato	2

Agvet chemical: Isoeugenol*Permitted residue: Isoeugenol, sum of cis- and trans-isomers*

Diadromous fish (whole commodity)	100
Freshwater fish (whole commodity)	100
Marine fish (whole commodity)	100

Agvet chemical: Isoxaben*Permitted residue: Isoxaben*

Assorted tropical and sub-tropical fruits - edible peel	*0.01
Assorted tropical and sub-tropical fruits - inedible peel	*0.01
Barley	*0.01
Citrus fruits	*0.01
Edible offal (mammalian)	*0.01
Eggs	*0.01
Grapes	*0.01
Hops, dry	*0.1
Meat (mammalian)	*0.01
Milks	*0.01
Pome fruits	*0.01
Poultry, edible offal of	*0.01
Poultry meat	*0.01
Stone fruits	*0.01

Tree nuts	*0.01
Triticale	*0.01
Wheat	*0.01

Agvet chemical: Isoxaflutole

Permitted residue: The sum of isoxaflutole and 2-cyclopropylcarbonyl-3-(2-methylsulfonyl-4-trifluoromethylphenyl)-3-oxopropanenitrile, expressed as isoxaflutole

Cereal grains	*0.02
Chick-pea (dry)	*0.02
Edible offal (mammalian)	0.1
Eggs	*0.05
Meat (mammalian)	*0.05
Milks	*0.05
Poppy seed	*0.02
Poultry, edible offal of	*0.05
Poultry meat	*0.05
Sugar cane	*0.01

Agvet chemical: Ivermectin

Permitted residue: H₂B_{1a}

Cattle kidney	*0.01
Cattle liver	0.1
Cattle meat (in the fat)	0.04
Cattle milk	0.05
Deer kidney	*0.01
Deer liver	*0.01
Deer meat (in the fat)	*0.01
Horse, edible offal of	*0.01
Horse meat	*0.01
Pig kidney	*0.01
Pig liver	*0.01
Pig meat (in the fat)	0.02
Sheep kidney	*0.01
Sheep liver	0.015
Sheep meat (in the fat)	0.02

Agvet chemical: Ketoprofen

Permitted residue: Ketoprofen

Cattle, edible offal of	*0.05
Cattle meat	*0.05
Cattle milk	*0.05

Agvet chemical: Kitasamycin

Permitted residue: Inhibitory substance, identified as kitasamycin

Eggs	*0.2
Pig, edible offal of	*0.2
Pig meat	*0.2

Agvet chemical: Kresoxim-methyl

Permitted residue—commodities of plant origin: Kresoxim-methyl

Permitted residue—commodities of animal origin: Sum of a-(p-hydroxy-o-tolyloxy)-o-tolyl (methoxyimino) acetic acid and (E)-methoxyimino[a-(o-tolyloxy)-o-tolyl]acetic acid, expressed as kresoxim-methyl

Edible offal (mammalian)	*0.01
Fruiting vegetables, cucurbits	0.05
Grapes	1
Meat (mammalian)	*0.01
Milks	*0.001
Pome fruits	0.1

Agvet chemical: Lambda-cyhalothrin

see *Cyhalothrin*

Agvet chemical: Lasalocid

Permitted residue: Lasalocid

Cattle milk	*0.01
Edible offal (mammalian)	0.7
Eggs	*0.05
Meat (mammalian)	*0.05
Poultry, edible offal of	0.4
Poultry meat	*0.1
Poultry skin/fat	1

Agvet chemical: Levamisole

Permitted residue: Levamisole

Edible offal (mammalian)	1
Eggs	1
Goat milk	0.1
Meat (mammalian)	0.1
Milks [except goat milk]	0.3
Poultry, edible offal of	0.1
Poultry meat	0.1

Agvet chemical: Lincomycin

Permitted residue: Inhibitory substance, identified as lincomycin

Cattle milk	*0.02
Edible offal (mammalian) [except sheep, edible offal of]	0.2
Eggs	0.2
Goat milk	*0.1
Meat (mammalian) [except sheep meat]	0.2
Poultry, edible offal of	0.1
Poultry meat	0.1

Agvet chemical: Lindane

Permitted residue: Lindane

Pineapple	0.5
-----------	-----

Agvet chemical: Linuron

Permitted residue: Sum of linuron plus 3,4-dichloroaniline, expressed as linuron

Celeriac	T0.5
Celery	*0.05
Cereal grains	*0.05
Chervil	T1

Coriander (leaves, stem, roots)	T1
Coriander, seed	0.2
Edible offal (mammalian)	1
Eggs	*0.05
Herbs	T1
Leek	*0.02
Lemon grass	T1
Lemon verbena (dry leaves)	T1
Meat (mammalian)	*0.05
Milks	*0.05
Mizuna	T1
Parsnip	T0.05
Poultry, edible offal of	*0.05
Poultry meat	*0.05
Rucola (rocket)	T1
Turmeric root	T*0.05
Vegetables [except celeriac; celery; leek; parsnip]	*0.05

Agvet chemical: Lufenuron*Permitted residue: Lufenuron*

Cotton seed	T0.2
Cotton seed oil, crude	T0.5
Edible offal (mammalian)	T*0.01
Eggs	T0.05
Meat (mammalian) (in the fat)	T1
Milks	T0.2
Poultry, edible offal of	T*0.01
Poultry meat (in the fat)	T1

2015-gs1945

Schedule 20 - Maximum Residue Limits - Food Standards (Proposal P1025 - Code Revision) Variation—Australia New Zealand Food Standards Code - Amendment No. 154 - Part Two

The Board of Food Standards Australia New Zealand gives notice of the making of this standard under section 92 of the *Food Standards Australia New Zealand Act 1991*.

The Standard commences on 1 March 2016.

Dated 25 March 2015

Standards Management Officer, Delegate of the Board of Food Standards Australia New Zealand.

Note:

This Standard will be published in the Commonwealth of Australia Gazette No. FSC 96 on 10 April 2015.

Maximum residue limits**Agvet chemical: Maduramicin***Permitted residue: Maduramicin*

Poultry, edible offal of	1
Poultry meat	0.1

Agvet chemical: Magnesium phosphide

see *Phosphine*

Agvet chemical: Malathionsee *Maldison***Agvet chemical: Maldison***Permitted residue: Maldison*

Beans (dry)	8
Cauliflower	0.5
Cereal grains	8
Chard (silver beet)	0.5
Citrus fruits	4
Currant, black	T2
Dried fruits	8
Edible offal (mammalian)	1
Egg plant	0.5
Eggs	1
Fruit [except citrus fruits; currant, black; dried fruits; grapes; pear; strawberry]	2
Garden pea	0.5
Grapes	8
Kale	3
Kohlrabi	0.5
Lentil (dry)	8
Meat (mammalian) (in the fat)	1
Milks (in the fat)	1
Oilseed except peanut	T10
Onion, Welsh	T0.1
Peanut	8
Pear	0.5
Peppers, Sweet	0.5
Poultry, edible offal of	1
Poultry meat (in the fat)	1
Root and tuber vegetables	0.5
Shallot	T0.1
Spring onion	T0.1
Strawberry	1
Tomato	3
Tree nuts	8
Turnip, garden	0.5
Vegetables [except beans (dry); cauliflower; chard (silver beet); egg plant; garden pea; kale; kohlrabi; lentil (dry); onion, Welsh; Peppers, Sweet; root and tuber vegetables; shallot; spring onion; tomato; turnip, garden]	2
Wheat bran, unprocessed	20

Agvet chemical: Maleic hydrazide*Permitted residue: Sum of free and conjugated maleic hydrazide, expressed as maleic hydrazide*

Carrot	T40
Garlic	15
Onion, bulb	15
Potato	50

Agvet chemical: Mancozebsee *Dithiocarbamates*

Agvet chemical: Mandipropamid*Permitted residue: Mandipropamid*

Dried grapes (currants, raisins and sultanas)	2
Edible offal (mammalian)	*0.01
Eggs	*0.01
Grapes	2
Meat (mammalian) (in the fat)	*0.01
Milks	*0.01
Poppy seed	*0.01
Poultry, edible offal of	*0.01
Poultry meat (in the fat)	*0.01

Agvet chemical: MCPA*Permitted residue: MCPA*

Cereal grains	*0.02
Edible offal (mammalian)	*0.05
Eggs	*0.05
Field pea (dry)	*0.05
Meat (mammalian)	*0.05
Milks	*0.05
Poultry, edible offal of	*0.05
Poultry meat	*0.05
Rhubarb	*0.02

Agvet chemical: MCPB*Permitted residue: MCPB*

Cereal grains	*0.02
Edible offal (mammalian)	*0.05
Eggs	*0.05
Legume vegetables	*0.02
Meat (mammalian)	*0.05
Milks	*0.05
Poultry, edible offal of	*0.05
Poultry meat	*0.05
Pulses	*0.02

Agvet chemical: Mebendazole*Permitted residue: Mebendazole*

Edible offal (mammalian)	*0.02
Meat (mammalian)	*0.02
Milks	0.02

Agvet chemical: Mefenpyr-diethyl

Permitted residue—commodities of plant origin: Sum of mefenpyr-diethyl and metabolites hydrolysed to 1-(2,4-dichlorophenyl)-5-methyl-2-pyrazoline-3,5-dicarboxylic acid, and 1-(2,4-dichlorophenyl)-5-methyl-pyrazole-3-carboxylic acid, expressed as mefenpyr-diethyl

Permitted residue—commodities of animal origin: Sum of mefenpyr-diethyl and 1-(2,4-dichlorophenyl)-5-ethoxycarbonyl-5-methyl-2-pyrazoline-3-carboxylic acid, expressed as mefenpyr-diethyl

Cereal grains	*0.01
Edible offal (mammalian)	*0.05
Eggs	*0.01
Meat (mammalian)	*0.05

Milks	*0.01
Poultry, edible offal of	*0.05
Poultry meat	*0.05

Agvet chemical: Meloxicam*Permitted residue: Meloxicam*

Cattle kidney	0.2
Cattle liver	0.1
Cattle meat	*0.01
Cattle milk	0.005
Pig fat/skin	0.1
Pig kidney	*0.01
Pig liver	*0.01
Pig meat	0.02

Agvet chemical: Mepanipyrim*Permitted residue: Mepanipyrim*

Strawberry	2
------------	---

Agvet chemical: Mepiquat*Permitted residue: Mepiquat*

Cotton seed	1
Cotton seed oil, crude	0.2
Edible offal (mammalian)	0.1
Eggs	0.05
Meat (mammalian)	0.1
Milks	0.05
Poultry, edible offal of	0.1
Poultry meat	0.1

Agvet chemical: Mesosulfuron-methyl*Permitted residue: Mesosulfuron-methyl*

Edible offal (mammalian)	*0.01
Eggs	*0.01
Meat (mammalian)	*0.01
Milks	*0.01
Poultry, edible offal of	*0.01
Poultry meat	*0.01
Wheat	*0.02

Agvet chemical: Metaflumizone*Permitted residue: Sum of metaflumizone, its E and Z isomers and its metabolite 4-{2-oxo-2-[3-(trifluoromethyl)phenyl]ethyl}-benzonitrile expressed as metaflumizone*

Grapes	0.04
--------	------

Agvet chemical: Metalaxyl*Permitted residue: Metalaxyl*

Avocado	0.5
Berries and other small fruits [except grapes]	T0.5
Bulb vegetables	0.1
Cereal grains	*0.1
Chives	2
Coriander (leaves, stem, roots)	2
Durian	T0.5

Edible offal (mammalian)	*0.05
Eggs	*0.05
Fruiting vegetables, cucurbits	0.2
Ginger, root	0.5
Grapes	1
Herbs [except chives, thyme]	T0.3
Kaffir lime leaves	T0.3
Leafy vegetables	0.3
Lemon grass	T0.3
Lemon verbena (dry leaves)	T0.3
Macadamia nuts	1
Meat (mammalian)	*0.05
Milks	*0.01
Papaya (pawpaw)	*0.01
Peppers	T0.1
Pineapple	0.1
Podded pea (young pods) (snow and sugar snap)	T0.1
Pome fruits	0.2
Poppy seed	*0.02
Poultry, edible offal of	*0.05
Poultry meat	*0.05
Rose and dianthus (edible flowers)	T0.3
Spices	*0.1
Stone fruits	0.2
Thyme	T0.5
Turmeric, root	T0.1
Vegetables [except bulb vegetables; fruiting vegetables, cucurbits; leafy vegetables; peppers; podded pea (young pods) (snow and sugar snap)]	T0.1

Agvet chemical: Metalaxyl-M*see Metalaxyl***Agvet chemical: Metaldehyde***Permitted residue: Metaldehyde*

Cereal grains	1
Fruit	1
Herbs	1
Oilseed	1
Pulses	1
Spices	1
Teas (tea and herb teas)	1
Vegetables	1

Agvet chemical: Metconazole*Permitted residue: Metconazole*

Stone fruits	0.2
--------------	-----

Agvet chemical: Methabenzthiazuron*Permitted residue: Methabenzthiazuron*

Garlic	T*0.05
Leek	T*0.05
Onion, bulb	*0.05
Onion, Welsh	T0.2
Shallot	T0.2

Spring onion	T0.2
--------------	------

Agvet chemical: Metham

see *Dithiocarbamates*

Agvet chemical: Metham-sodium

see *Metham*

Agvet chemical: Methamidophos

Permitted residue: Methamidophos

see also *Acephate*

Banana	0.2
Brassica (cole or cabbage) vegetables, Head cabbages, Flowerhead brassicas	1
Celery	2
Citrus fruits	0.5
Cotton seed	0.1
Cucumber	0.5
Edible offal (mammalian)	*0.01
Egg plant	1
Hops, dry	5
Leafy vegetables [except lettuce head and lettuce leaf]	T1
Lettuce, head	1
Lettuce, leaf	1
Lupin (dry)	0.5
Meat (mammalian)	*0.01
Milks	*0.01
Peach	1
Peanut	*0.02
Peppers, Sweet	2
Potato	0.25
Rape seed (canola)	0.1
Soya bean (dry)	0.1
Sugar beet	0.05
Tomato	2
Tree tomato (tamarillo)	*0.01

Agvet chemical: Methidathion

Permitted residue: Methidathion

Apple	0.2
Avocado	0.5
Brassica (cole or cabbage) vegetables, Head cabbages, Flowerhead brassicas	0.1
Cereal grains	*0.01
Citrus fruits [except mandarins]	2
Coffee beans	T1
Custard apple	0.2
Date	T*0.01
Dates, dried or dried and candied	T*0.01
Eggs	*0.05
Fruiting vegetables, other than cucurbits	0.1
Garlic	*0.01
Grapes	0.5
Legume vegetables	0.1
Lettuce, head	1

Lettuce, leaf	1
Litchi	T0.1
Longan	0.1
Macadamia nuts	*0.01
Mandarins	5
Mango	2
Meat (mammalian) (in the fat)	0.5
Milks (in the fat)	0.5
Oilseed	1
Olive oil, crude	T2
Olives	T1
Onion, bulb	*0.01
Passionfruit	0.2
Pear	0.2
Persimmon, Japanese	0.5
Poultry, edible offal of	*0.05
Poultry meat	*0.05
Pulses	0.1
Root and tuber vegetables	*0.01
Stone fruits	*0.01
Strawberry	*0.01
Tomato	0.1
Vegetable oils, edible	0.1
Vegetables [except garlic; lettuce, head; lettuce, leaf; onion, bulb; root and tuber vegetables]	0.1

Agvet chemical: Methiocarb

Permitted residue: Sum of methiocarb, its sulfoxide and sulfone, expressed as methiocarb

Citrus fruits	0.1
Fruit [except as otherwise listed under this chemical]	T0.1
Grapes	0.5
Vegetables	0.1
Wine	0.1

Agvet chemical: Methomyl

Permitted residue: Methomyl

Apple	1
Avocado	*0.1
Beetroot	1
Blackberries	2
Blueberries	2
Brassica (cole or cabbage) vegetables, Head cabbages, Flowerhead brassicas	2
Cassava	T1
Celery	3
Cereal grains	*0.1
Chard	T2
Cherries	2
Chia	T1
Citrus fruits	1
Coffee beans	T1
Coriander (leaves, stem, roots)	T10
Cotton seed	*0.1
Dried grapes	*0.05
Edible offal (mammalian)	0.05

Eggs	*0.02
Fig	T0.7
Fruiting vegetables, cucurbits	0.1
Fruiting vegetables, other than cucurbits	1
Ginger, root	*0.1
Grapes	2
Guava	3
Herbs	T10
Hops, dry	0.5
Leafy vegetables [except chard; lettuce, head and lettuce, leaf]	1
Legume vegetables	1
Lettuce, head	2
Lettuce, leaf	2
Linseed	*0.1
Macadamia nuts	T1
Meat (mammalian)	0.05
Milks	0.05
Mints	0.5
Nectarine	1
Onion, Welsh	1
Peach	1
Peanut	*0.05
Pear	3
Plantago ovata seed	0.05
Poppy seed	*0.05
Potato	1
Poultry, edible offal of	*0.02
Poultry meat	*0.02
Pulses	1
Radish	T1
Rape seed (canola)	0.5
Sesame seed	*0.1
Shallot	1
Spring onion	1
Strawberry	3
Sunflower seed	*0.1
Swede	T1
Sweet corn (corn-on-the-cob)	0.1
Sweet potato	T1
Taro	T1
Tree tomato (tamarillo)	T1
Turnip, garden	T1

Agvet chemical: Methoprene

Permitted residue: Methoprene, sum of cis- and trans-isomers

Cattle milk	0.1
Cereal grains	2
Edible offal (mammalian)	*0.01
Meat (mammalian) (in the fat)	0.3
Wheat bran, unprocessed	5
Wheat germ	10

Agvet chemical: Methoxyfenozide

Permitted residue: Methoxyfenozide

Almonds	T0.2
Avocado	0.5
Blueberries	2
Citrus fruits	1
Coffee beans	0.2
Coriander (leaves, stem, roots)	T20
Cotton seed	3
Cranberry	0.5
Cucumber	T2
Custard apple	0.3
Dried grapes	6
Edible offal (mammalian)	*0.01
Fruiting vegetables, other than cucurbits	3
Grapes	2
Herbs	T20
Kiwifruit	2
Lettuce, head	T30
Lettuce, leaf	T30
Litchi	2
Longan	2
Macadamia nuts	0.05
Meat (mammalian) (in the fat)	*0.01
Mexican tarragon	T20
Milks	*0.01
Persimmon, American	1
Persimmon, Japanese	1
Pome fruits	0.5
Rucola (rocket)	T20
Stone fruits [except plums (including prunes)]	3

Agvet chemical: Methyl benzoate*Permitted residue: Methyl benzoate*

Poultry, edible offal of	0.1
Poultry meat	0.1

Agvet chemical: Methyl bromide*Permitted residue: Methyl bromide*

Cereal grains	50
Cucumber	*0.05
Dried fruits	*0.05
Fruit [except jackfruit, litchi; mango; papaya]	T*0.05
Herbs	*0.05
Jackfruit	*0.05
Litchi	*0.05
Mango	*0.05
Papaya (pawpaw)	*0.05
Peppers, Sweet	*0.05
Spices	*0.05
Vegetables [except cucumber and Peppers, Sweet]	T*0.05

Agvet chemical: Methyl isothiocyanate*Permitted residue: Methyl isothiocyanate*

Barley	T0.1
Rape seed (canola)	T0.1
Wheat	T0.1

Agvet chemical: Metiramsee *Dithiocarbamates***Agvet chemical: Metolachlor***Permitted residue: Metolachlor*

Beans [except broad bean and soya bean]	*0.02
Bergamot	T*0.05
Brassica (cole or cabbage) vegetables, Head cabbages, Flowerhead brassicas	*0.02
Brassica leafy vegetables	*0.01
Burnet, salad	T*0.05
Celeriac	T*0.2
Celery	T0.05
Cereal grains [except maize and sorghum]	*0.02
Chard (silver beet)	T*0.01
Chervil	T*0.05
Coriander (leaves, stem)	T*0.05
Coriander, roots	T0.5
Coriander, seed	T*0.05
Cotton seed	*0.01
Dill, seed	T*0.05
Edible offal (mammalian)	*0.05
Eggs	*0.01
Fennel, seed	T*0.05
Fruiting vegetables, cucurbits	*0.05
Galangal, Greater	T0.5
Herbs	T*0.05
Kaffir lime leaves	T*0.05
Lemon grass	T*0.05
Lemon verbena (dry leaves)	T*0.05
Maize	0.1
Meat (mammalian)	*0.05
Milks	*0.05
Mizuna	T*0.05
Onion, Welsh	*0.01
Peanut	*0.05
Potato	*0.01
Poultry, edible offal of	*0.01
Poultry meat	*0.01
Pulses [except soya bean (dry)]	T*0.05
Rape seed (canola)	*0.02
Rhubarb	*0.05
Rose and dianthus (edible flowers)	T*0.05
Rucola (rocket)	T*0.05
Safflower seed	*0.05
Shallot	*0.01
Sorghum	*0.05
Soya bean (dry)	*0.05
Spinach	T*0.01
Spring onion	*0.01
Sugar cane	*0.05

Sunflower seed	*0.05
Sweet corn (kernels)	0.1
Sweet potato	*0.2
Tomato	T*0.01
Turmeric, root	T0.5

Agvet chemical: Metosulam*Permitted residue: Metosulam*

Cereal grains	*0.02
Edible offal (mammalian)	*0.01
Eggs	*0.01
Lupin (dry)	*0.02
Meat (mammalian)	*0.01
Milks	*0.01
Poppy seed	*0.01
Poultry, edible offal of	*0.01
Poultry meat	*0.01

Agvet chemical: Metrafenone*Permitted residue: Metrafenone*

Dried grapes (currants, raisins and sultanas)	3
Edible offal (mammalian)	*0.05
Eggs	*0.05
Fruiting vegetables, cucurbits	0.2
Grapes	4.5
Meat (mammalian) (in the fat)	*0.05
Milks	*0.01
Poultry, edible offal of	*0.05
Poultry meat (in the fat)	*0.05

Agvet chemical: Metribuzin*Permitted residue: Metribuzin*

Asparagus	0.2
Cereal grains	*0.05
Edible offal (mammalian)	*0.05
Eggs	*0.05
Meat (mammalian)	*0.05
Milks	*0.05
Peas [except peas, shelled]	T*0.05
Peas, shelled	*0.05
Potato	*0.05
Poultry, edible offal of	*0.05
Poultry meat	*0.05
Pulses [except soya bean (dry)]	*0.01
Rape seed (canola)	*0.02
Root and tuber vegetables [except potato]	T*0.05
Soya bean (dry)	*0.05
Sugar cane	*0.02
Sugar cane molasses	0.1
Tomato	0.1

Agvet chemical: Metsulfuron-methyl*Permitted residue: Metsulfuron-methyl*

Cereal grains	*0.02
Chick-pea (dry)	T*0.05

Edible offal (mammalian)	*0.1
Linseed	*0.02
Meat (mammalian)	*0.1
Milks	*0.1
Poppy seed	*0.01
Safflower seed	*0.02

Agvet chemical: Mevinphos*Permitted residue: Mevinphos*

Brassica (cole or cabbage) vegetables, Head cabbages, Flowerhead brassicas	0.3
Edible offal (mammalian)	*0.05
Meat (mammalian)	*0.05
Milks	*0.05

Agvet chemical: Milbemectin*Permitted residue: Sum of milbemycin MA₃ and milbemycin MA₄ and their photoisomers, milbemycin (Z) 8,9-MA₃ and (Z) 8,9Z-MA₄*

Edible offal (mammalian)	*0.002
Meat (mammalian) (in the fat)	*0.002
Milk fats	*0.0005
Milks	*0.0005
Peppers, Sweet	0.02
Pome fruits	0.02
Stone fruits	0.1
Strawberry	0.2

Agvet chemical: Molinate*Permitted residue: Molinate*

Rice	*0.05
------	-------

Agvet chemical: Monensin*Permitted residue: Monensin*

Cattle, edible offal of	*0.05
Cattle meat	*0.05
Cattle milk	*0.01
Goat, edible offal of	*0.05
Goat meat	*0.05
Poultry, edible offal of	*0.5
Poultry meat (in the fat)	*0.5
Sheep fat	0.07
Sheep kidney	0.015
Sheep liver	0.2
Sheep muscle	0.005

Agvet chemical: Monepantel*Permitted residue: Monepantel*

Sheep fat	7
Sheep, kidney	2
Sheep muscle	0.7
Sheep, liver	5

Agvet chemical: Morantel*Permitted residue: Morantel*

Cattle, edible offal of	2
-------------------------	---

Goat, edible offal of	2
Meat (mammalian)	0.3
Milks	*0.1
Pig, edible offal of	5
Sheep, edible offal of	2

Agvet chemical: Moxidectin*Permitted residue: Moxidectin*

Cattle, edible offal of	0.5
Cattle meat (in the fat)	1
Cattle milk (in the fat)	2
Deer meat (in the fat)	1
Deer, edible offal of	0.2
Sheep, edible offal of	0.05
Sheep meat (in the fat)	0.5

Agvet chemical: MSMA*Permitted residue: Total arsenic, expressed as MSMA*

Sugar cane	0.3
------------	-----

Agvet chemical: Myclobutanil*Permitted residue: Myclobutanil*

Asparagus	T0.02
Blackberries	2
Boysenberry	2
Cherries	5
Chervil	T2
Coriander (leaves, stem, roots)	T2
Grapes	1
Herbs	T2
Mizuna	T2
Pome fruits	0.5
Raspberries, red, black	2
Rucola (rocket)	T2
Strawberry	2

Agvet chemical: Naled*Permitted residue: Sum of naled and dichlorvos, expressed as Naled*

Cotton seed	T*0.02
Edible offal (mammalian)	T*0.05
Meat (mammalian)	T*0.05
Milks	T*0.05

Agvet chemical: Naphthalene acetic acid*Permitted residue: 1-Naphthelene acetic acid*

Apple	1
Pear	1
Pineapple	1
Rambutan	T*0.05

Agvet chemical: Naphthalophos*Permitted residue: Naphthalophos*

Sheep, edible offal of	*0.01
Sheep meat	*0.01

Agvet chemical: Napropamide*Permitted residue: Napropamide*

Almonds	*0.1
Berries and other small fruits	*0.1
Stone fruits	*0.1
Tomato	*0.1

Agvet chemical: Narasin*Permitted residue: Narasin*

Cattle, edible offal of	0.05
Cattle meat	0.05
Poultry, edible offal of	0.1
Poultry meat	0.1

Agvet chemical: Neomycin*Permitted residue: Inhibitory substance, identified as neomycin*

Eggs	T0.5
Fats (mammalian) [except milk fats]	T0.5
Kidney of cattle, goats, pigs and sheep	T10
Liver of cattle, goats, pigs and sheep	T0.5
Meat (mammalian)	T0.5
Milks	T1.5
Poultry kidney	T10
Poultry liver	T0.5
Poultry meat	T0.5

Agvet chemical: Netobiminsee *Albendazole***Agvet chemical: Nicarbazin***Permitted residue: 4,4'-dinitrocarbanilide (DNC)*

Chicken fat/skin	10
Chicken kidney	20
Chicken liver	35
Chicken muscle	5

Agvet chemical: Nitrothal-isopropyl*Permitted residue: Nitrothal-isopropyl*

Apple	1
-------	---

Agvet chemical: Nitroxynil*Permitted residue: Nitroxynil*

Cattle, edible offal of	1
Cattle meat	1
Cattle milk	T0.5
Goat, edible offal of	1
Goat meat	1
Sheep, edible offal of	1
Sheep meat	1

Agvet chemical: Norflurazon*Permitted residue: Norflurazon*

Asparagus	0.05
Citrus fruits	0.2
Cotton seed	0.1

Grapes	0.1
Pome fruits	*0.2
Stone fruits	*0.2
Tree nuts	*0.2

Agvet chemical: Norgestomet*Permitted residue: Norgestomet*

Edible offal (mammalian)	*0.0001
Meat (mammalian)	*0.0001

Agvet chemical: Novaluron*Permitted residue: Novaluron*

Cranberry	0.45
Cotton seed	T1
Cotton seed oil, crude	T2
Pome fruits	T1

Agvet chemical: Novobiocin*Permitted residue: Novobiocin*

Cattle, edible offal of	*0.1
Cattle meat	*0.1
Cattle milk	*0.1

Agvet chemical: ODB*Permitted residue: 1,2-dichlorobenzene*

Sheep, edible offal of	*0.01
Sheep meat (in the fat)	*0.01

Agvet chemical: Olaquinox*Permitted residue: Sum of olaquinox and all metabolites which reduce to 2-(N-2-hydroxyethylcarbamoyl)-3-methyl quinoxalone, expressed as olaquinox*

Pig, edible offal of	0.3
Pig meat	0.3
Poultry, edible offal of	0.3
Poultry meat	0.3

Agvet chemical: Oleandomycin*Permitted residue: Oleandomycin*

Edible offal (mammalian)	*0.1
Meat (mammalian)	*0.1

Agvet chemical: Omethoate*Permitted residue: Omethoate*see also *Dimethoate*

Cereal grains	*0.05
Edible offal (mammalian)	*0.05
Eggs	*0.05
Fruit	2
Lupin (dry)	0.1
Meat (mammalian)	*0.05
Milks	*0.05
Oilseed	*0.05
Peppers, Sweet	1
Poultry, edible offal of	*0.05

Poultry meat	*0.05
Tomato	1
Vegetables [except as otherwise listed under this chemical]	2

Agvet chemical: OPPsee *2-phenylphenol***Agvet chemical: Oryzalin***Permitted residue: Oryzalin*

Cereal grains	*0.01
Coffee beans	T0.1
Fruit	0.1
Garlic	T*0.05
Ginger, root	T*0.05
Rape seed (canola)	*0.05
Tree nuts	0.1

Agvet chemical: Oxabetrinil*Permitted residue: Oxabetrinil*

Edible offal (mammalian)	*0.1
Eggs	*0.1
Meat (mammalian)	*0.1
Milks	*0.05
Poultry, edible offal of	*0.1
Poultry meat	*0.1

Agvet chemical: Oxadixyl*Permitted residue: Oxadixyl*

Fruiting vegetables, cucurbits	0.5
Grapes	2
Lettuce, head	1
Lettuce, leaf	1
Onion, bulb	0.5

Agvet chemical: Oxamyl*Permitted residue: Sum of oxamyl and 2-hydroxyimino-N,N-dimethyl-2-(methylthio)-acetamide, expressed as oxamyl*

Banana	0.2
Cereal grains	*0.02
Edible offal (mammalian)	*0.02
Eggs	*0.02
Meat (mammalian)	*0.02
Milks	*0.02
Peppers, Sweet	1
Poultry, edible offal of	*0.02
Poultry fats	*0.02
Poultry meat	*0.02
Sweet potato	T0.5
Tomato	*0.05

Agvet chemical: Oxfendazole*Permitted residue: Oxfendazole*

Edible offal (mammalian)	3
Meat (mammalian)	*0.1

Milks	0.1
-------	-----

Agvet chemical: Oxycarboxin*Permitted residue: Oxycarboxin*

Beans [except broad bean and soya bean]	5
Blueberries	T10
Broad bean (green pods and immature seeds)	5

Agvet chemical: Oxyclozanide*Permitted residue: Oxyclozanide*

Cattle, edible offal of	2
Cattle meat	0.5
Goat, edible offal of	2
Goat meat	0.5
Milks	0.05
Sheep, edible offal of	2
Sheep meat	0.5

Agvet chemical: Oxydemeton-methyl*Permitted residue: Sum of oxydemeton-methyl and demeton-S-methyl sulphone, expressed as oxydemeton-methyl*

Brassica (cole or cabbage) vegetables, Head cabbages, Flowerhead brassicas	0.5
Cotton seed	*0.01
Cotton seed oil, crude	*0.01
Edible offal (mammalian)	*0.01
Eggs	*0.01
Lupin (dry)	*0.01
Meat (mammalian)	*0.01
Milks	*0.01
Poultry, edible offal of	*0.01
Poultry meat	*0.01

Agvet chemical: Oxyfluorfen*Permitted residue: Oxyfluorfen*

Assorted tropical and sub-tropical fruits - inedible peel	*0.01
Brassica (cole or cabbage) vegetables, Head cabbages, Flowerhead brassicas	*0.05
Bulb vegetables	*0.05
Cereal grains	*0.05
Coffee beans	T0.05
Cotton seed	*0.05
Edible offal (mammalian)	*0.01
Eggs	0.05
Grapes	0.05
Meat (mammalian) (in the fat)	*0.01
Milks	*0.01
Olives	1
Pome fruits	0.05
Poultry, edible offal of	*0.01
Poultry meat (in the fat)	0.2
Stone fruits	0.05
Tree nuts	0.05

Agvet chemical: Oxytetracycline*Permitted residue: Inhibitory substance, identified as oxytetracycline*

Fish	T0.2
Honey	0.3
Kidney of cattle, goats, pigs and sheep	0.6
Liver of cattle, goats, pigs and sheep	0.3
Meat (mammalian)	0.1
Milks	0.1
Poultry, edible offal of	0.6
Poultry meat	0.1
Prawns	0.2

Agvet chemical: Oxythioquinox*Permitted residue: Oxythioquinox*

Fruiting vegetables, cucurbits	0.5
Pome fruits	0.5
Stone fruits	0.5

Agvet chemical: Paclobutrazol*Permitted residue: Paclobutrazol*

Assorted tropical and sub-tropical fruits - inedible peel [except avocado and mango]	*0.01
Avocado	0.1
Barley	T0.1
Broccoli	T*0.01
Mango	T1
Pome fruits	1
Stone fruits	*0.01
Tomato	T*0.01
Wheat	T0.1

Agvet chemical: Paraquat*Permitted residue: Paraquat cation*

Anise myrtle leaves	T0.5
Cassava	T*0.05
Cereal grains [except as otherwise listed under this chemical]	*0.05
Cotton seed	0.2
Cotton seed oil, edible	0.05
Edible offal (mammalian)	0.5
Eggs	*0.01
Fruit [except olives]	*0.05
Hops, dry	0.2
Lemon myrtle leaves	T0.5
Maize	0.1
Meat (mammalian)	*0.05
Milks	*0.01
Native pepper (<i>Tasmannia lanceolata</i>) leaves	T0.5
Olives	1
Peanut	*0.01
Peanut, whole	*0.01
Potato	0.2
Poultry, edible offal of	*0.05

Poultry meat	*0.05
Pulses	1
Rice	10
Rice, polished	0.5
Sugar cane	*0.05
Tea, green, black	T0.5
Tree nuts	*0.05
Vegetables [except as otherwise listed under this chemical]	*0.05

Agvet chemical: Parathion-methyl*Permitted residue: Parathion-methyl*

Brassica (cole or cabbage) vegetables, Head cabbages, Flowerhead brassicas	T0.1
Carrot	T0.5
Celery	T3
Citrus fruits	T1
Cotton seed	1
Edible offal (mammalian)	*0.05
Fruiting vegetables, cucurbits	T1
Fruiting vegetables, other than cucurbits [except sweet corn (corn-on-the-cob)]	T0.2
Grapes	T0.5
Leafy vegetables	T1
Legume vegetables	T0.5
Meat (mammalian)	T*0.05
Milks	T*0.05
Pome fruits	T0.5
Potato	*0.05
Pulses	T0.2
Stone fruits	T0.2
Sweet corn (corn-on-the-cob)	*0.1

Agvet chemical: Pebulate*Permitted residue: Pebulate*

Fruiting vegetables, other than cucurbits	*0.1
---	------

Agvet chemical: Penconazole*Permitted residue: Penconazole*

Brussels sprouts	0.05
Grapes	0.1
Pome fruits	0.1

Agvet chemical: Pencycuron*Permitted residue: Pencycuron*

Potato	0.05
--------	------

Agvet chemical: Pendimethalin*Permitted residue: Pendimethalin*

Assorted tropical and sub-tropical fruits - inedible peel	*0.05
Barley	*0.05
Berries and other small fruits	*0.05
Brassica (cole or cabbage) vegetables, Head cabbages, Flowerhead brassicas	*0.05

Bulb vegetables	*0.05
Citrus fruits	*0.05
Coffee beans	T*0.01
Date	T*0.05
Edible offal (mammalian)	*0.01
Eggs	*0.01
Herbs	*0.05
Hops, dry	*0.1
Leafy vegetables	*0.05
Legume vegetables	*0.05
Maize	*0.05
Meat (mammalian)	*0.01
Milk	*0.01
Oilseed	*0.05
Olives	*0.05
Pome fruits	*0.05
Poultry, edible offal of	*0.01
Poultry meat	*0.01
Pulses	*0.05
Rice	*0.05
Root and tuber vegetables	*0.05
Stone fruits	*0.05
Sugar cane	*0.05
Sweet corn (corn-on-the-cob)	*0.05
Tomato	*0.05
Tree nuts	*0.05
Wheat	*0.05

Agvet chemical: Penflufen*Permitted residue: Penflufen*

Cereal grains	*0.01
Edible offal (mammalian)	*0.01
Eggs	*0.01
Meat (mammalian) (in the fat)	*0.01
Milks	*0.01
Milk fats	*0.01
Potato	T*0.01
Poultry, edible offal of	*0.01
Poultry meat (in the fat)	*0.01
Rape seed (canola)	*0.01

Agvet chemical: Penthiopyrad*Permitted residue—commodities of plant origin:**Penthiopyrad**Permitted residue—commodities of animal origin: Sum of penthiopyrad and 1-methyl-3-(trifluoromethyl)-1H-pyrazol-4-ylcarboxamide, expressed as penthiopyrad*

Brassica leafy vegetables	70
Brassica (cole or cabbage) vegetables, Head cabbages, Flowerhead brassicas	7
Edible offal (mammalian)	*0.01
Eggs	*0.01
Fruiting vegetables, cucurbits	1
Fruiting vegetables, other than cucurbits	5
Leafy vegetables [except brassica leafy vegetables; lettuce, head]	50
Lettuce, head	10

Meat (mammalian)	*0.01
Milks	*0.01
Onion, bulb	1
Onion, Welsh	5
Pome fruit	0.5
Potato	0.1
Poultry, edible offal of	*0.01
Poultry meat	*0.01
Root and tuber vegetables [except potato]	2
Shallot	5
Spring onion	5
Stone fruits	5
Strawberry	5
Tree nuts	0.1

Agvet chemical: Permethrin*Permitted residue: Permethrin, sum of isomers*

Brassica (cole or cabbage) vegetables, Head cabbages, Flowerhead brassicas [except Brussels sprouts]	1
Brussels sprouts	2
Celery	5
Cereal grains	2
Cherries	4
Common bean (dry) (navy bean)	0.1
Common bean (pods and/or immature seeds)	0.5
Coriander (leaves, stem, roots)	30
Cotton seed	0.2
Edible offal (mammalian)	0.5
Eggs	0.1
Fruiting vegetables, cucurbits	0.2
Galangal, rhizomes	T5
Herbs	30
Kaffir lime leaves	30
Kiwifruit	2
Leafy vegetables [except lettuce head and lettuce leaf]	T5
Lemon balm	30
Lemon grass	30
Lemon verbena	T5
Lettuce, head	5
Lettuce, leaf	5
Linseed	0.1
Lupin (dry)	0.1
Meat (mammalian) (in the fat)	1
Milks	0.05
Mung bean (dry)	0.1
Mushrooms	2
Peas	1
Peppers, Chili (dry)	10
Potato	0.05
Poultry meat (in the fat)	0.1
Rape seed (canola)	0.2
Rhubarb	1
Soya bean (dry)	0.1
Sugar cane	*0.1

Sunflower seed	0.2
Sweet corn (corn-on-the-cob)	*0.05
Tomato	0.4
Turmeric root	T5
Wheat bran, unprocessed	5
Wheat germ	2

Agvet chemical: Phenmedipham*Permitted residue—commodities of plant origin:**Phenmedipham**Permitted residue—commodities of animal origin: 3-methyl-N-(3-hydroxyphenyl)carbamate*

Beetroot	0.5
Chard (silver beet)	2
Edible offal (mammalian)	*0.1
Leafy vegetables [except chard (silver beet)]	T1
Meat (mammalian)	*0.1
Milks	*0.1
Radicchio	T1

Agvet chemical: Phenothrin*Permitted residue: Sum of phenothrin (+)cis- and (+)trans-isomers*

Edible offal (mammalian)	*0.5
Eggs	*0.5
Meat (mammalian)	*0.5
Milks	*0.05
Wheat	2
Wheat bran, unprocessed	5
Wheat germ	5

Agvet chemical: 2-Phenylphenol*Permitted residue: Sum of 2-phenylphenol and 2-phenylphenate, expressed as 2-phenylphenol*

Carrot	20
Cherries	3
Citrus fruits	10
Cucumber	10
Melons, except watermelon	10
Nectarine	3
Peach	20
Pear	25
Peppers, Sweet	10
Pineapple	10
Plums (including prunes)	15
Sweet potato	15
Tomato	10

Agvet chemical: Phorate*Permitted residue: Sum of phorate, its oxygen analogue, and their sulfoxides and sulfones, expressed as phorate*

Cotton seed	0.5
Edible offal (mammalian)	*0.05
Eggs	*0.05
Meat (mammalian)	*0.05
Milks	*0.05

Poultry, edible offal of	*0.05
Poultry meat	*0.05
Vegetables	0.5

Agvet chemical: Phosmet

Permitted residue: Sum of phosmet and its oxygen analogue, expressed as phosmet

Blueberries	10
Cattle, edible offal of	1
Cattle meat (in the fat)	1
Cereal grains	*0.05
Cranberry	10
Goat, edible offal of	*0.05
Goat meat	*0.05
Kiwifruit	15
Lemon	5
Mandarins	5
Milks (in the fat)	0.2
Pig, edible offal of	0.1
Pig meat	0.1
Pome fruits	1
Sheep, edible offal of	*0.05
Sheep meat	*0.05
Stone fruits	1

Agvet chemical: Phosphine

Permitted residue: All phosphides, expressed as hydrogen phosphide (phosphine)

Assorted tropical and sub-tropical fruits - edible peel	T*0.01
Cereal grains	*0.1
Dried foods [except as otherwise listed under this chemical]	*0.01
Dried fruits	*0.01
Dried vegetables	*0.01
Honey	*0.01
Melons, except watermelon	T*0.01
Oilseed	*0.01
Peanut	*0.01
Pome fruits	T*0.01
Pulses	*0.01
Seed for beverages	T*0.01
Spices	*0.01
Stone fruits	T*0.01
Sugar cane	*0.01
Tree nuts	*0.01

Agvet chemical: Phosphorous acid

Permitted residue: Phosphorous acid

Anise myrtle leaves	T1000
Assorted tropical and sub-tropical fruits - inedible peel [except avocado]	T100
Avocado	T500
Berries and other small fruits [except ribberries]	T50
Brassica (cole or cabbage) vegetables, Head cabbages, Flowerhead brassicas [except flowerhead brassicas]	T1

Bulb vegetables	T10
Citrus fruits	100
Coriander (leaves, stem, roots)	T150
Edible offal (mammalian)	5
Flowerhead brassicas	50
Fruiting vegetables, cucurbits	T100
Fruiting vegetables, other than cucurbits	T100
Galangal, rhizomes	T100
Ginger, root	T100
Herbs	T150
Kaffir lime leaves	T150
Leafy vegetables	T150
Lemon balm	T150
Lemon grass	T150
Lemon myrtle leaves	T1000
Lemon verbena	T150
Meat (mammalian)	1
Peach	100
Peas, shelled	T100
Poppy seed	1
Rhubarb	T100
Ribberries	T1000
Root and tuber vegetables	T100
Rose and dianthus (edible flowers)	T150
Stone fruits [except cherries; peach]	T100
Tree nuts	T1000
Turmeric, root	T100

Agvet chemical: Picloram*Permitted residue: Picloram*

Cereal grains	0.2
Edible offal (mammalian)	5
Meat (mammalian)	*0.05
Milks	*0.05
Sugar cane	*0.01

Agvet chemical: Picolinafen*Permitted residue—commodities of plant origin:**Picolinafen**Permitted residue—commodities of animal origin: Sum of picolinafen and 6-[3-trifluoromethyl phenoxy]-2-pyridine carboxylic acid*

Cereal grains	*0.02
Edible offal (mammalian)	0.05
Eggs	*0.01
Field pea (dry)	*0.02
Lupin (dry)	*0.02
Meat (mammalian) (in the fat)	*0.02
Milks	*0.01
Poultry, edible offal of	*0.02
Poultry meat (in the fat)	*0.02

Agvet chemical: Pinoxaden

Permitted residue: Sum of free and conjugated M4 metabolite, 8-(2,6-diethyl-4-hydroxymethylphenyl)-tetrahydro-pyrazolo [1,2-d][1,4,5] oxadiazepine-7,9-dione, expressed as Pinoxaden

Barley	0.1
Edible offal (mammalian)	*0.02
Eggs	*0.02
Meat (mammalian)	*0.02
Milks	*0.01
Poultry, edible offal of	*0.02
Poultry meat	*0.02
Wheat	0.1
Wheat bran, unprocessed	0.5

Agvet chemical: Piperonyl butoxide

Permitted residue: Piperonyl butoxide

Cattle milk	0.05
Cereal bran, unprocessed	40
Cereal grains	20
Dried fruits	8
Dried vegetables	8
Edible offal (mammalian)	0.1
Eggs	*0.1
Fruit	8
Meat (mammalian)	0.1
Oilseed	8
Poultry, edible offal of	*0.5
Poultry meat (in the fat)	*0.5
Tree nuts	8
Vegetables	8
Wheat germ	50

Agvet chemical: Pirimicarb

Permitted residue: Sum of pirimicarb, demethyl-pirimicarb and the N-formyl-(methylamino) analogue (demethylformamido-pirimicarb), expressed as pirimicarb

Adzuki bean (dry)	T0.5
Celeriac	0.1
Cereal grains	*0.02
Chervil	T20
Coriander (leaves, stem, roots)	T20
Cotton seed	0.05
Cotton seed oil, crude	T0.1
Edible offal (mammalian)	*0.1
Eggs	*0.1
Fruit [except strawberry]	0.5
Herbs	T20
Hops, dry	0.5
Leafy vegetables [except chervil; mizuna; rucola (rocket)]	T7
Lemon balm	T20
Lupin (dry)	*0.02
Meat (mammalian)	*0.1
Milks	*0.1
Mizuna	T20
Mung bean (dry)	T0.5
Onion, Welsh	T3

Peppers	1
Poultry, edible offal of	*0.1
Poultry meat	*0.1
Rape seed (canola)	0.2
Rucola (rocket)	T20
Shallot	T3
Soya bean (dry)	T0.5
Spices	*0.05
Spring onion	T3
Strawberry	3
Sweet corn (corn-on-the-cob)	T0.1
Tree nuts	T*0.05
Vegetables [except adzuki bean (dry); celeriac; leafy vegetables; lupin (dry); mung bean (dry); onion, Welsh; shallot; soya bean (dry); spring onion; sweet corn (corn-on-the-cob)]	1

Agvet chemical: Pirimiphos-methyl*Permitted residue: Pirimiphos-methyl*

Barley	7
Cereal bran, unprocessed	20
Edible offal (mammalian)	*0.05
Eggs	*0.05
Maize	7
Meat (mammalian)	*0.05
Milks	*0.05
Millet	10
Oats	7
Peanut	5
Peanut oil, edible	15
Poultry, edible offal of	*0.05
Poultry meat	*0.05
Rice	10
Rice, husked	2
Rice, polished	1
Rye	10
Sorghum	10
Triticale	10
Wheat	10
Wheat germ	30

Agvet chemical: Praziquantel*Permitted residue: Praziquantel*

Fish muscle/skin	T*0.01
Sheep, edible offal of	*0.05
Sheep meat	*0.05

Agvet chemical: Procaine penicillin*Permitted residue: Inhibitory substance, identified as
procaine penicillin*

Edible offal (mammalian)	*0.1
Meat (mammalian)	*0.1
Milks	*0.0025

Agvet chemical: Prochloraz

Permitted residue: Sum of prochloraz and its metabolites containing the 2,4,6-trichlorophenol moiety, expressed as prochloraz

Avocado	5
Banana	5
Custard apple	T2
Lettuce, head	2
Litchi	T2
Mandarins	T10
Mango	5
Mushrooms	3
Papaya (pawpaw)	5
Pineapple	2
Pistachio nut	T0.5
Sugar cane	*0.05

Agvet chemical: Procymidone

Permitted residue: Procymidone

Adzuki bean (dry)	T0.2
Bergamot	T3
Broad bean (dry)	T10
Broad bean (green pods and immature seeds)	T10
Burnet, Salad	T3
Chervil	T2
Chick-pea (dry)	T0.5
Common bean (dry) (navy bean)	T10
Common bean (pods and/or immature seeds)	T3
Coriander (leaves, stem, roots)	T3
Coriander, seed	T3
Dill, seed	T3
Edible offal (mammalian)	T0.05
Eggs	T*0.01
Fennel, bulb	T1
Fennel, seed	T3
Galangal, Greater	T0.5
Garlic	T5
Herbs	T3
Kaffir lime leaves	T3
Lemon grass	T3
Lemon verbena (fresh weight)	T3
Lentil (dry)	0.5
Lupin (dry)	T*0.01
Meat (mammalian) (in the fat)	T0.2
Milks	T0.02
Mizuna	T2
Onion, bulb	T0.2
Peppers	T2
Pome fruits	T1
Potato	T0.1
Poultry, edible offal of	T*0.01
Poultry meat (in the fat)	T0.1
Rape seed (canola)	T1
Rape seed oil, crude	T2
Root and tuber vegetables [except potato]	T1
Rose and dianthus (edible flowers)	T3

Rucola (rocket)	T2
Snow peas	T5
Spinach	T2
Strawberry	*0.02
Stone fruits	T10
Turmeric, root (fresh)	T0.5
Wine grapes	T2

Agvet chemical: Profenofos*Permitted residue: Profenofos*

Cattle milk	*0.01
Cotton seed	1
Cotton seed oil, edible	0.3
Edible offal (mammalian)	*0.05
Eggs	*0.02
Mangosteen	5
Meat (mammalian)	*0.05
Poultry, edible offal of	*0.05
Poultry meat	*0.05

Agvet chemical: Profoxydim*Permitted residue: Sum of profoxydim and all metabolites converted to dimethyl-3-(3-thianyl)glutarate-S-dioxide after oxidation and treatment with acidic methanol, expressed as profoxydim*

Edible offal (mammalian)	0.5
Eggs	*0.05
Meat (mammalian)	*0.05
Milks	*0.01
Poultry, edible offal of	*0.05
Poultry meat	*0.05
Rice	0.05

Agvet chemical: Prohexadione-calcium*Permitted residue: Sum of the free and conjugated forms of prohexadione expressed as prohexadione*

Apple	*0.02
Cherries	*0.01
Edible offal (mammalian)	*0.05
Meat (mammalian)	*0.05
Milks	*0.01

Agvet chemical: Prometryn*Permitted residue: Prometryn*

Adzuki bean (dry)	T*0.1
Cattle milk	*0.05
Cereal grains	*0.1
Coriander (leaves, stem, roots)	T1
Coriander, seed	T1
Cotton seed	*0.1
Edible offal (mammalian)	*0.05
Meat (mammalian)	*0.05
Peanut	*0.1
Sunflower seed	*0.1
Turmeric, root	T*0.01
Vegetables	*0.1

Agvet chemical: Propachlor

Permitted residue: Sum of propachlor and metabolites hydrolysable to N-isopropylaniline, expressed as propachlor

Beetroot	*0.05
Brassica (cole or cabbage) vegetables, Head cabbages, Flowerhead brassicas	0.6
Brassica leafy vegetables	T*0.05
Cereal grains [except sorghum]	0.05
Chard	T*0.02
Edible offal (mammalian)	0.1
Eggs	*0.02
Garlic	2.5
Leek	*0.02
Lettuce, head	*0.02
Lettuce, leaf	*0.02
Meat (mammalian) (in the fat)	*0.02
Milks	*0.02
Onion, bulb	2.5
Onion, Welsh	T1
Poultry, edible offal of	*0.02
Poultry meat (in the fat)	*0.02
Radish	*0.02
Rucola (rocket)	T*0.05
Shallot	T1
Spring onion	T1
Swede	*0.02
Sorghum	0.2
Spinach	T*0.02
Sweet corn (corn-on-the-cob)	0.05
Turnip, garden	*0.02

Agvet chemical: Propamocarb

Permitted residue: Propamocarb (base)

Brassica (cole or cabbage) vegetables, Head cabbages, Flowerhead brassicas	T0.1
Fruiting vegetables, other than cucurbits	T0.3
Leafy vegetables	T20

Agvet chemical: Propanil

Permitted residue: Propanil

Cattle, edible offal of	*0.1
Cattle meat	*0.1
Eggs	*0.1
Milks	*0.01
Poultry, edible offal of	3
Poultry meat	*0.1
Rice	2
Sheep, edible offal of	*0.1
Sheep meat	*0.1

Agvet chemical: Propaquizafop

Permitted residue: Propaquizafop and acid and oxophenoxy metabolites, measured as 6-chloro-2-methoxyquinoxaline, expressed as propaquizafop

Edible offal (mammalian)	*0.02
--------------------------	-------

Meat (mammalian)	*0.02
Milks	*0.01
Oilseed	*0.05
Onion, bulb	*0.05
Peas	*0.05
Pulses	*0.05

Agvet chemical: Propargite*Permitted residue: Propargite*

Apple	3
Banana	3
Cotton seed	0.2
Currant, black	T3
Edible offal (mammalian)	*0.1
Eggs	*0.1
Hops, dry	3
Mangosteen	T3
Meat (mammalian) (in the fat)	*0.1
Milks	*0.1
Passionfruit	3
Pear	3
Poultry, edible offal of	*0.1
Poultry meat (in the fat)	*0.1
Rambutan	T3
Stone fruits	3
Strawberry	7
Vegetables	3

Agvet chemical: Propazine*Permitted residue: Propazine*

Vegetables	*0.1
------------	------

Agvet chemical: Propetamphos*Permitted residue: Propetamphos*

Sheep, edible offal of	*0.01
Sheep meat (in the fat)	*0.01

Agvet chemical: Propiconazole*Permitted residue: Propiconazole*

Almonds	0.2
Anise myrtle leaves	T10
Asparagus	T*0.1
Avocado	*0.02
Banana	0.2
Beetroot	*0.02
Blackberries	1
Boysenberry	1
Brassica leafy vegetables	T0.7
Blueberries	2
Celery	T5
Cereal grains	*0.05
Chard (silver beet)	T0.5
Chervil	T10
Chicory leaves	T0.7
Coriander (leaves, stem, roots)	T10
Cranberry	0.3
Edible offal (mammalian)	1

Eggs	*0.05
Endive	T0.7
Grapes	1
Herbs	T10
Lemon balm	T10
Lemon myrtle leaves	T10
Meat (mammalian)	0.1
Milks	*0.01
Mint oil	*0.02
Mizuna	T10
Mushrooms	*0.05
Peanut	*0.05
Persimmon, American	T0.2
Pineapple	0.05
Poppy seed	*0.01
Poultry, edible offal of	0.1
Poultry meat	0.1
Radicchio	T0.7
Radish	T0.2
Raspberries, red, black	1
Ribberries	T5
Rucola (rocket)	T10
Spices	*0.1
Spinach	T0.7
Stone fruits	2
Sugar cane	*0.02
Sunflower seed	T2
Sweet corn (corn-on-the-cob)	*0.02
Tree nuts [except almonds]	T0.2

Agvet chemical: Propineb*see Dithiocarbamates***Agvet chemical: Propoxur***Permitted residue: Propoxur*

Potato	10
--------	----

Agvet chemical: Propylene oxide*Permitted residue: Propylene oxide*

Almonds	100
---------	-----

Agvet chemical: Propyzamide*Permitted residue: Propyzamide*

Artichoke, globe	T*0.02
Chicory leaves	*0.2
Edible oil (mammalian)	*0.2
Eggs	*0.05
Endive	*0.2
Lettuce, head	1
Lettuce, leaf	1
Meat (mammalian)	*0.05
Milks	*0.01
Poppy seed	0.02
Poultry, edible offal of	*0.05
Poultry meat	*0.05
Rape seed (canola)	0.02

Agvet chemical: Proquinazid*Permitted residue—commodities of plant origin:**Proquinazid**Permitted residue—commodities of animal origin: Sum of proquinazid and 3-(6-iodo-4-oxo-3-propyl-3H-quinazolin-2-yl)propionic acid, expressed as proquinazid*

Dried grapes (currants, raisins and sultanas)	2
Edible offal (mammalian)	0.05
Eggs	*0.01
Fruiting vegetables, cucurbits	0.2
Grapes	0.5
Meat (mammalian)	*0.01
Milks	*0.01
Poultry, edible offal of	*0.01
Poultry meat	*0.01

Agvet chemical: Prosulfocarb*Permitted residue: Prosulfocarb*

Barley	*0.01
Edible offal (mammalian)	*0.02
Eggs	*0.02
Meat (mammalian)	*0.02
Milks	*0.02
Potato	*0.01
Poultry, edible offal of	*0.02
Poultry meat	*0.02
Pulses	T*0.01
Wheat	*0.01

Agvet chemical: Prothioconazole*Permitted residue—commodities of plant origin: Sum of prothioconazole and prothioconazole desthio (2-(1-chlorocyclopropyl)-1-(2-chlorophenyl)-3-(1H-1,2,4-triazol-1-yl)propan-2-ol), expressed as prothioconazole**Permitted residue—commodities of animal origin: Sum of prothioconazole, prothioconazole desthio (2-(1-chlorocyclopropyl)-1-(2-chlorophenyl)-3-(1H-1,2,4-triazol-1-yl)propan-2-ol), prothioconazole-3-hydroxy-desthio (2-(1-chlorocyclopropyl)-1-(2-chloro-3-hydroxyphenyl)-3-(1H-1,2,4-triazol-1-yl)propan-2-ol) and prothioconazole-4-hydroxy-desthio (2-(1-chlorocyclopropyl)-1-(2-chloro-4-hydroxyphenyl)-3-(1H-1,2,4-triazol-1-yl)propan-2-ol), expressed as prothioconazole*

Cereal bran, unprocessed	0.5
Cereal grains	0.3
Chick-pea (dry)	T0.7
Edible offal (mammalian)	0.2
Eggs	*0.01
Lentil (dry)	T0.7
Meat (mammalian) (in the fat)	0.02
Milks	*0.004
Peanut	*0.02
Poultry, edible offal of	*0.05
Poultry meat (in the fat)	*0.05
Rape seed (canola)	*0.02
Wheat germ	0.5

Agvet chemical: Prothiofos*Permitted residue: Prothiofos*

Banana	*0.01
Brassica (cole or cabbage) vegetables, Head cabbages, Flowerhead brassicas	0.2
Grapes	2
Pome fruits	0.05

Agvet chemical: Pymetrozine*Permitted residue: Pymetrozine*

Almonds	T*0.01
Beetroot	*0.02
Brassica (cole or cabbage) vegetables, Head cabbages, Flowerhead Brassicas	*0.02
Celery	T*0.1
Cotton seed	*0.02
Cotton seed oil, edible	*0.02
Edible offal (mammalian)	*0.01
Egg plant	T0.05
Eggs	*0.01
Fruiting vegetables, cucurbits	T0.3
Leafy herbs	T10
Leafy vegetables	T5
Meat (mammalian)	*0.01
Milks	*0.01
Peppers, Sweet	T0.03
Pistachio nut	T*0.02
Podded pea (young pods) (snow and sugar snap)	0.3
Potato	*0.02
Poultry, edible offal of	*0.01
Poultry meat	*0.01
Stone fruits	*0.05
Sweet corn (corn-on-the-cob)	T*0.01
Tomato	T0.2

Agvet chemical: Pyraclofos*Permitted residue: Pyraclofos*

Sheep fat	0.5
Sheep kidney	*0.01
Sheep liver	*0.01
Sheep muscle	*0.01

Agvet chemical: Pyraclostrobin*Permitted residue—commodities of plant origin:**Pyraclostrobin**Permitted residue—commodities of animal origin: Sum of pyraclostrobin and metabolites hydrolysed to 1-(4-chlorophenyl)-1H-pyrazol-3-ol, expressed as pyraclostrobin*

Banana	*0.02
Blackberries	4
Blueberries	T5
Boysenberry	4
Brassica leafy vegetables	T3
Broccoli, Chinese	T1
Cereal grains	*0.01
Cherries	2.5

Cloudberry	T3
Custard apple	T3
Dewberries (including loganberry and youngberry) [except boysenberry]	T3
Dried grapes	5
Edible offal (mammalian)	0.1
Eggs	*0.05
Fruiting vegetables, other than cucurbits	0.3
Grapes	2
Litchi	T2
Mango	0.1
Meat (mammalian) (in the fat)	*0.05
Milks	*0.01
Mung bean (dry)	T0.2
Papaya (pawpaw)	T0.5
Passionfruit	T1
Pistachio nut	T1
Pome fruits	1
Poppy seed	*0.05
Potato	*0.02
Poultry, edible offal of	*0.05
Poultry meat (in the fat)	*0.05
Raspberries, red, black	4
Silvanberries	T3
Strawberry	1
Sunflower seed	T0.3
Tree nuts [except pistachio nut]	*0.01

Agvet chemical: Pyraflufen-ethyl

Permitted residue: Sum of pyraflufen-ethyl and its acid metabolite (2-chloro-5-(4-chloro-5-difluoromethoxy-1-methylpyrazol-3-yl)-4-fluorophenoxyacetic acid)

Cereal grains	*0.02
Cotton seed	*0.05
Edible offal (mammalian)	*0.02
Eggs	*0.02
Meat (mammalian)	*0.02
Milks	*0.02
Poultry, edible offal of	*0.02
Poultry meat	*0.02

Agvet chemical: Pyrasulfotole

Permitted residue: Sum of pyrasulfotole and (5-hydroxy-3-methyl-1H-pyrazol-4-yl)[2-mesy-4-(trifluoromethyl)phenyl]methanone, expressed as pyrasulfotole

Cereal bran, unprocessed	0.03
Cereal grains	*0.02
Edible offal (mammalian)	0.5
Eggs	*0.01
Meat (mammalian)	*0.01
Milks	*0.01
Poultry, edible offal of	*0.01
Poultry meat	*0.01

Agvet chemical: Pyrethrins

Permitted residue: Sum of pyrethrins i and ii, Cinerins i and ii and jasmolins i and ii, determined after calibration by means of the International Pyrethrum Standard

Cereal grains	3
Cucumber	T2
Dried fruits	1
Dried vegetables	1
Fruit	1
Fruiting vegetables, cucurbits [except cucumber]	0.2
Oilseed	1
Tree nuts	1
Vegetables	1

Agvet chemical: Pyridaben

Permitted residue: Pyridaben

Banana	0.5
Citrus fruits	0.5
Grapes	5
Pome fruits	0.5
Stone fruits	0.5
Strawberry	1
Tree nuts	T*0.05

Agvet chemical: Pyridate

Permitted residue: sum of pyridate and metabolites containing 6 chloro-4-hydroxyl-3-phenyl pyridazine, expressed as pyridate

Chick-pea (dry)	*0.1
Edible offal (mammalian)	*0.2
Eggs	*0.2
Meat (mammalian)	*0.2
Milks	*0.2
Peanut	*0.1
Poultry, edible offal of	*0.2
Poultry meat	*0.2

Agvet chemical: Pyrimethanil

Permitted residue: Pyrimethanil

Banana	2
Berries and other small fruits [except grapes and strawberry]	T5
Citrus fruits [except lemon]	10
Cucumber	5
Edible offal (mammalian)	*0.05
Grapes	5
Leafy vegetables [except lettuce, head; lettuce, leaf]	T5
Lemon	11
Lettuce, head	20
Lettuce, leaf	20
Meat (mammalian)	*0.05
Milks	*0.01
Peppers, Sweet	1
Podded pea (young pods) (snow and sugar snap)	T10
Pome fruits	7
Potato	*0.01

Stone fruits	10
Strawberry	5
Tomato	T5

Agvet chemical: Pyriproxyfen*Permitted residue: Pyriproxyfen*

Beans [except broad bean and soya bean]	T0.2
Citrus fruits	0.3
Coffee beans	0.1
Cotton seed	*0.01
Cotton seed oil, crude	*0.02
Edible offal (mammalian)	*0.02
Eggs	0.05
Fruiting vegetables, cucurbits	0.2
Fruiting vegetables, other than cucurbits	1
Grapes	2.5
Herbs	T5
Lettuce, leaf	5
Mango	0.05
Meat (mammalian) (in the fat)	*0.02
Milks	*0.02
Olive oil, crude	3
Olives	1
Passionfruit	0.1
Poultry, edible offal of	0.1
Poultry meat (in the fat)	0.1
Stone fruits	1
Strawberry	T0.5
Sweet potato	*0.05

Agvet chemical: Pyriproxyfen*Permitted residue: Pyriproxyfen*

Cotton seed	*0.02
Cotton seed oil, crude	*0.01
Cotton seed oil, edible	*0.01
Edible offal (mammalian)	*0.02
Eggs	*0.02
Meat (mammalian)	*0.02
Milks	*0.02
Poultry, edible offal of	*0.02
Poultry meat	*0.02

Agvet chemical: Pyroxasulfone*Permitted residue—commodities of plant origin: Sum of pyroxasulfone and (5-difluoromethoxy-1-methyl-3-trifluoromethyl-1H-pyrazol-4-yl)methanesulfonic acid, expressed as pyroxasulfone**Permitted residue—commodities of animal origin: 5-Difluoromethoxy-1-methyl-3-trifluoromethyl-1H-pyrazole-4-carboxylic acid, expressed as pyroxasulfone*

Cereal grains	*0.01
Edible offal (mammalian)	*0.02
Eggs	*0.02
Meat (mammalian)	*0.02

Milks	*0.002
Poultry, edible offal of	*0.02
Poultry meat	*0.02
Pulses	T*0.01

Agvet chemical: Pyroxsulam*Permitted residue: Pyroxsulam*

Edible offal (mammalian)	*0.01
Eggs	*0.01
Meat (mammalian)	*0.01
Milks	*0.01
Poppy seed	T*0.01
Poultry, edible offal of	*0.01
Poultry meat	*0.01
Rye	*0.01
Triticale	*0.01
Wheat	*0.01

Agvet chemical: Quinclorac*Permitted residue: Quinclorac*

Cranberry	1.5
-----------	-----

Agvet chemical: Quinoxifen*Permitted residue: Quinoxifen*

Chard (silver beet)	T3
Cherries	0.7
Chervil	T5
Coriander (leaves, stem, roots)	T5
Dried grapes	2
Edible offal (mammalian)	*0.01
Grapes	0.6
Herbs	T5
Meat (mammalian) (in the fat)	0.1
Milks	0.01
Mizuna	T5
Rucola (rocket)	T5
Strawberry	T*0.01

Agvet chemical: Quintozene*Permitted residue: Sum of quintozene, pentachloroaniline and methyl pentachlorophenyl sulfide, expressed as quintozene*

Banana	1
Beans [except broad bean and soya bean]	0.01
Brassica (cole or cabbage) vegetables, Head cabbages, Flowerhead brassicas	0.02
Broad bean (green pods and immature seeds)	0.01
Celery	0.3
Common bean (dry) (navy bean)	0.2
Cotton seed	0.03
Lettuce, head	0.3
Lettuce, leaf	0.3
Mushrooms	10
Onion, bulb	0.2
Peanut	0.3

Peppers, Sweet	0.01
Potato	0.2
Tomato	0.1

Agvet chemical: Quizalofop-ethyl

Permitted residue: Sum of quizalofop-ethyl and quizalofop acid and other esters, expressed as quizalofop-ethyl

Beetroot	0.02
Cabbages, head	*0.01
Carrot	*0.02
Cauliflower	*0.05
Common bean (pods and immature seeds)	*0.02
Cucumber	*0.02
Edible offal (mammalian)	0.2
Eggs	*0.02
Grapes	*0.02
Meat (mammalian)	*0.02
Melons, except watermelon	*0.02
Milks	0.1
Onion, bulb	*0.02
Peanut	*0.02
Pineapple	*0.05
Potato	*0.01
Poultry, edible offal of	*0.05
Poultry meat	*0.05
Pulses	0.2
Pumpkins	*0.02
Radish	*0.02
Rape seed (canola)	*0.02
Sunflower seed	*0.05
Tomato	*0.02

Agvet chemical: Quizalofop-p-tefuryl

Permitted residue: Sum of quizalofop-p-tefuryl and quizalofop acid, expressed as quizalofop-p-tefuryl

Beetroot	0.02
Cabbages, head	*0.01
Carrot	*0.02
Cauliflower	*0.05
Common bean (pods and/or immature seeds)	*0.02
Cucumber	*0.02
Edible offal (mammalian)	0.2
Eggs	*0.02
Grapes	*0.02
Meat (mammalian)	*0.02
Melons, except watermelon	*0.02
Milks	0.1
Onion, bulb	*0.02
Peanut	*0.02
Pineapple	*0.05
Potato	*0.01
Poultry, edible offal of	*0.05
Poultry meat	*0.05
Pulses	0.2
Pumpkins	*0.02

Radish	*0.02
Rape seed (canola)	*0.02
Sunflower seed	*0.05
Tomato	*0.02

Agvet chemical: Ractopamine*Permitted residue: Ractopamine*

Pig fat	0.05
Pig kidney	0.2
Pig liver	0.2
Pig meat	0.05

Agvet chemical: Rimosulfuron*Permitted residue: Rimosulfuron*

Tomato	*0.05
--------	-------

Agvet chemical: Robenidine*Permitted residue: Robenidine*

Poultry, edible offal of	*0.1
Poultry meat	*0.1

Agvet chemical: Saflufenacil

Permitted residue—commodities of plant origin: Sum of saflufenacil, N-{2-chloro-4-fluoro-5-[1,2,3,6-tetrahydro-2,6-dioxo-4-(trifluoromethyl)pyrimidin-1-yl]benzoyl-N-isopropyl sulfamide and N-[4-chloro-2-fluoro-5-({[(isopropylamino)sulfonyl]amino} carbonyl)phenyl]urea, expressed as saflufenacil equivalents

*Permitted residue—commodities of animal origin:**Saflufenacil*

Cereal grains	*0.03
Citrus fruits	*0.03
Edible offal (mammalian)	*0.01
Eggs	*0.01
Grapes	*0.03
Legume vegetables	*0.03
Meat (mammalian)	*0.01
Milks	*0.01
Oilseed	*0.03
Pome fruits	*0.03
Poultry, edible offal of	*0.01
Poultry meat	*0.01
Pulses	*0.03
Stone fruits	*0.03
Tree nuts	*0.03

Agvet chemical: Salinomycin*Permitted residue: Salinomycin*

Cattle, edible offal of	0.5
Cattle meat	*0.05
Eggs	*0.02
Pig, edible offal of	*0.1
Pig meat	*0.1
Poultry, edible offal of	0.5
Poultry meat	0.1

Agvet chemical: Sedaxane*Permitted residue: Sedaxane, sum of isomers*

Cereal grains	*0.01
Edible offal (mammalian)	*0.01
Eggs	*0.01
Meat (mammalian)	*0.01
Milks	*0.01
Poultry, edible offal of	*0.01
Poultry meat	*0.01

Agvet chemical: Semduramicin*Permitted residue: Semduramicin*

Chicken fat/skin	0.5
Chicken kidney	0.2
Chicken liver	0.5
Chicken meat	*0.05

Agvet chemical: Sethoxydim*Permitted residue: Sum of sethoxydim and metabolites containing the 5-(2-ethylthiopropyl)cyclohexene-3-one and 5-(2-ethylthiopropyl)-5-hydroxycyclohexene-3-one moieties and their sulfoxides and sulfones, expressed as sethoxydim*

Asparagus	1
Barley	*0.1
Beans [except broad bean and soya bean]	T0.5
Brassica (cole or cabbage) vegetables, Head cabbages, Flowerhead brassicas	0.5
Brassica leafy vegetables	T2
Broad bean (green pods and immature seeds)	*0.1
Celery	0.1
Chard (silver beet)	T*0.1
Chicory leaves	T2
Coriander (leaves, stem, roots)	*0.1
Coriander, seed	*0.1
Cotton seed	0.2
Edible offal (mammalian)	*0.05
Egg plant	T*0.1
Eggs	*0.05
Endive	T2
Fruiting vegetables, cucurbits	*0.1
Garlic	0.3
Leek	0.7
Lettuce, head	0.2
Lettuce, leaf	0.2
Linseed	0.5
Lupin (dry)	0.2
Meat (mammalian)	*0.05
Milks	*0.05
Onion, bulb	0.3
Onion, Welsh	0.7
Peanut	3
Peas (pods and succulent, immature seeds)	T2
Peppers	T0.7

Poppy seed	0.2
Poultry, edible offal of	*0.05
Poultry meat	*0.05
Pulses [except lupin (dry)]	*0.1
Radicchio	T2
Rape seed (canola)	0.5
Rhubarb	0.1
Root and tuber vegetables	1
Rucola (rocket)	T2
Shallot	0.7
Spinach	*0.1
Spring onion	0.7
Sunflower seed	*0.1
Tomato	0.1
Turmeric, root	1
Wheat	*0.1

Agvet chemical: Simazine*Permitted residue: Simazine*

Asparagus	*0.1
Broad bean (dry)	*0.01
Broad bean (green pods and immature seeds)	*0.01
Chick-pea (dry)	*0.05
Chick-pea (green pods)	*0.05
Edible offal (mammalian)	*0.05
Eggs	*0.01
Fruit	*0.1
Ginger, root	T*0.05
Leek	*0.01
Lupin (dry)	*0.05
Meat (mammalian)	*0.05
Milks	*0.02
Poultry, edible offal of	*0.01
Poultry meat	*0.01
Rape seed (canola)	*0.02
Tree nuts	*0.1

Agvet chemical: Spectinomycin*Permitted residue: Inhibitory substance, identified as spectinomycin*

Edible offal (mammalian) [except sheep, edible offal of]	*1
Eggs	2
Meat (mammalian) [except sheep meat]	*1
Poultry, edible offal of	*1
Poultry meat	*1

Agvet chemical: Spinetoram*Permitted residue: Sum of Ethyl-spinosyn-J and Ethyl-spinosyn-L*

Assorted tropical and sub-tropical fruits - inedible peel	0.3
Berries and other small fruits	0.5
Brassica (cole or cabbage) vegetables, Head cabbages, Flowerhead brassicas	0.2

Citrus fruits	3
Coffee beans	*0.01
Coriander (leaves, stem, roots)	5
Coriander, seed	5
Dill, seed	5
Dried grapes (currants, raisins and sultanas)	1
Edible offal (mammalian)	0.2
Eggs	*0.01
Fennel, seed	5
Fruiting vegetables, cucurbits	0.05
Fruiting vegetables, other than cucurbits [except sweet corn (corn-on-the-cob)]	0.1
Ginger, root	T0.02
Ginger, Japanese	T1
Herbs	1
Kaffir lime leaves	5
Leafy vegetables	0.7
Leek	T0.2
Legume vegetables	0.2
Lemon grass	5
Lemon verbena (dry leaves)	5
Meat (mammalian) (in the fat)	2
Milk fats	0.03
Milks	*0.01
Mizuna	0.7
Onion, Welsh	T0.3
Pistachio nut	T0.05
Poultry, edible offal of	*0.01
Poultry meat (in the fat)	*0.01
Pome fruits	0.1
Rape seed (canola)	*0.01
Root and tuber vegetables	0.02
Shallot	T0.3
Spring onion	T0.3
Stalk and stem vegetables	2
Stone fruits	0.2
Sweet corn (corn-on-the-cob)	*0.01
Turmeric, root	0.02

Agvet chemical: Spinosad*Permitted residue: Sum of spinosyn A and spinosyn D*

Assorted tropical and sub-tropical fruits - inedible peel	0.3
Beans [except broad bean and soya bean]	0.5
Berries and other small fruits [except grapes]	0.7
Bergamot	5
Brassica (cole or cabbage) vegetables, Head cabbages, Flowerhead brassicas	0.5
Burnet, Salad	5
Celery	2
Cereal grains	1
Chervil	5
Citrus fruits	0.3
Coffee beans	*0.01

Coriander (leaves, stem, roots)	5
Coriander, seed	5
Cotton seed	*0.01
Dill, seed	5
Edible offal (mammalian)	0.5
Eggs	0.05
Fennel, seed	5
Fruiting vegetables, cucurbits	0.2
Fruiting vegetables, other than cucurbits [except sweet corn (corn-on-the-cob)]	0.2
Galangal, Greater	0.02
Grapes	0.5
Herbs	5
Kaffir lime leaves	5
Japanese greens	5
Leafy vegetables	5
Lemon grass	5
Lemon verbena (dry leaves)	5
Meat (mammalian) (in the fat)	2
Milk fats	0.7
Milks	0.1
Onion, Welsh	0.3
Peas (pods and succulent, immature seeds)	0.5
Pome fruits	0.5
Poultry, edible offal of	0.05
Poultry meat (in the fat)	0.5
Pulses	0.01
Root and tuber vegetables	0.02
Rucola (rocket)	5
Safflower seed	T*0.01
Shallot	0.3
Spring onion	0.3
Stone fruits	1
Sweet corn (corn-on-the-cob)	0.02
Tree nuts	T*0.01
Turmeric, root	0.02
Wheat bran, unprocessed	2

Agvet chemical: Spirodiclofen*Permitted residue: Spirodiclofen*

Citrus fruits	0.5
Grapes	2
Stone fruits	1

Agvet chemical: Spiromesifen*Permitted residue: Sum of spiromesifen and 4-hydroxy-3-(2,4,6-trimethylphenyl)-1-oxaspiro[4.4]non-3-en-2-one, expressed as spiromesifen*

Cranberry	2
-----------	---

Agvet chemical: Spirotetramat*Permitted residue: Sum of spirotetramat, and cis-3-(2,5-dimethylphenyl)-4-hydroxy-8-methoxy-1-azaspiro[4.5]dec-3-en-2-one, expressed as spirotetramat*

Banana	T0.5
--------	------

Brassica (cole or cabbage) vegetables, Head cabbages, Flowerhead brassicas [except Brussels sprouts]	7
Brassica leafy vegetables	10
Brussels sprouts	1
Celery	5
Citrus fruits	1
Cotton seed	0.7
Dried grapes	4
Edible offal (mammalian)	0.5
Fruiting vegetables, cucurbits [except melons]	2
Fruiting vegetables, other than cucurbits [except sweet corn (corn-on- the-cob)]	7
Garlic	T0.5
Grapes	2
Kiwifruit	T0.1
Leafy vegetables [except brassica leafy vegetables; lettuce, head]	5
Legume vegetables	2
Lettuce, head	3
Mango	0.3
Meat (mammalian)	0.02
Melons, except watermelon	0.5
Milks	*0.005
Onion, bulb	0.5
Passionfruit	0.5
Pome fruits	T0.5
Potato	5
Soya bean (dry)	T5
Stone fruits	4.5
Sweet corn (corn-on-the-cob)	1
Sweet potato	5
Watermelon	0.5

Agvet chemical: Spiroxamine

Permitted residue—commodities of plant origin:

Spiroxamine

Permitted residue—commodities of animal origin:

Spiroxamine carboxylic acid, expressed as spiroxamine

Banana	T5
Barley	T*0.05
Dried grapes	3
Edible offal (mammalian)	0.5
Grapes	2
Mammalian fats [except milk fats]	0.05
Meat (mammalian)	0.05
Milks	0.05

**Agvet chemical: Streptomycin and
Dihydrostreptomycin**

*Permitted residue: Inhibitory substance, identified as
streptomycin or dihydrostreptomycin*

Edible offal (mammalian)	*0.3
Meat (mammalian)	*0.3
Milks	*0.2

Agvet chemical: Sulfosulfuron

Permitted residue: Sum of sulfosulfuron and its metabolites which can be hydrolysed to 2-(ethylsulfonyl)imidazo[1,2-a]pyridine, expressed as sulfosulfuron

Edible offal (mammalian)	*0.005
Eggs	*0.005
Meat (mammalian)	*0.005
Milks	*0.005
Poultry, edible offal of	*0.005
Poultry meat	*0.005
Triticale	*0.01
Wheat	*0.01

Agvet chemical: Sulfoxaflor

Permitted residue: Sulfoxaflor

Brassica (cole or cabbage) vegetables, Head cabbages, Flowerhead brassicas [except cauliflower]	3
Cauliflower	0.1
Cereal grains	*0.01
Cherries	3
Citrus fruits	0.7
Cotton seed	0.3
Dried grapes (currants, raisins and sultanas)	10
Edible offal (mammalian)	0.5
Eggs	*0.01
Fruiting vegetables, cucurbits	0.5
Fruiting vegetables, other than cucurbits	1
Grapes [except wine grapes]	3
Leafy vegetables [except lettuce, head]	5
Lettuce, head	1
Meat (mammalian)	0.2
Milks	0.1
Pome fruits	0.5
Potato	0.01
Poultry, edible offal of	*0.01
Poultry meat	*0.01
Rape seed (canola)	*0.01
Root and tuber vegetables [except potato]	0.05
Soya bean (dry)	0.3
Stone fruits [except cherries]	1
Wine grapes	*0.01

Agvet chemical: Sulfuryl fluoride

Permitted residue: Sulfuryl fluoride

Cereal grains	0.05
Dried fruits	0.07
Peanut	7
Tree nuts	7

Agvet chemical: Sulphadiazine

Permitted residue: Sulphadiazine

Cattle milk	0.1
Edible offal (mammalian)	0.1

Eggs	T*0.02
Meat (mammalian)	0.1
Poultry, edible offal of	0.1
Poultry meat	0.1

Agvet chemical: Sulphadimidine*Permitted residue: Sulphadimidine*

Meat (mammalian)	0.1
Edible offal (mammalian)	0.1
Eggs	T*0.01
Poultry, edible offal of [except turkey]	0.1
Poultry meat	0.1
Turkey, edible offal of	0.2

Agvet chemical: Sulphadoxine*Permitted residue: Sulphadoxine*

Cattle milk	*0.1
Edible offal (mammalian)	*0.1
Meat (mammalian)	*0.1

Agvet chemical: Sulphaquinoxaline*Permitted residue: Sulphaquinoxaline*

Eggs	T*0.01
Poultry, edible offal of	0.1
Poultry meat	0.1

Agvet chemical: Sulphatroxazole*Permitted residue: Sulphatroxazole*

Cattle milk	0.1
Edible offal (mammalian)	0.1
Meat (mammalian)	0.1

Agvet chemical: Sulphur dioxide*Permitted residue: Sulphur dioxide*

Blueberries	10
Longan, edible aril	10
Strawberry	T30
Table grapes	10

Agvet chemical: Sulprofos*Permitted residue: Sulprofos*

Cotton seed	0.2
Peppers, Sweet	0.2
Tomato	1

Agvet chemical: Tebuconazole*Permitted residue: Tebuconazole*

Asparagus	T*0.02
Avocado	0.2
Banana	0.2
Beetroot	T0.3
Beetroot leaves	T2
Blackberries	1
Broad bean (dry)	T0.5
Bulb vegetables [except garlic]	*0.01

Carrot	T0.5
Cereal grains	0.2
Chard (silver beet)	T2
Cherries	5
Chervil	T0.5
Chick-pea (dry)	T0.2
Chicory leaves	T2
Coriander (leaves, stem, roots)	T0.5
Cotton seed	T1
Dried grapes (currants, raisins and sultanas)	7
Edible offal (mammalian)	0.5
Eggs	0.1
Endive	T2
Garlic	T0.2
Grapes	5
Herbs	T0.5
Legume vegetables	0.5
Lemon balm	T0.5
Lentil (dry)	T0.2
Lettuce, head	0.1
Lettuce, leaf	0.1
Meat (mammalian)	0.1
Milks	0.05
Mizuna	T0.5
Mung bean (dry)	T0.2
Papaya (pawpaw)	0.2
Peanut	0.1
Pome fruits	*0.01
Poultry, edible offal of	0.5
Poultry meat	0.1
Radish	T0.3
Radish leaves	T2
Rape seed (canola)	0.3
Rucola (rocket)	T0.5
Soya bean (dry)	T0.1
Spinach	T2
Stone fruits	*0.01
Sugar cane	0.1

Agvet chemical: Tebufenozide*Permitted residue: Tebufenozide*

Avocado	0.5
Blueberries	T2
Citrus fruits	1
Coffee beans	T0.05
Cranberry	0.5
Custard apple	0.3
Dried grapes	4
Edible offal (mammalian)	*0.02
Grapes	2
Kiwifruit	2
Litchi	2
Longan	2
Macadamia nuts	0.05
Meat (mammalian) (in the fat)	*0.02
Milks	*0.01

Nectarine	T1
Peach	T1
Persimmon, Japanese	0.1
Pistachio nut	T0.05
Pome fruits	1
Rambutan	T3

Agvet chemical: Tebufenpyrad*Permitted residue: Tebufenpyrad*

Cucumber	*0.02
Peach	1
Pome fruits	1

Agvet chemical: Tebuthiuron*Permitted residue: Sum of Tebuthiuron, and hydroxydimethylethyl, N-dimethyl and hydroxy methylamine metabolites, expressed as tebuthiuron*

Edible offal (mammalian)	2
Meat (mammalian)	0.5
Milks	0.2
Sugar cane	T0.2

Agvet chemical: Temephos*Permitted residue: Sum of temephos and temephos sulfoxide, expressed as temephos*

Cattle, edible offal of	T2
Cattle meat (in the fat)	T5
Sheep, edible offal of	0.5
Sheep meat (in the fat)	3

Agvet chemical: Tepraloxymid*Permitted residue: Sum of tepraloxymid and metabolites converted to 3-(tetrahydro-pyran-4-yl) glutaric and 3-hydroxy-3-(tetrahydro-pyran-4-yl)-glutaric acid, expressed as tepraloxymid*

Edible offal (mammalian)	*0.1
Eggs	*0.1
Meat (mammalian)	*0.1
Milks	*0.02
Poultry, edible offal of	*0.1
Poultry meat	*0.1
Pulses	*0.1
Rape seed (canola)	*0.1

Agvet chemical: Terbacil*Permitted residue: Terbacil*

Almonds	0.5
Peppermint oil	*0.1
Pome fruits	*0.04
Stone fruits	*0.04

Agvet chemical: Terbufos*Permitted residue: Sum of terbufos, its oxygen analogue and their sulfoxides and sulfones, expressed as terbufos*

Banana	0.05
Cattle, edible offal of	*0.05
Cattle meat	*0.05

Cattle milk	*0.01
Cereal grains	*0.01
Eggs	*0.01
Peanut	*0.05
Poultry, edible offal of	*0.05
Poultry meat	*0.05
Sunflower seed	*0.05
Sweet corn (corn-on-the-cob)	*0.05

Agvet chemical: Terbutylazine*Permitted residue: Terbutylazine*

Cereal grains [except maize]	*0.01
Cotton seed	T0.01
Edible offal (mammalian)	*0.01
Eggs	*0.01
Maize	T*0.02
Meat (mammalian)	*0.01
Milks	*0.01
Poultry, edible offal of	*0.01
Poultry meat	*0.01
Pulses	*0.02
Rape seed (canola)	*0.02
Sweet corn (corn-on-the-cob)	T*0.02

Agvet chemical: Terbutryn*Permitted residue: Terbutryn*

Cereal grains	*0.1
Edible offal (mammalian)	3
Eggs	*0.05
Meat (mammalian)	0.1
Milks	0.1
Peas	*0.1
Poultry, edible offal of	*0.05
Poultry meat	0.1
Sugar cane	*0.05

Agvet chemical: Tetrachlorvinphos*Permitted residue: Tetrachlorvinphos*

Edible offal (mammalian)	0.05
Meat (mammalian)	0.05
Milks (in the fat)	0.05

Agvet chemical: Tetraconazole*Permitted residue: Tetraconazole*

Edible offal (mammalian)	0.2
Grapes	0.5
Meat (mammalian) (in the fat)	*0.01
Milks	*0.01

Agvet chemical: Tetracycline*Permitted residue: Inhibitory substance, identified as tetracycline*

Milks	*0.1
-------	------

Agvet chemical: Tetradifon*Permitted residue: Tetradifon*

Cotton seed	5
Fruit	5
Hops, dry	5
Vegetables	5

Agvet chemical: Thiabendazole*Permitted residue—commodities of plant origin:**Thiabendazole**Permitted residue—commodities of animal origin: Sum of thiabendazole and 5-hydroxythiabendazole*

Apple	10
Banana	3
Citrus fruits	10
Edible offal (mammalian)	0.2
Meat (mammalian)	0.2
Milks	0.05
Mushrooms	0.5
Peanut	T*0.01
Pear	10
Potato	5
Sweet potato	0.05

Agvet chemical: Thiacloprid*Permitted residue: Thiacloprid*

Cotton seed	0.1
Edible offal (mammalian)	*0.02
Eggs	*0.02
Meat (mammalian)	*0.02
Milks	*0.01
Pome fruits	1
Poultry, edible offal of	*0.02
Poultry meat	*0.02
Stone fruits	2
Strawberry	1

Agvet chemical: Thiamethoxam*Permitted residue—commodities of plant origin:**Thiamethoxam**Permitted residue—commodities of animal origin: Sum of thiamethoxam and N-(2-chloro-thiazol-5-ylmethyl)-N'-methyl-N'-nitro-guanidine, expressed as thiamethoxam*

Berries and other small fruits [except grapes]	0.5
Brassica (cole or cabbage) vegetables, Head cabbages, Flowerhead brassicas	3
Cereal grains [except maize; sorghum]	*0.01
Citrus fruits	1
Cotton seed	*0.02
Edible offal (mammalian)	*0.02
Eggs	*0.02
Fruiting vegetables, other than cucurbits	0.05
Grapes	0.2
Leafy vegetables	2
Maize	*0.02
Mango	T0.2
Meat (mammalian)	*0.02
Milks	*0.005

Poultry, edible offal of	*0.02
Poultry meat	*0.02
Rape seed (canola)	*0.01
Sorghum	*0.02
Stone fruits	0.5
Sunflower seed	*0.02
Sweet corn (corn-on-the-cob)	*0.02

Agvet chemical: Thidiazuron*Permitted residue: Thidiazuron*

Cotton seed	*0.5
Edible offal (mammalian)	*0.05
Meat (mammalian)	*0.05
Milks	*0.01

Agvet chemical: Thifensulfuron*Permitted residue: Thifensulfuron*

Cereal grains [except maize, rice]	*0.02
Edible offal (mammalian)	*0.01
Eggs	*0.01
Meat (mammalian)	*0.01
Milks	0.01
Poultry, edible offal of	*0.01
Poultry meat	*0.01

Agvet chemical: Thiobencarb*Permitted residue: Thiobencarb*

Rice	*0.05
------	-------

Agvet chemical: Thiodicarb*Permitted residue: Sum of thiodicarb and methomyl, expressed as thiodicarb*

Brassica (cole or cabbage) vegetables, Head cabbages, Flowerhead brassicas	2
Chia	T0.5
Cotton seed	*0.1
Cotton seed oil, crude	*0.1
Edible offal (mammalian)	*0.05
Maize	*0.1
Meat (mammalian)	*0.05
Milks	*0.05
Peppers, Sweet	T5
Potato	0.1
Pulses	*0.1
Sorghum	T0.5
Sweet corn (corn-on-the-cob)	*0.1
Tomato	2

Agvet chemical: Thiometon*Permitted residue: Sum of thiometon, its sulfoxide and sulfone, expressed as thiometon*

Cereal grains	1
Edible offal (mammalian)	*0.05
Eggs	*0.05
Fruit	1
Lupin (dry)	0.5

Meat (mammalian)	*0.05
Milks	*0.05
Oilseed	*0.05
Poultry, edible offal of	*0.05
Poultry meat	*0.05
Vegetables	1

Agvet chemical: Thiophanatesee *Carbendazim***Agvet chemical: Thiophanate-methyl***Permitted residue: Sum of thiophanate-methyl and 2-aminobenzimidazole, expressed as thiophanate-methyl*

Cherries	20
Nectarine	3
Peach	3

Agvet chemical: Thiramsee *Dithiocarbamates***Agvet chemical: Tiamulin***Permitted residue: Tiamulin*

Pig, edible offal of	*0.1
Pig meat	*0.1
Poultry, edible offal of	*0.1
Poultry meat	*0.1

Agvet chemical: Tilmicosin*Permitted residue: Tilmicosin*

Cattle, edible offal of	1
Cattle meat	*0.05
Cattle milk	T*0.025
Pig, edible offal of	1
Pig meat	0.05

Agvet chemical: Tolclofos-methyl*Permitted residue: Tolclofos-methyl*

Beetroot	*0.01
Cotton seed	*0.01
Lettuce, head	T*0.01
Lettuce, leaf	T*0.01
Potato	0.1

Agvet chemical: Tolfenamic acid*Permitted residue: Tolfenamic acid*

Cattle kidney	*0.01
Cattle liver	*0.01
Cattle meat	0.05
Cattle milk	0.05
Pig kidney	*0.01
Pig liver	0.1
Pig meat	*0.01

Agvet chemical: Toltrazuril*Permitted residue: Sum of toltrazuril, its sulfoxide and sulfone, expressed as toltrazuril*

Cattle fat	1
Cattle kidney	1
Cattle liver	2
Cattle muscle	0.25
Chicken, edible offal of	5
Chicken meat	2
Eggs	*0.03
Pig, edible offal of	2
Pig meat (in the fat)	1

Agvet chemical: Tolyfluanid*Permitted residue: Tolyfluanid*

Berries and other small fruits [except grapes and strawberry]	T15
Cucumber	T2
Dried grapes	T0.2
Grapes	T*0.05
Strawberry	3

Agvet chemical: Tralkoxydim*Permitted residue: Tralkoxydim*

Cereal grains	*0.02
---------------	-------

Agvet chemical: Trenbolone acetate*Permitted residue: Sum of trenbolone acetate and 17**Alpha- and 17 Beta-trenbolone, both free and conjugated, expressed as trenbolone*

Cattle, edible offal of	0.01
Cattle meat	0.002

Agvet chemical: Triadimefon*Permitted residue: Sum of triadimefon and triadimenol, expressed as triadimefon*see also *Triadimenol*

Apple	1
Cereal grains	0.5
Edible offal (mammalian)	*0.05
Eggs	*0.1
Field pea (dry)	0.1
Fruiting vegetables, cucurbits	0.2
Fruiting vegetables, other than cucurbits	0.2
Garden pea (shelled succulent seeds)	0.1
Garden pea (young pods, succulent seeds)	0.1
Grapes	1
Fats (mammalian)	*0.25
Meat (mammalian)	*0.05
Milks	*0.1
Poultry, edible offal of	*0.05
Poultry meat	*0.05
Sugar cane	*0.05

Agvet chemical: Triadimenol*Permitted residue: Triadimenol*see also *Triadimefon*

Berries and other small fruits [except grapes; ribberries; strawberry]	T0.5
Brassica (cole or cabbage) vegetables, Head cabbages, Flowerhead brassicas	1
Cereal grains [except sorghum]	*0.01
Cotton seed	T0.01
Cotton seed oil, crude	T0.05
Edible offal (mammalian)	*0.01
Eggs	*0.01
Fruiting vegetables, cucurbits	0.5
Fruiting vegetables, other than cucurbits	1
Grapes	0.5
Lemon grass	T*0.05
Meat (mammalian)	*0.01
Milks	*0.01
Onion, bulb	0.05
Papaya (pawpaw)	0.2
Parsnip	T0.2
Poultry, edible offal of	*0.01
Poultry meat	*0.01
Radish	T0.2
Ribberries	T5
Sorghum	0.5
Sugar cane	*0.05
Swede	T0.2
Turnip, garden	T0.2

Agvet chemical: Triallate

Permitted residue: Sum of triallate and 2,3,3-trichloroprop-2-ene sulfonic acid (TCPSA), expressed as triallate

Cereal grains	*0.05
Edible offal (mammalian) [except kidney]	*0.1
Eggs	*0.01
Fats (mammalian)	0.2
Kidney of cattle, goats, pigs and sheep	0.2
Legume vegetables	*0.05
Meat (mammalian)	*0.1
Milks	*0.1
Oilseed	0.1
Poultry, edible offal of	0.2
Poultry fats	0.2
Poultry meat	*0.1
Pulses	0.1

Agvet chemical: Triasulfuron

Permitted residue: Triasulfuron

Cereal grains	*0.02
Edible offal (mammalian)	*0.05
Eggs	*0.05
Meat (mammalian)	*0.05
Milks	*0.01

Agvet chemical: Tribenuron-methyl

Permitted residue: Tribenuron-methyl

Barley	*0.01
Chick-pea (dry)	*0.01
Cotton seed	*0.05
Edible offal (mammalian)	*0.01
Maize	*0.05
Meat (mammalian)	*0.01
Milks	*0.01
Mung bean (dry)	*0.01
Oats	*0.01
Rape seed (canola)	*0.01
Sorghum	*0.01
Soya bean (dry)	*0.01
Sunflower seed	*0.01
Wheat	*0.01

Agvet chemical: Trichlorfon*Permitted residue: Trichlorfon*

Achachairu	T3
Assorted tropical and sub-tropical fruits - edible peel	T3
Assorted tropical and sub-tropical fruits - inedible peel	T3
Babaco	T3
Beetroot	0.2
Berries and other small fruits	T2
Brussels sprouts	0.2
Cape gooseberry	T0.5
Cattle, edible offal of	0.1
Cattle fat	0.1
Cattle meat	0.1
Cauliflower	0.2
Celery	0.2
Cereal grains	0.1
Dried fruits	2
Egg plant	T0.5
Eggs	*0.05
Fish muscle	T*0.01
Fruit [except achachairu; assorted tropical and sub-tropical fruits - edible peel; assorted tropical and sub-tropical fruits - inedible peel; babaco; berries and other small fruits; dried fruits; loquat; medlar; miracle fruit; quince; rollinia; shaddock (pomelo); stone fruits]	T0.1
Goat, edible offal of	0.1
Goat meat	0.1
Kale	0.2
Loquat	T3
Medlar	T3
Milks	*0.05
Miracle fruit	T3
Oilseed [except peanut]	0.1
Peanut	0.1
Pepino	T0.5
Peppers	0.2
Pig, edible offal of	0.1
Pig fat	0.1

Pig meat	0.1
Poultry, edible offal of	*0.05
Poultry meat	*0.05
Pulses [except soya bean (dry)]	0.2
Quince	T3
Rollinia	T3
Shaddock (pomelo)	T3
Soya bean (dry)	0.1
Stone fruits	T3
Sugar beet	0.05
Sugar cane	*0.05
Sweet corn (corn-on-the-cob)	0.2
Tree nuts	0.1
Vegetables [except beetroot; Brussels sprouts; cape gooseberry; cauliflower; celery; egg plant; kale; pepino; peppers; pulses; sugar beet; sweet corn (corn-on-the-cob)]	0.1

Agvet chemical: Trichloroethylene*Permitted residue: Trichloroethylene*

Cereal grains	*0.1
---------------	------

Agvet chemical: Triclabendazole*Permitted residue: Sum of triclabendazole and metabolites oxidisable to keto-triclabendazole and expressed as keto-triclabendazole equivalents*

Fat (mammalian)	1
Kidney (mammalian)	1
Liver (mammalian)	2
Meat (mammalian)	0.5

Agvet chemical: Triclopyr*Permitted residue: Triclopyr*

Cattle, edible offal of	5
Cattle meat (in the fat)	0.2
Citrus fruits	0.2
Goat, edible offal of	5
Goat meat (in the fat)	0.2
Litchi	0.1
Milks (in the fat)	0.1
Poppy seed	*0.01
Sheep, edible offal of	5
Sheep meat (in the fat)	0.2

Agvet chemical: Tridemorph*Permitted residue: Tridemorph*

Banana	T*0.05
Barley	0.1
Fruiting vegetables, cucurbits	0.1

Agvet chemical: Trifloxystrobin*Permitted residue: Sum of trifloxystrobin and its acid metabolite ((E,E)-methoxyimino-[2-[1-(3-trifluoromethylphenyl)-ethylideneaminoxyethyl]phenyl] acetic acid), expressed as trifloxystrobin equivalents*

Banana	0.5
Beetroot	T0.2
Celery	T5
Chard (silver beet)	T1
Chicory leaves	T1
Cucumber	T*0.1
Dried grapes	2
Edible offal (mammalian)	*0.05
Endive	T1
Grapes	0.5
Macadamia nuts	T*0.05
Meat (mammalian)	*0.05
Milks	*0.02
Peppers, Sweet	T0.5
Pome fruits	0.3
Rape seed (canola)	*0.02
Spinach	T1
Stone fruits	2
Strawberry	2
Tomato	0.7

Agvet chemical: Trifloxysulfuron sodium*Permitted residue: Trifloxysulfuron*

Cotton seed	*0.01
Cotton seed oil, crude	*0.01
Cotton seed oil, edible	*0.01
Edible offal (mammalian)	*0.01
Eggs	*0.01
Meat (mammalian)	*0.01
Milks	*0.01
Poultry, edible offal of	*0.01
Poultry meat	*0.01
Sugar cane	*0.01

Agvet chemical: Triflumizole*Permitted residue: Sum of triflumizole and (E)-4-chloro-a,a,a-trifluoro-N-(1-amino-2-propoxyethylidene)-o-toluidine, expressed as triflumizole*

Cherries	1.5
Grapes	0.5
Pome fruits	0.5

Agvet chemical: Triflumuron*Permitted residue: Triflumuron*

Cereal grains	*0.05
Edible offal (mammalian) [except sheep, edible offal of]	*0.05
Eggs	0.01
Meat (mammalian) [except sheep meat (in the fat)]	*0.05
Milks	*0.05
Mushrooms	0.1
Poultry, edible offal of	0.01
Poultry meat (in the fat)	0.1
Sheep, edible offal of	0.1
Sheep meat (in the fat)	2

Agvet chemical: Trifluralin*Permitted residue: Trifluralin*

Adzuki bean (dry)	*0.05
Bergamot	T*0.05
Broad bean (dry)	*0.05
Burnet, salad	T*0.05
Carrot	0.5
Cereal grains	*0.05
Chia	T*0.01
Chick-pea (dry)	*0.05
Coriander (leaves, stem, roots)	T*0.05
Coriander, seed	T*0.05
Cowpea (dry)	*0.05
Dill, seed	T*0.05
Edible offal (mammalian)	*0.05
Eggs	*0.05
Fennel, bulb	T0.5
Fennel, seed	T*0.05
Fruit	*0.05
Galangal, Greater	T0.5
Herbs	T*0.05
Hyacinth bean (dry)	*0.05
Kaffir lime leaves	T*0.05
Lemon grass	T*0.05
Lemon verbena (fresh weight)	T*0.05
Lupin (dry)	*0.05
Meat (mammalian)	*0.05
Milks	*0.05
Mizuna	T*0.05
Mung bean (dry)	*0.05
Oilseed	*0.05
Parsnips	T0.5
Poultry meat	*0.05
Poultry, edible offal of	*0.05
Rose and dianthus (edible flowers)	T*0.05
Sugar cane	*0.05
Turmeric, root (fresh)	T0.5
Vegetables [except as otherwise listed under this chemical]	0.05

Agvet chemical: Triforine*Permitted residue: Triforine*

Pome fruits	1
Stone fruits	10

Agvet chemical: Trimethoprim*Permitted residue: Trimethoprim*

Cattle milk	0.05
Edible offal (mammalian)	0.05
Eggs	T*0.02
Meat (mammalian)	0.05
Poultry, edible offal of	0.05
Poultry meat	0.05

Agvet chemical: Trinexapac-ethyl*Permitted residue: 4-(cyclopropyl- α -hydroxy-methylene)-3,5-dioxo-cyclohexanecarboxylic acid*

Barley	T0.3
Edible offal (mammalian)	0.05
Meat (mammalian)	*0.02
Milks	*0.005
Oats	T0.3
Poppy seed	7
Sugar cane	T0.2
Wheat	T0.3

Agvet chemical: Triticonazole*Permitted residue: Triticonazole*

Cereal grains	*0.05
Edible offal (mammalian)	*0.05
Eggs	*0.05
Meat (mammalian)	*0.05
Milks	*0.01
Poultry, edible offal of	*0.05
Poultry meat	*0.05

Agvet chemical: Tulathromycin

Permitted residue: Sum of tulathromycin and its metabolites that are converted by acid hydrolysis to (2R,3S,4R,5R,8R,10R,11R,12S,13S,14R)-2-ethyl-3,4,10,13-tetrahydroxy-3,5,8,10,12,14-hexamethyl-11-[[[3,4,6-trideoxy-3-(dimethylamino)-β-D-xylohexopyranosyl]oxy]-1-oxa-6-azacyclopentadecan-15-one, expressed as tulathromycin equivalents

Cattle fat	0.1
Cattle kidney	1
Cattle liver	3
Cattle muscle	0.1
Pig kidney	3
Pig liver	2
Pig muscle	0.5
Pig skin/fat	0.3

Agvet chemical: Tylosin*Permitted residue: Tylosin A*

Cattle, edible offal of	*0.1
Cattle meat	*0.1
Eggs	*0.2
Fish muscle	T*0.002
Milks	*0.05
Pig, edible offal of	*0.2
Pig fat	*0.1
Pig meat	*0.2
Poultry, edible offal of	*0.2
Poultry fats	*0.1
Poultry meat	*0.2

Agvet chemical: Uniconazole-p

Permitted residue: Sum of uniconazole-p and its Z-isomer expressed as uniconazole-p

Avocado	0.5
Custard apple	T*0.01
Poppy seed	*0.01

Agvet chemical: Virginiamycin*Permitted residue: Inhibitory substance, identified as virginiamycin*

Cattle, edible offal of	0.2
Cattle fat	0.2
Cattle milk	0.1
Cattle meat	*0.1
Eggs	*0.1
Pig, edible offal of	0.2
Pig fat	0.2
Pig meat	*0.1
Poultry, edible offal of	0.2
Poultry fats	0.2
Poultry meat	0.1
Sheep, edible offal of	0.2
Sheep meat	0.1

Agvet chemical: Zeranol*Permitted residue: Zeranol*

Cattle, edible offal of	0.02
Cattle meat	0.005

Agvet chemical: Zetacypermethrin*see Cypermethrin***Agvet chemical: Zinc Phosphide***see Phosphine***Agvet chemical: Zineb***see Dithiocarbamates**Permitted residue:***Agvet chemical: Ziram***see Dithiocarbamates**Permitted residue:***Agvet chemical: Zoxamide***Permitted residue: Zoxamide*

Grapes	3
--------	---

2015-gs1946

Schedule 21 - Extraneous Residue Limits - Food Standards (Proposal P1025 - Code Revision) Variation—Australia New Zealand Food Standards Code - Amendment No. 154

The Board of Food Standards Australia New Zealand gives notice of the making of this standard under section 92 of the *Food Standards Australia New Zealand Act 1991*.

The Standard commences on 1 March 2016.

Dated 25 March 2015

Standards Management Officer, Delegate of the Board of Food Standards Australia New Zealand.

Note:

This Standard will be published in the Commonwealth of Australia Gazette No. FSC 96 on 10 April 2015.

Note 1 This instrument is a standard under the *Food Standards Australia New Zealand Act 1991* (Cth). The standards together make up the *Australia New Zealand Food Standards Code*. See also section 1.1.1–3.

Extraneous residue limits are regulated by subsection 1.1.1–10(5) and Standard 1.4.2. This Standard identifies *active constituents of agvet chemicals, and their permitted residues, for the purpose of section 1.4.2–5.

Note 2 This Standard applies in Australia only. In New Zealand, extraneous residue limits for agricultural compounds are set out in a Maximum Residue Limits Standard.

S21–1 Name

This Standard is *Australia New Zealand Food Standards Code* - Schedule 21 - Extraneous residue limits.

Note Commencement: This Standard commences on 1 March 2016, being the date specified as the commencement date in notices in the *Gazette* and the *New Zealand Gazette* under section 92 of the *Food Standards Australia New Zealand Act 1991* (Cth). See also section 93 of that Act.

S21–2 Interpretation

In this Schedule:

- (a) an asterisk (*) indicates that the *ERL is set at the limit of determination; and
- (b) the symbol ‘T’ indicates that the ERL is a temporary ERL; and
- (c) the symbol ‘E’ indicates an ERL.

S21–3 Extraneous residue limits

For section 1.4.2–5, the *agvet chemicals, permitted residues, and amounts are as follows, expressed in mg per kg:

Extraneous residue limits

Agvet chemical: Aldrin and Dieldrin

Permitted residue: Sum of HHDN and HEOD

Asparagus	E0.1
Banana	E0.05
Brassica (cole or cabbage) vegetables, Head cabbages, Flowerhead brassicas	E0.1
Cereal grains	E0.02
Citrus fruits	E0.05
Crustaceans	E0.1
Diadromous fish	E0.1
Edible offal (mammalian)	E0.2
Egg plant	E0.1
Eggs	E0.1
Freshwater fish	E0.1
Fruit	E0.05
Fruiting vegetables, cucurbits	E0.1
Lettuce, head	E0.1
Lettuce, leaf	E0.1
Marine fish	E0.1
Meat (mammalian) (in the fat)	E0.2
Milks (in the fat)	E0.15
Molluscs (including cephalopods)	E0.1
Onion, bulb	E0.1
Peanut	E0.05
Peppers, sweet	E0.1
Pimento, fruit	E0.1
Poultry, edible offal of	E0.2
Poultry meat (in the fat)	E0.2
Radish leaves (including radish tops)	E0.1
Root and tuber vegetables	E0.1
Sugar cane	E*0.01

Agvet chemical: BHC (other than the gamma isomer, Lindane)

Permitted residue: Sum of isomers of 1,2,3,4,5,6-hexachlorocyclohexane, other than lindane

Cereal grains	E0.1
Crustaceans	E0.01
Edible offal (mammalian)	E0.3
Eggs	E0.1
Fish	E0.01
Meat (mammalian) (in the fat)	E0.3
Milks (in the fat)	E0.1
Molluscs (including cephalopods)	E0.01
Peanut	E0.1
Poultry, edible offal of	E0.3
Poultry meat (in the fat)	E0.3
Sugar cane	E0.005

Agvet chemical: Chlordane

Permitted residue: Sum of cis- and trans-chlordane and in the case of animal products also includes 'oxychlordane'

Cereal grains	E0.02
Citrus fruits	E0.02
Cotton seed oil, crude	E0.05
Cotton seed oil, edible	E0.02
Crustaceans	E0.05
Edible offal (mammalian)	E0.02
Eggs	E0.02
Fish	E0.05
Fruiting vegetables, cucurbits	E0.05
Linseed oil, crude	E0.05
Meat (mammalian) (in the fat)	E0.2
Milks (in the fat)	E0.05
Molluscs (including cephalopods)	E0.05
Pineapple	E0.02
Pome fruits	E0.02
Soya bean oil, crude	E0.05
Soya bean oil, refined	E0.02
Stone fruits	E0.02
Sugar beet	E0.1
Vegetables [except as otherwise listed under this chemical]	E0.02

Agvet chemical: DDT

Permitted residue: Sum of p,p'-DDT; o,p'-DDT; p,p'-DDE and p,p'-TDE (DDD)

Cereal grains	E0.1
Crustaceans	E1
Edible offal (mammalian)	E5
Eggs	E0.5
Fish	E1
Fruit	E1
Meat (mammalian) (in the fat)	E5
Milks (in the fat)	E1.25
Molluscs (including cephalopods)	E1
Peanut	E0.02
Poultry, edible offal of	E5
Poultry meat (in the fat)	E5
Vegetable oils, edible	E1
Vegetables	E1

Agvet chemical: HCB*Permitted residue: Hexachlorobenzene*

Cereal grains	E0.05
Crustaceans	E0.1
Diadromous fish	E0.1
Edible offal (mammalian)	E1
Eggs	E1
Freshwater fish	E0.1
Marine fish	E0.1
Meat (mammalian) (in the fat)	E1
Milks (in the fat)	E0.5
Molluscs (including cephalopods)	E0.1
Peanut	E0.01
Poultry, edible offal of	E1
Poultry meat (in the fat)	E1

Agvet chemical: Heptachlor*Permitted residue: Sum of heptachlor and heptachlor epoxide*

Carrot	E0.2
Cereal grains	E0.02
Citrus fruits	E0.01
Cotton seed	E0.02
Crustaceans	E0.05
Edible offal (mammalian)	E0.2
Eggs	E0.05
Fish	E0.05
Meat (mammalian) (in the fat)	E0.2
Milks (in the fat)	E0.15
Molluscs (including cephalopods)	E0.05
Peanut	E0.01
Pineapple	E0.01
Poultry, edible offal of	E0.2
Poultry meat	E0.2
Soya bean	E0.02
Soya bean oil, crude	E0.5
Soya bean oil, refined	E0.02
Sugar cane	E0.02
Tomato	E0.02
Vegetables [except as otherwise listed under this chemical]	E0.05

Agvet chemical: Lindane*Permitted residue: Lindane*

Apple	E2
Cereal grains	E0.5
Cherries	E0.5
Cranberry	E3
Crustaceans	E1
Edible offal (mammalian)	E2
Eggs	E0.1
Fish	E1
Fruits [except as otherwise listed in Schedules 1 and 2]	E0.5
Grapes	E0.5

Meat (mammalian) (in the fat)	E2
Milks (in the fat)	E0.2
Molluscs (including cephalopods)	E1
Oilseed [except peanut]	E0.05
Peach	E2
Peanut	E0.05
Plums (including prunes)	E0.5
Poultry, edible offal of	E0.7
Poultry meat (in the fat)	E0.7
Strawberry	E3
Sugar cane	E*0.002
Vegetables	E2

2015-gs1947

Schedule 22 - Foods and Classes of Foods - Food Standards (Proposal P1025 - Code Revision) Variation—Australia New Zealand Food Standards Code - Amendment No. 154

The Board of Food Standards Australia New Zealand gives notice of the making of this standard under section 92 of the *Food Standards Australia New Zealand Act 1991*.

The Standard commences on 1 March 2016.

Dated 25 March 2015

Standards Management Officer, Delegate of the Board of Food Standards Australia New Zealand.

Note:

This Standard will be published in the Commonwealth of Australia Gazette No. FSC 96 on 10 April 2015.

Note 1 This instrument is a standard under the *Food Standards Australia New Zealand Act 1991* (Cth). The standards together make up the *Australia New Zealand Food Standards Code*. See also section 1.1.1–3.

This Standard describes foods and classes of foods for subsection 1.4.1–2(2), subsection 1.4.2–3(4), subsection 1.5.3–4(3), paragraph S5–4(2)(b), section S19–4 and section S19–5, and portions of food for subsection 1.4.2–3(2).

Note 2 The provisions of the Code that apply in New Zealand are incorporated in, or adopted under, the *Food Act 2014* (NZ). See also section 1.1.1–3.

S22–1 Name

This Standard is *Australia New Zealand Food Standards Code - Schedule 22 - Foods and classes of foods*.

Note Commencement: This Standard commences on 1 March 2016, being the date specified as the commencement date in notices in the *Gazette* and the *New Zealand Gazette* under section 92 of the *Food Standards Australia New Zealand Act 1991* (Cth). See also section 93 of that Act.

S22–2 Foods and classes of foods

Animal food commodities

Mammalian products

Meat (mammalian)

Meats are the muscular tissues, including adhering fatty tissues such as intramuscular, intermuscular and subcutaneous fat from animal carcasses or cuts of these as prepared for wholesale or retail distribution. Meat (mammalian) includes farmed and game meat. The cuts offered may include bones, connective tissues and tendons as well as nerves and lymph nodes. It does not include edible offal. The entire commodity except bones may be consumed.

Commodities: Buffalo meat; Camel meat; Cattle meat; Deer meat; Donkey meat; Goat meat; Hare meat; Horse meat; Kangaroo meat; Pig meat; Possum meat; Rabbit meat; Sheep meat; Wallaby meat.

Portion of the commodity to which the MRL and ERL apply (and which is analysed): whole commodity (without bones). When the commodity description is qualified by (in the fat) a proportion of adhering fat is analysed and the MRLs apply to the fat.

Edible offal (mammalian)

Edible offal is the edible tissues and organs other than muscles and animal fat from slaughtered animals as prepared for wholesale or retail distribution. Edible offal includes brain, heart, kidney, liver, pancreas, spleen, thymus, tongue and tripe. The entire commodity may be consumed.

Commodities: Buffalo, edible offal of; Cattle, edible offal of; Camel, edible offal of; Deer, edible offal of; Donkey, edible offal of; Goat, edible offal of; Hare, edible offal of; Horse, edible offal of; Kangaroo, edible offal of; Pig, edible offal of; Possum, edible offal of; Rabbit, edible offal of; Sheep, edible offal of; Wallaby, edible offal of.

Portion of the commodity to which the MRL and ERL apply (and which is analysed): whole commodity.

Fats (mammalian)

Mammalian fats, excluding milk fats are derived from the fatty tissues of animals (not processed). The entire commodity may be consumed.

Commodities: Buffalo fat; Camel fat; Cattle fat; Goat fat; Horse fat; Pig fat; Rabbit fat; Sheep fat.

Portion of the commodity to which the MRL and ERL apply (and which is analysed): whole commodity.

Milks

Milks are the mammary secretions of various species of lactating herbivorous ruminant animals.

Commodities: Buffalo milk; Camel milk; Cattle milk; Goat milk; Sheep milk. The entire commodity may be consumed.

Portion of the commodity to which the MRL and ERL apply (and which is analysed): whole commodity. When an *MRL for cattle milk or milks is qualified by '(in the fat)' the compound is regarded as fat-soluble, and the MRL and *ERL apply to the fat portion of the milk. In the case of a derived or a manufactured milk product with a fat content of 2% or more, the MRL also applies to the fat portion. For a milk product with fat content less than 2%, the MRL applied should be 1/50 that specified for 'milk (in the fat)', and should apply to the whole product.

Poultry

Poultry meat

Poultry meats are the muscular tissues, including adhering fat and skin, from poultry carcasses as prepared for wholesale or retail distribution. The entire product may be consumed. Poultry meat includes farmed and game poultry.

Commodities: Chicken meat; Duck meat; Emu meat; Goose meat; Guinea-fowl meat; Ostrich meat; Partridge meat; Pheasant meat; Pigeon meat; Quail meat; Turkey meat.

Portion of the commodity to which the MRL and ERL apply (and which is analysed): whole commodity (without bones). When the commodity description is qualified by (in the fat) a proportion of adhering fat is analysed and the *MRLs apply to the fat.

Poultry, edible offal

Poultry edible offal is the edible tissues and organs, other than poultry meat and poultry fat, as prepared for wholesale or retail distribution and include liver, gizzard, heart, skin. The entire product may be consumed.

Commodities: Chicken, edible offal of; Duck, edible offal of; Emu, edible offal of; Goose, edible offal of; Ostrich, edible offal of; Turkey, edible offal of.

Portion of the commodity to which the MRL and ERL apply (and which is analysed): whole commodity.

Note that poultry meat includes any attached skin, but poultry skin on its own (not attached) is considered as 'poultry edible offal'.

Poultry fats

Poultry fats are derived from the fatty tissues of poultry (not processed). The entire product may be consumed.

Commodities: Chicken fat; Duck fat; Goose fat; Turkey fat.

Portion of the commodity to which the MRL and ERL apply (and which is analysed): whole commodity.

Eggs

Eggs are the reproductive bodies laid by female birds, especially domestic fowl. The edible portion includes egg yolk and egg white after removal of the shell.

Commodities: Chicken eggs; Duck eggs; Goose eggs; Quail eggs.

Portion of the commodity to which the MRL and ERL apply (and which is analysed): whole egg whites and yolks combined after removal of shell.

Fish, crustaceans and molluscs

Fish includes freshwater fish, diadromous fish and marine fish.

Diadromous fish

Diadromous fish include species which migrate from the sea to brackish and/or fresh water and in the opposite direction. Some species are domesticated and do not migrate. The fleshy parts of the animals and, to a lesser extent, roe and milt are consumed.

Commodities: Barramundi; Salmon species; Trout species; Eel species.

Portion of the commodity to which the MRL and ERL apply (and which is analysed): whole commodity including bones and head (in general after removing the digestive tract).

Freshwater fish

Freshwater fish include a variety of species which remain lifelong, including the spawning period, in fresh water. Several species of freshwater fish are domesticated and bred in fish farms. The fleshy parts of the animals and, to a lesser extent, roe and milt are consumed.

Commodities: a variety of species.

Portion of the commodity to which the MRL and ERL apply (and which is analysed): whole commodity including bones and head (in general after removing the digestive tract).

Marine fish

Marine fish generally live in open seas and are almost exclusively wild species. The fleshy parts of the animals and, to a lesser extent, roe and milt are consumed.

Commodities: a variety of species.

Portion of the commodity to which the MRL and ERL apply (and which is analysed): whole commodity including bones and head (in general after removing the digestive tract).

Molluscs - and other marine invertebrates

Molluscs includes Cephalopods and Coelenterates. Cephalopods and Coelenterates are various species of aquatic animals, wild or cultivated, which have an inedible outer or inner shell (invertebrates). A few species of cultivated edible land snails are included in this group. The edible aquatic molluscs live mainly in brackish water or in the sea.

Commodities: Clams; Cockles; Cuttlefish; Mussels; Octopus; Oysters; Scallops; Sea-cucumbers; Sea urchins; Snails, edible; Squids.

Portion of the commodity to which the MRL and ERL apply (and which is analysed): whole commodity after removal of shell.

Crustaceans

Crustaceans include various species of aquatic animals, wild and cultivated, which have an inedible chitinous outer shell. A small number of species live in fresh water, but most species live in brackish water and/or in the sea.

Crustaceans are largely prepared for wholesale and retail distribution after catching by cooking or parboiling and deep freezing.

Commodities: Crabs; Crayfish; Lobsters; Prawns; Shrimps.

Portion of the commodity to which the MRL and ERL apply (and which is analysed): whole commodity or the meat without the outer shell, as prepared for wholesale and retail distribution.

Honey and other miscellaneous primary food commodities of animal origin

Honey

Commodity: Honey.

Portion of the commodity to which the MRL and ERL apply (and which is analysed): whole commodity.

Crop commodities

Fruit

Tropical and sub-tropical fruit—edible peel

Tropical and sub-tropical fruits - edible peel are derived from the immature or mature fruits of a large variety of perennial plants, usually shrubs or trees. The fruits are fully exposed to pesticides applied during the growing season. The whole fruit may be consumed in a succulent or processed form.

Commodities: Ambarella; Arbutus berry; Babaco; Barbados cherry; Bilimbi; Brazilian cherry (Grumichama); Carambola; Caranda; Carob; Cashew apple; Chinese olive; Coco plum; Cumquats; Date; Fig; Hog plum; Jaboticaba; Jujube; Natal plum; Olives; Otaheite gooseberry; Persimmon, Japanese; Pomerac; Rose apple; Sea grape; Surinam cherry; Tree tomato (Tamarillo).

Portion of the commodity to which the MRL and ERL apply (and which is analysed): whole commodity. Dates and olives: Whole commodity after removal of stems and stones but residue calculated and expressed on the whole fruit.

Tropical and sub-tropical fruit—inedible peel

Tropical and sub-tropical fruits – inedible peel are derived from the immature or mature fruits of a large variety of perennial plants, usually shrubs or trees. Fruits are fully exposed to pesticides applied during the growing season but the edible portion is protected by skin, peel or husk. The edible part of the fruits may be consumed in a fresh or processed form.

Commodities: Akee apple; Avocado; Banana (includes banana dwarf); Bread fruit; Canistel; Cherimoya; Custard apple; Doum; Durian; Elephant fruit; Feijoa; Guava; Ilama; Jackfruit; Jambolan; Java apple; Kiwifruit; Longan; Litchi; Mammy apple; Mango; Mangosteen; Marmalade box; Mombin, yellow; Naranjilla; Passionfruit; Papaya (Pawpaw); Persimmon, American; Pineapple; Plantain; Pomegranate; Prickly pear; Pulasan; Rambutan; Rollinia; Sapodilla; Sapote, black; Sapote, green; Sapote, mammey; Sapote, white; Sentul; Soursop; Spanish lime; Star apple; Sugar apple; Tamarind; Tonka bean.

Portion of the commodity to which the MRL and ERL apply (and which is analysed): whole fruit. Avocado, mangos and similar fruit with hard seeds: whole commodity after removal of stone but calculated on whole fruit. Banana: whole commodity after removal of any central stem and peduncle. Longan, edible aril: edible portion of the fruit. Pineapple: after removal of crown.

Berries and other small fruits

Berries and other small fruits are derived from a variety of perennial plants and shrubs having fruit characterised by a high surface to weight ratio. The fruits are fully exposed to pesticides applied during the growing season. The entire fruit, often including seed, may be consumed in a succulent or processed form.

Commodities: Bilberry; Blackberries; Blueberries; Cranberry; Currants, black, red, white; Dewberries (including Boysenberry, Loganberry and Youngberry); Elderberries; Gooseberry; Grapes; Juneberries; Mulberries; Raspberries, Red, Black; Rose hips; Strawberry; Vaccinium berries.

Portion of the commodity to which the MRL and ERL apply (and which is analysed): whole commodity after removal of caps and stems. Currants: fruit with stem.

Citrus fruits

Citrus fruits are produced on trees and shrubs of the family Rutaceae. These fruits are characterised by aromatic oily peel, globular form and interior segments of juice-filled vesicles. The fruit is fully exposed to pesticides applied during the growing season. Post-harvest treatments with pesticides and liquid waxes are often carried out to avoid deterioration due to fungal diseases, insect pests or loss of moisture. The fruit pulp may be consumed in succulent form and as a juice. The entire fruit may be used for preserves.

Commodities: Citron; Grapefruit; Lemon; Lime; Mandarins; Oranges, sweet, sour; Shaddock (Pomelo); Tangelo; Tangors.

Portion of the commodity to which the MRL and ERL apply (and which is analysed): whole commodity.

Pome fruits

Pome fruits are produced on trees and shrubs belonging to certain genera of the rose family (Rosaceae), especially the genera *Malus* and *Pyrus*. They are characterised by fleshy tissue surrounding a core consisting of parchment-like carpels enclosing the seeds.

Pome fruits are fully exposed to pesticides applied during the growing season. Post-harvest treatments directly after harvest may also occur. The entire fruit, except the core, may be consumed in the succulent form or after processing.

Commodities: Apple; Crab-apple; Loquat; Medlar; Pear; Quince.

Portion of the commodity to which the MRL and ERL apply (and which is analysed): whole commodity after removal of stems.

Stone fruits

Stone fruits are produced on trees belonging to the genus *Prunus* of the family Rosaceae. They are characterised by fleshy tissue surrounding a single hard shelled seed. The entire fruit, except the seed, may be consumed in a succulent or processed form. The fruit is fully exposed to pesticides applied during the growing season. Dipping of fruit immediately after harvest, especially with fungicides, may also occur.

Commodities: Apricot; Cherries; Nectarine; Peach; Plums*.

Portion of the commodity to which the MRL and ERL apply (and which is analysed): whole commodity after removal of stems and stones, but the residue calculated and expressed on the whole commodity without stem.

*where plums is specified as '(including Prunes)' it includes all relevant prunes.

Vegetables***Brassica (cole or cabbage) vegetables***

Cole vegetables (cabbage and flowerhead brassicas) are foods derived from the leafy heads and stems of plants belonging to the genus *Brassica* of the family Cruciferae. The edible part of the crop is partly protected from pesticides applied during the growing season by outer leaves, or skin. The entire vegetable after discarding obviously decomposed or withered leaves may be consumed.

Commodities: Broccoli; Broccoli, Chinese; Brussels sprouts; Cabbages, head; Cauliflower; Kohlrabi.

Portion of the commodity to which the MRL and ERL apply (and which is analysed): Head cabbages and kohlrabi, whole commodity as marketed, after removal of obviously decomposed or withered leaves. Cauliflower and broccoli: flower heads (immature inflorescence only). Brussels sprouts: 'buttons only'.

Bulb vegetables

Bulb vegetables are pungent, highly flavoured bulbous vegetables derived from fleshy scale bulbs of the genus *Allium* of the lily family (Liliaceae). Bulb fennel has been included in this group as the bulb-like growth of this commodity gives rise to similar residues. The subterranean parts of the bulbs and shoots are protected from direct exposure to pesticides during the growing season. Although chives are alliums they have been classified with herbs. The entire bulb may be consumed after removal of the parchment-like skin. The leaves and stems of some species or cultivars may also be consumed.

Commodities: Fennel, bulb; Garlic; Leek; Onion, bulb; Onion, Chinese; Onion, Welsh; Shallot; Spring onion; Tree onion.

Portion of the commodity to which the MRL and ERL apply (and which is analysed): Bulb/dry. Onions and garlic: Whole commodity after removal of roots and adhering soil and whatever parchment skin is easily detached. Leeks and spring onions: Whole vegetable after removal of roots and adhering soil.

Fruiting vegetables, cucurbits

Fruiting vegetables, Cucurbits are derived from the immature and mature fruits of various plants, belonging to the botanical family Cucurbitaceae. These vegetables are fully exposed to pesticides during the period of fruit development.

The edible portion of those fruits of which the inedible peel is discarded before consumption is protected from most pesticides by the skin or peel, except from pesticides with a systemic action.

The entire fruiting vegetable or the edible portion after discarding the inedible peel may be consumed in the fresh form or after processing.

Commodities: Balsam apple; Balsam pear; Bottle gourd; Chayote; Cucumber; Gherkin; Loofah; Melons, except Watermelon; Pumpkins; Snake gourd; Squash, summer (including Zucchini); Squash, winter; Watermelon.

Portion of the commodity to which the MRL and ERL apply (and which is analysed): whole commodity after removal of stems.

Fruiting vegetables, other than cucurbits

Fruiting vegetables, other than Cucurbits are derived from the immature and mature fruits of various plants, usually annual vines or bushes. The group includes edible fungi and mushrooms, being comparable organs of lower plants. The entire fruiting vegetable or the edible portion after discarding husks or peels may be consumed in a fresh form or after processing. The vegetables of this group are fully exposed to pesticides applied during the period of fruit development, except those of which the edible portion is covered by husks, such as sweet corn.

Commodities: Cape gooseberry (ground cherries); Egg plant; Fungi, edible; Mushrooms; Okra; Pepino; Peppers, sweet, Chili; Roselle; Sweet corn*; Tomato.

Portion of the commodity to which the MRL and ERL apply (and which is analysed): whole commodity after removal of stems. Mushrooms: Whole commodity. Sweet corn and fresh corn: kernels plus cob without husk.

*sweet corn is specified as either '(corn-on-the-cob)' to indicate that the *MRL is set on the cob plus kernels, or as '(kernels)' to indicate that the MRL is set on the kernels only.

Leafy vegetables (including brassica leafy vegetables)

Leafy vegetables are foods derived from the leaves of a wide variety of edible plants. They are characterised by a high surface to weight ratio. The leaves are fully exposed to pesticides applied during the growing season. The entire leaf may be consumed either fresh or after processing.

Commodities: Amaranth; Box thorn; Chard (silver beet); Chervil; Chicory leaves; Chinese cabbage (Pe-tsai); Choisum; Cress, garden; Dandelion; Dock; Endive; Grape leaves; Indian mustard; Japanese greens; Kale; Kangkung; Komatsuma; Lettuce, Head; Lettuce, Leaf; Marsh marigold; Mizuna; Mustard greens; New Zealand spinach; Pak-choi; Pokeweed; Purslane; Radish leaves (including radish tops); Rape greens; Rucola; Sowthistle; Spinach; Turnip greens; Watercress.

Portion of the commodity to which the MRL and ERL apply (and which is analysed): whole commodity after removal of obviously decomposed or withered leaves.

Legume vegetables

Legume vegetables are derived from the succulent seed and immature pods of leguminous plants commonly known as beans and peas. Pods are fully exposed to pesticides during the growing season, whereas the succulent seed is protected within the pod from most pesticides, except pesticides with systemic action.

Commodities: Beans, except broad bean and soya bean; Broad bean (green pods and immature seeds); Chick-pea (green pods); Cluster bean (young pods); Common bean (pods and/or immature seeds); Cowpea (immature pods); Garden pea (young pods); Garden pea, shelled; Goa bean (immature pods); Haricot bean (green pods and/or immature seeds); Hyacinth bean (young pods, immature seeds); Lentil (young pods); Lima bean (young pods and/or immature beans); Lupin; Mung bean (green pods); Pigeon pea (green pods and/or young green seeds); Podded pea (young pods); Snap bean (immature seeds); Soya bean (immature seeds); Vetch.

Common bean (pods and/or immature seeds) includes Dwarf bean (immature pods and/or seeds); Field bean (green pods); Flageolet (fresh beans); French bean (immature pods and seeds); Green bean (green pods and immature seeds); Kidney bean (pods and/or immature seeds); Navy bean (young pods and/or immature seeds) and Runner bean (green pods and seeds).

Podded pea (young pods) includes sugar snap pea (young pods) and snow pea.

Portion of the commodity to which the MRL and ERL apply (and which is analysed): whole commodity (seed plus pod) unless otherwise specified.

Pulses

Pulses are derived from the mature seeds, naturally or artificially dried, of leguminous plants known as beans (dry) and peas (dry). The seeds in the pods are protected from most pesticides applied during the growing season except pesticides which show a systemic action. There may be registered post harvest treatments for dried peas and beans.

Commodities: Beans (dry); Peas (dry); Adzuki bean (dry); Broad bean (dry); Chick-pea (dry); Common bean (dry); Cowpea (dry); Field pea (dry); Hyacinth bean (dry); Lentil (dry); Lima bean (dry); Lupin (dry); Mung bean (dry); Pigeon pea (dry); Soya bean (dry).

Common bean (dry) includes Dwarf bean (dry); Field bean (dry); Flageolet (dry); Kidney bean (dry); Navy bean (dry).

Portion of the commodity to which the MRL and ERL apply (and which is analysed): whole commodity (dried seed only).

Root and tuber vegetables

Root and tuber vegetables are the starchy enlarged solid roots, tubers, corms or rhizomes, mostly subterranean, of various species of plants. The underground location protects the edible portion from most pesticides applied to the aerial parts of the crop during the growing season, however the commodities in this group are exposed to pesticide residues from soil treatments. The entire vegetable may be consumed in the form of fresh or processed foods.

Commodities: Arrowroot; Beetroot; Canna, edible; Carrot; Cassava; Celeriac; Chicory, roots; Horseradish; Jerusalem artichoke; Parsnip; Potato; Radish; Radish, Japanese; Salsify; Scorzonera; Sugar beet; Swede; Sweet potato; Taro; Turnip, garden; Yams.

Portion of the commodity to which the MRL and ERL apply (and which is analysed): whole commodity after removing tops. Remove adhering soil (e.g. by rinsing in running water or by gentle brushing of the dry commodity).

Stalk and stem vegetables

Stalk and stem vegetables are the edible stalks, leaf stems or immature shoots from a variety of annual or perennial plants. Globe artichokes have been included in this group. Depending upon the part of the crop used for consumption and the growing practices, stalk and stem vegetables are exposed, in varying degrees, to pesticides applied during the growing season. Stalk and stem vegetables may be consumed in whole or in part and in the form of fresh, dried or processed foods.

Commodities: Artichoke, globe; Asparagus; Bamboo shoots; Celery; Celtuce; Palm hearts; Rhubarb; Witloof chicory.

Portion of the commodity to which the MRL and ERL apply (and which is analysed): whole commodity after removal of obviously decomposed or withered leaves. Rhubarb: leaf stems only. Globe artichoke: flowerhead only. Celery and asparagus: remove adhering soil.

Grasses

Cereal grains

Cereal grains are derived from the (heads) of starchy seeds produced by a variety of plants, primarily of the grass family (Gramineae). The edible seeds are protected to varying degrees from pesticides applied during the growing season by husks. Husks are removed before processing and/or consumption. There may be registered post harvest treatments for cereal grains.

Commodities: Barley; Buckwheat; Maize; Millet; Oats; Popcorn; Rice*; Rye; Sorghum; Triticale; Wheat; Wild rice.

Portion of the commodity to which the MRL and ERL apply (and which is analysed): whole commodity

* 'Rice' means 'Rice in Husk.'

Grasses for sugar or syrup production

Grasses for sugar or syrup production, includes species of grasses with a high sugar content especially in the stem. The stems are mainly used for sugar or syrup production.

Commodities: Sugar cane.

Portion of the commodity to which the MRL and ERL apply (and which is analysed): whole commodity.

Nuts and seeds**Tree nuts**

Tree nuts are the seeds of a variety of trees and shrubs which are characterised by a hard inedible shell enclosing an oily seed. The seed is protected from pesticides applied during the growing season by the shell and other parts of the fruit. The edible portion of the nut is consumed in succulent, dried or processed forms.

Commodities: Almonds; Beech nuts; Brazil nut; Cashew nut; Chestnuts; Coconut; Hazelnuts; Hickory nuts; Japanese horse-chestnut; Macadamia nuts; Pecan; Pine nuts; Pili nuts; Pistachio nuts; Sapucaia nut; Walnuts.

Portion of the commodity to which the MRL and ERL apply (and which is analysed): whole commodity after removal of shell. Chestnuts: whole in skin.

Oilseed

Oilseed consists of seeds from a variety of plants used in the production of edible vegetable oils. Some oilseeds are used directly, or after slight processing, as food or for food flavouring. Oilseeds are protected from pesticides applied during the growing season by the shell or husk.

Commodities: Acacia seed; Cotton seed; Linseed; Mustard seed; Palm nut; Peanut; Plantago ovata seed; Poppy seed; Rape seed; Safflower seed; Sesame seed; Sunflower seed.

Portion of the commodity to which the MRL and ERL apply (and which is analysed): seed or kernels, after removal of shell or husk.

Seed for beverages and sweets

Seeds for beverages and sweets are derived from tropical and sub-tropical trees and shrubs. These seeds are protected from pesticides applied during the growing season by the shell or other parts of the fruit.

Commodities: Cacao beans; Coffee beans; Cola nuts.

Portion of the commodity to which the MRL and ERL apply (and which is analysed): whole commodity.

Herbs and spices**Herbs**

Herbs consist of leaves, flowers, stems and roots from a variety of herbaceous plants, used in relatively small amounts as condiments to flavour foods or beverages. They are used either in fresh or naturally dried form. Herbs are fully exposed to pesticides applied during the growing season. There may be registered post-harvest treatments for dried herbs.

Commodities: Angelica; Balm leaves (*Melissa officinalis*); Basil; Bay leaves; Burnet, great (*Banguisorba officinalis*); Burnet, salad; Burning bush (*Dictamnus albus*); Catmint; Celery leaves; Chives; Curry leaves; Dill (*Anethum graveolens*); Fennel; Hops; Horehound; Hyssop; Kaffir lime leaves; Lavender; Lemon balm; Lemon grass; Lemon verbena; Lovage; Marigold flowers (*Calendula officinalis*); Marjoram; Mints; Nasturtium leaves (*Tropaeolum majus* L.); Parsley; Rosemary; Rue (*Ruta graveolens*); Sage; Sassafras leaves; Savoury, summer, winter; Sorrel; Sweet cicely; Tansy; Tarragon; Thyme; Winter cress; Wintergreen leaves (*Gaultheria procumbens* L.); Woodruff (*Asperula odorata*); Wormwoods (*Artemisia* spp.).

Portion of the commodity to which the MRL and ERL apply (and which is analysed): whole commodity.

Spices

Spices consist of the aromatic seeds, roots, berries or other fruits from a variety of plants, which are used in relatively small quantities to flavour foods. Spices are exposed in varying degrees to pesticides applied during the growing season. There may be registered post-harvest treatments for dried spices.

Commodities: Angelica seed; Anise seed; Calamus root; Caper buds; Caraway seed; Cardamom seed; Cassia buds; Celery seed; Cinnamon bark; Cloves; Coriander, seed; Cumin seed; Dill seed; Elecampane root; Fennel seed; Fenugreek seed; Galangal, rhizomes; Ginger, root; Grains of paradise; Juniper berry; Licorice root; Lovage seed; Mace; Nasturtium pods; Nutmeg; Pepper, black, white; Pepper, long; Pimento, fruit; Tonka bean; Turmeric, root; Vanilla, beans.

Portion of the commodity to which the MRL and ERL apply (and which is analysed): whole commodity.

Processed foods of plant and animal origin

Derived edible commodities of plant origin

'Derived edible products' are foods or edible substances isolated from primary food commodities or raw agricultural commodities using physical, biological or chemical processing. This includes groups such as vegetable oils (crude and refined), by-products of the fractionation of cereals and teas (fermented and dried).

Cereal grain milling fractions

This group includes milling fractions of cereal grains at the final stage of milling and preparation in the fractions, and includes processed brans.

Commodities: Cereal brans, processed; Maize flour; Maize meal; Rice bran, processed; Rye bran, processed; Rye flour; Rye wholemeal; Wheat bran, processed; Wheat germ; Wheat flour; Wheat wholemeal.

Portion of the commodity to which the MRL and ERL apply (and which is analysed): whole commodity.

Tea

Teas are derived from the leaves of several plants, principally *Camellia sinensis*. They are used mainly in a fermented and dried form or only as dried leaves for the preparation of infusions.

Commodities: Tea, green, black.

Portion of the commodity to which the MRL and ERL apply (and which is analysed): whole commodity.

Vegetable oils, crude

This group includes the crude vegetable oils derived from oil seed, tropical and sub-tropical oil-containing fruits such as olives, and some pulses. Exposure to pesticides is through pre-harvest treatment of the relevant crops or post-harvest treatment of the oilseeds or oil-containing pulses.

Commodities: Vegetable oils, crude; Cotton seed oil, crude; Coconut oil, crude; Maize oil, crude; Olive oil, crude; Palm oil, crude; Palm kernel oil, crude; Peanut oil, crude; Rape seed oil, crude; Safflower seed oil, crude; Sesame seed oil, crude; Soya bean oil, crude.

Portion of the commodity to which the MRL and ERL apply (and which is analysed): whole commodity.

Vegetable oils, edible

Vegetable oils, edible are derived from the crude oils through a refining and/or clarifying process. Exposure to pesticides is through pre-harvest treatment of the relevant crops or post-harvest treatment of the oilseeds or oil-containing pulses.

Commodities: Vegetable oils, edible; Cotton seed oil, edible; Coconut oil, refined; Maize oil, edible; Olive oil, refined; Palm oil, edible; Palm kernel oil, edible; Peanut oil, edible; Rape seed oil, edible; Safflower seed oil, edible; Sesame seed oil, edible; Soya bean oil, refined; Sunflower seed oil, edible.

Portion of the commodity to which the MRL and ERL apply (and which is analysed): whole commodity.

Manufactured multi-ingredient cereal products

The commodities of this group are manufactured with several ingredients; products derived from cereal grains however form the major ingredient.

Commodities: Bread and other cooked cereal products; Maize bread; Rye bread; White bread; Wholemeal bread.

Portion of the commodity to which the MRL and ERL apply (and which is analysed): whole commodity.

Miscellaneous

Commodities: Olives, processed; peppermint oil; Sugar cane molasses.

Portion of the commodity to which the MRL and ERL apply (and which is analysed): whole commodity.

Secondary commodities of plant origin

The term 'Secondary food commodity' refers to a primary food commodity which has undergone simple processing, such as removal of certain portions, drying (except natural drying), husking, and comminution, which do not basically alter the composition or identity of the product. For the commodities referred to in dried fruits, dried vegetables and dried herbs refer to the commodity groupings for fruits, vegetables and herbs. Naturally field dried mature crops such as pulses or cereal grains are not considered as secondary food commodities.

Dried fruits

Dried fruits are generally artificially dried. Exposure to pesticides may arise from pre-harvest application, post-harvest treatment of the fruits before processing, or treatment of the dried fruit to avoid losses during transport and distribution.

Portion of the commodity to which the MRL and ERL apply (and which is analysed): whole commodity after removal of stones, but the residue is calculated on the whole commodity.

Dried herbs

Dried herbs are generally artificially dried and often comminuted. Exposure to pesticides is from pre-harvest applications and/or treatment of the dry commodities.

Portion of the commodity to which the MRL and ERL apply (and which is analysed): whole commodity.

Dried vegetables

Dried vegetables are generally artificially dried and often comminuted. Exposure to pesticides is from pre-harvest application and/or treatment of the dry commodities.

Portion of the commodity to which the MRL and ERL apply (and which is analysed): whole commodity.

Milled cereal products (early milling stages)

The group 'milled cereal products (early milling stages)' includes the early milling fractions of cereal grains, except buckwheat, such as husked rice, polished rice and the unprocessed cereal grain brans. Exposure to pesticides is through pre-harvest treatments of the growing cereal grain crop and especially through post-harvest treatment of cereal grains.

Commodities: Bran, unprocessed; Rice bran, unprocessed; Rice, husked; Rice, polished; Rye bran, unprocessed; Wheat bran, unprocessed.

Portion of the commodity to which the MRL and ERL apply (and which is analysed): whole commodity.

Secondary commodities of animal origin

The term 'secondary food commodity' refers to a primary food commodity which has undergone simple processing, such as removal of certain portions, drying, and comminution, which do not basically alter the composition or identity of the commodity.

Animal fats, processed

This group includes rendered or extracted (possibly refined and/or clarified) fats from mammals and poultry and fats and oils derived from fish.

Commodities: Tallow and lard from cattle, goats, pigs and sheep; Poultry fats, processed.

Portion of the commodity to which the MRL and ERL apply (and which is analysed): whole commodity.

Dried meat and fish products

For the commodities referred to in dried meat and dried fish products refer to the commodity groupings for meat and fish. Dried meat and fish products includes naturally or artificially dried meat products and dried fish, mainly marine fish.

Portion of the commodity to which the MRL and ERL apply (and which is analysed): whole commodity.

Milk fats

Milk fats are the fatty ingredients derived from the milk of various mammals.

Portion of the commodity to which the MRL and ERL apply (and which is analysed): whole commodity.

2015-gs1948

Schedule 23 - Prohibited Plants and Fungi - Food Standards (Proposal P1025 - Code Revision) Variation—Australia New Zealand Food Standards Code - Amendment No. 154

The Board of Food Standards Australia New Zealand gives notice of the making of this standard under section 92 of the *Food Standards Australia New Zealand Act 1991*.

The Standard commences on 1 March 2016.

Dated 25 March 2015

Standards Management Officer, Delegate of the Board of Food Standards Australia New Zealand.

Note:

This Standard will be published in the Commonwealth of Australia Gazette No. FSC 96 on 10 April 2015.

Note 1 This instrument is a standard under the *Food Standards Australia New Zealand Act 1991* (Cth). The standards together make up the *Australia New Zealand Food Standards Code*. See also section 1.1.1—3.

Prohibited plants and fungi are regulated by paragraphs 1.1.1—10(3)(a) and (4)(e) and Standard 1.4.4. This Standard lists plants and fungi for the definition of **prohibited plant or fungus** in section 1.1.2—3.

Note 2 The provisions of the Code that apply in New Zealand are incorporated in, or adopted under, the *Food Act 2014* (NZ). See also section 1.1.1—3.

S23—1 Name

This Standard is *Australia New Zealand Food Standards Code* - Schedule 23 - Prohibited plants and fungi.

Note Commencement: This Standard commences on 1 March 2016, being the date specified as the commencement date in notices in the *Gazette* and the *New Zealand Gazette* under section 92 of the *Food Standards Australia New Zealand Act 1991* (Cth). See also section 93 of that Act.

S23—2 Prohibited plants and fungi

For paragraph (a) of the definition of **prohibited plant or fungus** in section 1.1.2—3, the plants and fungi are:

Prohibited plants and fungi

<i>Species name</i>	<i>Common name</i>
<i>Abrus cantoniensis</i>	Jequirity seeds
<i>Abrus precatorius</i>	Arrow poison tree
<i>Acokanthera schimperi</i>	Aconite
<i>Aconitum</i> spp.	Calamus oil
<i>Acorus calamus</i>	False hellebore, Spring adonis
<i>Adonis vernalis</i>	Horse chestnut, Buckeye
<i>Aesculus hippocastanum</i>	Cunjevoi, Elephant ear, Kape, 'Ape, Ta'amu
<i>Alocasia macrorrhiza</i>	Alstonia
<i>Alstonia constricta</i>	Agaricus, Fly agaric
<i>Amanita muscaria</i>	Amanita Mushroom
<i>Amanita</i> spp.	Bisnaga, Khella
<i>Ammi visnaga</i>	Cohoba yope, Niopo
<i>Anadenanthera peregrina</i>	Bugloss
<i>Anchusa officinalis</i>	Bitter root, Spreading dogbane
<i>Apocynum androsaemifolium</i>	Canadian hemp, Dogbane, Indian hemp
<i>Apocynum cannabinum</i>	Betel nut
<i>Areca catechu</i> nut	Woolly morning glory
<i>Argyreia nervosa</i>	Birthwort, Snakeroot
<i>Aristolochia</i> spp.	Arnica
<i>Arnica</i> spp.	Deadly nightshade, Dwale
<i>Atropa belladonna</i>	Banisteria, Caapi
<i>Banisteriopsis</i> spp.	Borage
<i>Borago officinalis</i>	Rangiora
<i>Brachyglottis</i> spp.	Manaca, Mercury
<i>Brunfelsia uniflora</i>	European white bryony
<i>Bryonia alba</i>	White bryony
<i>Bryonia dioica</i>	
<i>Cacalia</i> spp.	Calotropis
<i>Calotropis</i> spp.	Hemp, Marijuana
<i>Cannabis</i> spp.	Khat, Chat
<i>Catha edulis</i>	Periwinkle
<i>Catharanthus</i> spp.	Queen of the night, Night blooming jessamine
<i>Cestrum nocturnum</i>	Common celandine, Greater celandine
<i>Chelidonium majus</i>	Wormseed, Mexican goosefoot, Pigweed, America wormseed
<i>Chenopodium ambrosioides</i>	
<i>Cicuta virosa</i>	Cowbane, European water hemlock
<i>Clitocybe</i> spp.	Fungi

Species name	Common name
<i>Colchicum autumnale</i>	Autumn crocus, Meadow saffron
<i>Conium maculatum</i>	Hemlock
<i>Conocybe</i> spp.	
<i>Convallaria majalis</i>	Lily of the Valley
<i>Copelandia</i> spp.	Fungi
<i>Coprinus atramentarius</i>	Common ink cap
<i>Coriaria</i> spp.	Tutu, Tuupaakihi, Puuhou, Toot
<i>Corynocarpus laevigatus</i> seed	Karaka kernel, New Zealand laurel
<i>Coronilla</i> spp.	Crown vetch
<i>Cortinarius</i> spp.	Fungi
<i>Coryanthe yohimbe</i>	Yohimbe
<i>Crotolaria</i> spp.	Crotolaria
<i>Croton tiglium</i>	Croton, Purging croton
<i>Cycas media</i>	Zamia palm
<i>Cynoglossum officinale</i>	Hound's tongue, Beggar's lice
<i>Cytisus scoparius</i> (see <i>Sarothamnus scoparius</i>)	
<i>Daphne</i> spp.	Daphne, Mezereum, Spurge laurel
<i>Datura stramonium</i>	Jimson weed, Datura, Thornapple
<i>Delphinium</i> spp.	Larkspur, Stavesacre
<i>Digitalis purpurea</i>	Foxglove
<i>Dryopteris filix-mas</i>	Male fern
<i>Duboisia</i> spp.	Corkwood, Pituri
<i>Echium plantagineum</i>	Patterson's curse, Salvation Jane
<i>Echium vulgare</i>	Viper's bugloss
<i>Entoloma sinuatus</i>	Fungus
<i>Ephedra sinica</i>	Ma-huang
<i>Erysimum canescens</i>	
<i>Euonymus europaeus</i>	Spindle tree, Skewer wood
<i>Eupatorium rugosum</i>	White snakeroot
<i>Euphorbia</i> spp.	Euphorbia, Milkweed, Spurge, Pennyroyal oil
<i>Farfugium japonicum</i>	
<i>Galanthus nivalis</i>	Snowdrop
<i>Galerina</i> spp.	Fungi
<i>Gelsemium sempervirens</i>	Yellow Jessamine, Gelsemium
<i>Gymnopilus</i> spp.	Fungi
<i>Gyromitra esculenta</i>	False morel
<i>Haemadictyon amazonica</i>	Yage
<i>Heliotropium</i> spp.	Heliotrope
<i>Helleborus niger</i>	Black hellebore, Christmas rose
<i>Hemerocallis fulva</i>	Pale day lily
<i>Hippomane mancinella</i>	Manzanillo
<i>Homeria breyniana</i> (see <i>Homeria collina</i>)	
<i>Homeria collina</i>	One-leaved cape tulip
<i>Homeria miniata</i>	Two-leaved cape tulip
<i>Hydrastis canadensis</i>	Goldenseal root or its extract
<i>Hydnocarpus anthelmentica</i>	Chalmoogra seed
<i>Hyoscyamus niger</i>	Black henbane, Stinking nightshade
<i>Hypholoma fasciculare</i>	Sulphur tuft
<i>Ilex aquifolium</i>	Holly, English holly
<i>Inocybe</i> spp.	Fungi
<i>Ipomoea burmanni</i>	Morning glory
<i>Ipomoea hederacea</i>	Morning glory
<i>Ipomoea tricolor</i> (see <i>Ipomoea violacea</i>)	
<i>Ipomoea violacea</i>	Morning glory
<i>Juniperus sabina</i> oil	Savin oil
<i>Kalmia latifolia</i>	Calico bush, Mountain Laurel, Ivy Bush
<i>Laburnum anagyroides</i>	Laburnum, Golden chain, Golden rain, Bean tree

Species name	Common name
<i>Lantana camara</i>	Lantana
<i>Laurelia nova-zelandiae</i>	Pukatea
<i>Lepiota morgani</i>	Fungus
<i>Lithospermum</i> spp.	
<i>Lobelia inflata</i>	Indian tobacco, Lobelia
<i>Lophophora</i> spp.	Peyote
<i>Lycium ferocissimum</i>	Boxthorn, African boxthorn
<i>Mahonia aquifolium</i>	Oregon grape or Mountain grape root or its extract
<i>Mandragora officinarum</i>	European mandrake
<i>Manihot esculenta</i> Crantz (other than Sweet Cassava)	Cassava
<i>Melia azedarach</i>	White cedar, Indian bead tree, Chinaberry
<i>Menispermum canadense</i>	Yellow parilla, Moonseed
<i>Myoporum laetum</i>	Ngaio, Kaio
<i>Narcissus jonquille</i>	Narcissus, Daffodil, Jonquil
<i>Narcissus poeticus</i>	Narcissus, Daffodil, Jonquil
<i>Narcissus pseudonarcissus</i>	Narcissus, Daffodil, Jonquil
<i>Nerium oleander</i>	Oleander
<i>Nicotiana</i> spp.	Tobacco
<i>Oenanthe aquatica</i> (see <i>Oenanthe phellandrium</i>)	
<i>Oenanthe phellandrium</i>	Water fennel, Water dropwort
<i>Omphalotus</i> spp.	Fungi
<i>Opuntia cylindrica</i>	San Pedro cactus, Cane cactus
<i>Panaeolus</i> spp.	Fungi
<i>Papaver bracteatum</i>	Oriental poppy
<i>Papaver somniferum</i> (other than seeds)	Opium poppy
<i>Pausinystalia yohimbe</i> (see <i>Coryanthe yohimbe</i>)	
<i>Peganum harmala</i>	Wild rue
<i>Petasites</i> spp.	Butterbur
<i>Peumus boldus</i>	Boldo
<i>Phoradendron flavascens</i> (see <i>Viscum flavescens</i>)	
<i>Phoradendron serotinum</i> (see <i>Viscum flavescens</i>)	
<i>Phoradendron tomentosum</i> (see <i>Viscum flavescens</i>)	
<i>Physostigma venenosum</i>	Calabar bean, Ordeal bean
<i>Phytolacca decandra</i>	Red pokeweed, Poke root
<i>Phytolacca americana</i> (see <i>Phytolacca decandra</i>)	
<i>Phytolacca octandra</i>	Inkweed, Red ink plant, Dyeberry
<i>Pilocarpus</i> spp.	
<i>Piptadenia macrocarpa</i>	Cebil colorado, Cura pag
<i>Piptadenia peregrina</i>	Cohoba, Coxoba, Yoke
<i>Pithomyces chartarum</i>	Fungus
<i>Pluteus</i> spp.	Fungi
<i>Podophyllum peltatum</i>	American mandrake, Mayapple, Podophyllum
<i>Prestonia amazonica</i> (see <i>Haemodictyon amazonica</i>)	
<i>Prunus laurocerasus</i>	Cherry laurel
<i>Psoralea corylifolia</i>	Malay tea
<i>Psylocybe</i> spp.	Fungi
<i>Pteridium aquilinum</i>	Bracken Fern
<i>Pulmonaria</i> spp.	Lungwort
<i>Punica granatum</i> stem and root bark	Pomegranate
<i>Rauwolfia</i> spp.	Devil pepper, Rauwolfia
<i>Ricinus communis</i>	Castor bean, Castor oil plant
<i>Robinia pseudoacacia</i>	Black locust, False acacia
<i>Sanguinaria canadensis</i>	Bloodroot, Bloodwort
<i>Sarothamnus scoparius</i>	Common broom
<i>Scopolia carniolica</i>	Scopolia
<i>Senecio</i> spp.	Ragwort
<i>Solanum aviculare</i>	Poroporo, Pooporo, Kohoho, Bullibulli

Species name	Common name
<i>Solanum diflorum</i>	False Jerusalem cherry
<i>Solanum dulcamara</i>	Bittersweet twigs, Blue bindweed, Woody nightshade, Nightshade
<i>Solanum laciniatum</i> (see <i>Solanum aviculare</i>)	
<i>Solanum linnaenum</i> (see <i>Solanum sodomium</i>)	
<i>Solanum nigrum</i>	Black nightshade
<i>Solanum pseudocapsicum</i>	Jerusalem cherries
<i>Solanum sodomium</i>	Apple of Sodom
<i>Sophora microphylla</i>	Kowhai
<i>Sophora secundiflora</i>	Mescal bean
<i>Spartium junceum</i>	Spanish broom
<i>Spigela marilandica</i>	Pinkroot, Worm grass
<i>Strophanthus gratus</i>	Strophanthus
<i>Strophanthus kombe</i>	Strophanthus
<i>Stropharia cubensis</i>	Fungus
<i>Strychnos gauthieriana</i>	Hoang nan
<i>Strychnos ignatii</i>	Ignatious bean
<i>Strychnos malaccensis</i> (see <i>Strychnos gauthieriana</i>)	
<i>Strychnos nux-vomica</i>	Poison nut, Nux vomica
<i>Symphytum asperum</i>	Prickly comfrey
<i>Symphytum officinale</i>	Common comfrey
<i>Symphytum x uplandicum</i>	Russian comfrey
<i>Tamus communis</i>	Blackeye root, Black bryony
<i>Taxus baccata</i>	Yew, European yew, Common yew
<i>Thevetia nerifolia</i> (see <i>Thevetia peruviana</i>)	
<i>Thevetia peruviana</i>	Snake nut
<i>Trichodesma africana</i>	
<i>Tricholoma muscarium</i>	Fungus
<i>Tussilago farfara</i>	Coltsfoot
<i>Veratrum</i> spp.	Hellebore
<i>Vinca</i> spp.	Periwinkle
<i>Virola sebifera</i>	Cuajo negro, Camaticaro
<i>Viscum album</i>	European mistletoe berries
<i>Viscum flavescens</i>	American mistletoe
<i>Xysmalobium undulatum</i>	Uzara, Thornbush
<i>Zamia integrifolia</i>	Coonties, Florida arrowroot

2015-gs1949

Schedule 24 - Restricted Plants and Fungi - Food Standards (Proposal P1025 - Code Revision) Variation—Australia New Zealand Food Standards Code - Amendment No. 154

The Board of Food Standards Australia New Zealand gives notice of the making of this standard under section 92 of the *Food Standards Australia New Zealand Act 1991*.

The Standard commences on 1 March 2016.

Dated 25 March 2015

Standards Management Officer, Delegate of the Board of Food Standards Australia New Zealand.

Note:

This Standard will be published in the Commonwealth of Australia Gazette No. FSC 96 on 10 April 2015.

Note 1 This instrument is a standard under the *Food Standards Australia New Zealand Act 1991* (Cth). The standards together make up the *Australia New Zealand Food Standards Code*. See also section 1.1.1—3.

Restricted plants and fungi are regulated by paragraphs 1.1.1—10(3)(a) and (4)(e) and Standard 1.4.4. This Standard lists plants and fungi for the definition of **restricted plant or fungus** in section 1.1.2—3.

Note 2 The provisions of the Code that apply in New Zealand are incorporated in, or adopted under, the *Food Act*

2014 (NZ). See also section 1.1.1—3.

S24—1 Name

This Standard is *Australia New Zealand Food Standards Code* - Schedule 24 - Restricted plants and fungi.

Note Commencement: This Standard commences on 1 March 2016, being the date specified as the commencement date in notices in the *Gazette* and the *New Zealand Gazette* under section 92 of the *Food Standards Australia New Zealand Act 1991* (Cth). See also section 93 of that Act.

S24—2 Restricted plants and fungi

For paragraph (a) of the definition of **restricted plant or fungus** in section 1.1.2—3, the plants and fungi are:

Restricted plants and fungi

<i>Species name</i>	<i>Common name</i>	<i>Natural toxicant</i>
<i>Artemisia absinthium</i>	Common wormwood	Thujone, santonin
<i>Artemisia cina Berg</i>	Levant wormseed	Thujone, santonin
<i>Artemisia maritima</i>	Levant wormseed	Thujone, santonin
<i>Artemisia vulgaris</i>	Mugwort	Thujone, santonin
<i>Chrysanthemum balsamita</i>	Costmary	Thujone
<i>Chrysanthemum parthenium</i> (see <i>Tanacetum parthenium</i>)		
<i>Cinchona</i> spp.	Cinchona	Quinine
<i>Cinnamomum camphora</i>	Camphor tree oil	Safrole, coumarin
<i>Cinnamomum micranthum</i>	Micranthum oil	Safrole, coumarin
<i>Hedeoma pulegioides</i> oil	American pennyroyal White snakeroot oil	Pulegone
<i>Hypericum perforatum</i>	St John's wort	Hypericine
<i>Mentha pulegium</i> oil	European pennyroyal oil	Pulegone
<i>Sassafras albidum</i>	American sassafras oil	Safrole
<i>Sassafras officinale</i> (see <i>Sassafras albidum</i>)		
<i>Tanacetum balsamita</i> (see <i>Chrysanthemum balsamita</i>)		
<i>Tanacetum parthenium</i>	Feverfew	Santonin
<i>Tanacetum vulgare</i>	Tansy oil	Thujone
<i>Thuja occidentalis</i>	Thuja, White cedar	Thujone

2015-gs1950

Schedule 25 - Permitted Novel Foods - Food Standards (Proposal P1025 - Code Revision) Variation—Australia New Zealand Food Standards Code - Amendment No. 154

The Board of Food Standards Australia New Zealand gives notice of the making of this standard under section 92 of the *Food Standards Australia New Zealand Act 1991*.

The Standard commences on 1 March 2016.

Dated 25 March 2015

Standards Management Officer, Delegate of the Board of Food Standards Australia New Zealand.

Note:

This Standard will be published in the Commonwealth of Australia Gazette No. FSC 96 on 10 April 2015.

Note 1 This instrument is a standard under the *Food Standards Australia New Zealand Act 1991* (Cth). The standards together make up the *Australia New Zealand Food Standards Code*. See also section 1.1.1—3.

Novel foods are regulated by paragraphs 1.1.1—10(3)(b) and (4)(f) and Standard 1.5.1. This Standard lists permitted novel foods, and specifies conditions for their use, for section 1.5.1—3.

Note 2 The provisions of the Code that apply in New Zealand are incorporated in, or adopted under, the *Food Act 2014* (NZ). See also section 1.1.1—3.

S25—1 Name

This Standard is *Australia New Zealand Food Standards Code* - Schedule 25 - Permitted novel foods.

Note Commencement: This Standard commences on 1 March 2016, being the date specified as the commencement date in notices in the *Gazette* and the *New Zealand Gazette* under section 92 of the *Food Standards Australia New Zealand Act 1991* (Cth). See also section 93 of that Act.

S25—2 Sale of novel foods

For section 1.5.1—3, the permitted *novel foods and their conditions for use are:

Sale of novel foods

<i>Permitted novel food</i>	<i>Conditions of use</i>
α-cyclodextrin	1. The name 'alpha cyclodextrin' or 'α- cyclodextrin' must be used when declaring the ingredient in the statement of ingredients.
γ-cyclodextrin	1. The name 'gamma cyclodextrin' or 'γ- cyclodextrin' must be used when declaring the ingredient in the statement of ingredients.
Diacylglycerol oil (DAG-Oil)	1. The name 'Diacylglycerol oil' must be used when declaring the ingredient in the statement of ingredients.
Dried marine micro-algae (<i>Schizochytrium</i> sp.) rich in docosahexaenoic acid (DHA)	
Oil derived from marine micro-algae (<i>Schizochytrium</i> sp.) rich in docosahexaenoic acid (DHA)	
Oil derived from marine micro-algae (<i>Ulkenia</i> sp.) rich in docosahexaenoic acid (DHA)	
Isomaltulose	
*Phytosterols, phytostanols and their esters	<ol style="list-style-type: none"> 1. The food must comply with requirements in Standard 1.2.1 insofar as they relate to section 1.2.3—2. 2. May only be added to edible oil spreads: <ol style="list-style-type: none"> (a) according to Standard 2.4.2; and (b) where the total *saturated and *trans fatty acids present in the food are no more than 28% of the total fatty acid content of the food; and 3. May only be added to breakfast cereals, not including breakfast cereal bars, if: <ol style="list-style-type: none"> (a) the total fibre content of the breakfast cereal is no less than 3 g/50 g serve; and (b) the breakfast cereal contains no more than 30 g/100 g of total sugars; and (c) the *total plant sterol equivalents content is no less than 15 g/kg and no more than 19 g/kg. 4. Foods to which phytosterols, phytostanols or their esters have been added must not be used as ingredients in other foods. 5. May only be added to milk in accordance with Standard 2.5.1. 6. May only be added to yoghurt in accordance with Standard 2.5.3
D-Tagatose	

<i>Permitted novel food</i>	<i>Conditions of use</i>
Tall oil phytosterol esters	<ol style="list-style-type: none"> 1. Tall oil phytosterol esters must comply with the specification for tall oil phytosterol esters in Schedule 3. 2. The food must comply with the requirements in Standard 1.2.1 insofar as they relate to section 1.2.3—2. 3. The name ‘tall oil phytosterol esters’ or ‘plant sterol esters’ must be used. 4. May only be added to cheese and processed cheese, in accordance with Standard 2.5.4. 6. Foods to which tall oil phytosterol esters have been added must not be used as ingredients in other foods.
Trehalose	

2015-gs1951

Schedule 26 - Food Produced Using Gene Technology - Food Standards (Proposal P1025 - Code Revision) Variation—Australia New Zealand Food Standards Code - Amendment No. 154

The Board of Food Standards Australia New Zealand gives notice of the making of this standard under section 92 of the *Food Standards Australia New Zealand Act 1991*.

The Standard commences on 1 March 2016.

Dated 25 March 2015

Standards Management Officer, Delegate of the Board of Food Standards Australia New Zealand.

Note:

This Standard will be published in the Commonwealth of Australia Gazette No. FSC 96 on 10 April 2015.

Note 1 This instrument is a standard under the *Food Standards Australia New Zealand Act 1991* (Cth). The standards together make up the *Australia New Zealand Food Standards Code*. See also section 1.1.1—3.

Food produced using gene technology is regulated by paragraphs 1.1.1—10(3)(c) and (4)(g) and Standard 1.5.2. This standard lists food produced using gene technology, and corresponding conditions, for paragraph 1.5.2—3(a).

Note 2 The provisions of the Code that apply in New Zealand are incorporated in, or adopted under, the *Food Act 2014* (NZ). See also section 1.1.1—3.

S26—1 Name

This Standard is *Australia New Zealand Food Standards Code - Schedule 26 - Food produced using gene technology*.

Note Commencement: This Standard commences on 1 March 2016, being the date specified as the commencement date in notices in the *Gazette* and the *New Zealand Gazette* under section 92 of the *Food Standards Australia New Zealand Act 1991* (Cth). See also section 93 of that Act.

S26—2 Interpretation

(1) In this Schedule, headings in bold type are for information only, and do not list food for the purpose of section 1.5.2—3.

(2) In this Schedule:

conventional breeding means all methods used to produce plants, excluding techniques that use gene technology.

line means:

(a) a plant, the genetic material of which includes a transformation event or events; or

(b) any plant, descended from the plant referred to in paragraph (a), that is the result of conventional breeding of that plant with:

(i) any other plant that does not contain a transformation event or events; or

(ii) any other plant that contains a transformation event or events, whether expressed as a line or event, that is listed in the table to section S26—3;

(iii) but shall not be taken to mean any plant derived solely as a result of conventional breeding.

transformation event means a unique genetic modification arising from the use of gene technology.

S26—3 Permitted food produced using gene technology and conditions

(1) The table to subsection (4) lists permitted food produced using gene technology.

(2) Items 2(m), 7(e), (g) and (h) are subject to the condition that their labelling must comply with section 1.5.2—4.

Note That section requires the statement ‘genetically modified’.

(3) Item 2(m) is also subject to the condition that, for the labelling provisions, unless the protein content has been removed as part of a refining process, the information relating to *foods produced using gene technology includes a statement to the effect that the high lysine corn line LY038 has been genetically modified to contain increased levels of lysine.

(4) The table for this subsection is:

Food produced using gene technology

Commodity	Food derived from:
1 Canola	(a) herbicide-tolerant canola line GT73 (b) herbicide-tolerant canola lines Topas 19/2 and T45 and herbicide-tolerant and pollination-controlled lines Ms1, Ms8, Rf1, Rf2, Rf3 (c) herbicide-tolerant canola line Westar-Oxy-235 (d) herbicide-tolerant canola line MON88302 (e) herbicide-tolerant canola line DP-073496-4
2 Corn	(a) herbicide-tolerant corn line GA21 (b) insect-protected corn line MON810 (c) herbicide-tolerant and insect-protected corn line Bt11 (d) insect-protected corn line Bt176 (e) herbicide-tolerant corn line T25 (f) herbicide-tolerant corn line NK603 (g) herbicide-tolerant and insect-protected corn line DBT418 (h) herbicide-tolerant and insect-protected corn line 1507 (i) insect-protected corn line MON863 (j) herbicide-tolerant and insect-protected corn line DAS-59122-7 (k) herbicide-tolerant and insect-protected corn line MON88017 (l) insect-protected corn line MIR604 (m) high lysine corn line LY038 (see subsections (2) and (3)) (n) amylase modified corn line 3272 (o) insect-protected corn line MON89034 (p) insect-protected corn line MIR162 (q) herbicide-tolerant corn line DP-098140-6 (r) drought-tolerant corn line MON87460 (s) herbicide-tolerant corn line DAS-40278-9 (t) insect-protected corn line 5307 (u) herbicide-tolerant corn line MON87427
3 Cotton	(a) insect-protected cotton lines 531, 757 and 1076 (b) herbicide-tolerant cotton line 1445 (c) herbicide-tolerant cotton lines 10211 and 10222 (d) insect-protected cotton line 15985 (e) insect-protected cotton line COT102 (f) herbicide-tolerant and insect-protected cotton line MXB-13 (g) herbicide-tolerant cotton line LL25 (h) herbicide-tolerant cotton line MON88913 (i) herbicide-tolerant cotton line GHB614 (j) insect-protected cotton line COT67B (k) herbicide-tolerant and insect-protected cotton line T304-40 (l) herbicide-tolerant and insect-protected cotton line GHB119 (m) herbicide-tolerant cotton line MON88701 (n) herbicide-tolerant cotton line DAS-81910-7
4 Lucerne	(a) herbicide-tolerant lucerne lines J101 & J163

<i>Commodity</i>	<i>Food derived from:</i>
5	<p>Potato</p> <p>(b) food derived from reduced lignin lucerne line KK179</p> <p>(a) insect-protected potato lines BT-06, ATBT04-06, ATBT04-31, ATBT04-36, and SPBT02-05</p> <p>(b) insect- and virus-protected potato lines RBMT21-129, RBMT21-350 and RBMT22-82</p> <p>(c) insect- and virus-protected potato lines RBMT15-101, SEM15-02 and SEM15-15</p>
6	<p>Rice</p> <p>(a) herbicide-tolerant rice line LLRICE62</p>
7	<p>Soybean</p> <p>(a) herbicide-tolerant soybean line 40-3-2</p> <p>(b) herbicide-tolerant soybean lines A2704-12 and A5547-127</p> <p>(c) herbicide-tolerant soybean line MON89788</p> <p>(d) herbicide-tolerant soybean line DP-356043-5</p> <p>(e) high oleic acid soybean line DP-305423-1 (see subsection (2))</p> <p>(f) insect-protected soybean line MON87701</p> <p>(g) herbicide-tolerant high oleic acid soybean line MON87705 (see subsection (2))</p> <p>(h) soybean line MON87769 producing stearidonic acid (see subsection (2))</p> <p>(i) herbicide-tolerant soybean line DAS-68416-4</p> <p>(j) herbicide-tolerant soybean line FG72</p> <p>(k) herbicide-tolerant soybean line MON87708</p> <p>(l) herbicide-tolerant soybean line CV127</p> <p>(m) herbicide-tolerant soybean line DAS-44406-6</p> <p>(n) herbicide-tolerant soybean line SYHT0H2</p> <p>(o) insect-protected soybean line DAS-81419-2</p>
8	<p>Sugarbeet</p> <p>(a) herbicide-tolerant sugarbeet line 77</p> <p>(b) herbicide-tolerant sugarbeet line H7-1</p>

2015-gs1952

Schedule 27 - Microbiological Limits for Foods - Food Standards (Proposal P1025 - Code Revision) Variation—Australia New Zealand Food Standards Code - Amendment No. 154

The Board of Food Standards Australia New Zealand gives notice of the making of this standard under section 92 of the *Food Standards Australia New Zealand Act 1991*.

The Standard commences on 1 March 2016.

Dated 25 March 2015

Standards Management Officer, Delegate of the Board of Food Standards Australia New Zealand.

Note:

This Standard will be published in the Commonwealth of Australia Gazette No. FSC 96 on 10 April 2015.

Note 1 This instrument is a standard under the *Food Standards Australia New Zealand Act 1991* (Cth). The standards together make up the *Australia New Zealand Food Standards Code*. See also section 1.1.1–3.

Microbiological limits for foods are regulated by subsection 1.1.1–11 and Standard 1.6.1. This Standard lists information for section 1.6.1–2 and subsection 1.6.1–3(2).

Note 2 The provisions of the Code that apply in New Zealand are incorporated in, or adopted under, the *Food Act 2014* (NZ). See also section 1.1.1–3.

S27–1 Name

This Standard is *Australia New Zealand Food Standards Code - Schedule 27 - Microbiological limits for foods*.

Note Commencement: This Standard commences on 1 March 2016, being the date specified as the commencement date in notices in the *Gazette* and the *New Zealand Gazette* under section 92 of the *Food Standards Australia New Zealand Act 1991* (Cth). See also section 93 of that Act.

S27–2 Definitions

Note In this Code (see section 1.1.2—2):

SPC:

(a) means a standard plate count at 30°C with an incubation time of 72 hours; and

(b) in relation to powdered infant formula products with added lactic acid producing organisms—means that standard plate count prior to the addition of the microorganisms to the food.

In this Schedule:

processed, in relation to egg product, means pasteurised or subjected to an equivalent treatment.

S27—3 Limit for SPC in powdered infant formula products

The limit for SPC in section S27—4 does not apply to powdered infant formula products that contain lactic acid producing microorganisms.

S27—4 Microbiological limits for foods

For section 1.6.1—2, the table is:

Microbiological limits in foods

<i>Column 1</i>	<i>Column 2 (n)</i>	<i>Column 3 (c)</i>	<i>Column 4 (m)</i>	<i>Column 5 (M)</i>
Butter made from unpasteurised milk and/or unpasteurised milk products				
<i>Campylobacter</i> /25 g	5	0	not detected in 25 g	
Coagulase-positive staphylococci/g	5	1	10/g	10 ²
Coliforms/g	5	1	10/g	10 ² /g
<i>Escherichia coli</i> /g	5	1	3/g	9/g
<i>Salmonella</i> /25 g	5	0	not detected in 25 g	
SPC/g	5	0	5x10 ⁵ /g	
All cheese				
<i>Escherichia coli</i>	5	1	10/g	10 ² /g
Soft and semi-soft cheese (moisture content > 39%) with pH > 5.0				
<i>Salmonella</i>	5	0	not detected in 25 g	
All raw milk cheese (cheese made from milk not pasteurised or thermised)				
<i>Salmonella</i>	5	0	not detected in 25 g	
Raw milk unripened cheeses (moisture content > 50% with pH > 5.0) mixed tart				
<i>Campylobacter</i>	5	0	not detected in 25 g	
Dried milk				
<i>Salmonella</i>	5	0	not detected in 25 g	
Unpasteurised milk for retail sale				
<i>Campylobacter</i>	5	0	not detected in 25 g	
Coliforms/mL	5	1	10 ² /mL	10 ³ /mL
<i>Escherichia coli</i> /mL	5	1	3/mL	9/mL
<i>Salmonella</i>	5	0	not detected in 25 g	
SPC/mL	5	1	2.5x10 ⁴ /mL	2.5x10 ⁵ /mL
Packaged cooked cured/salted meat				
Coagulase-positive staphylococci	5	1	10 ² /g	10 ³ /g

<i>Column 1</i>	<i>Column 2 (n)</i>	<i>Column 3 (c)</i>	<i>Column 4 (m)</i>	<i>Column 5 (M)</i>
<i>Salmonella</i>	5	0	not detected in 25 g	
Packaged heat treated meat paste and packaged heat treated pâté				
<i>Salmonella</i>	5	0	not detected in 25 g	
All comminuted fermented meat which has not been cooked during the production process				
Coagulase-positive staphylococci	5	1	10 ³ /g	10 ⁴ /g
<i>Escherichia coli</i>	5	1	3.6/g	9.2/g
<i>Salmonella</i>	5	0	not detected in 25 g	
Cooked crustacea				
Coagulase-positive staphylococci	5	2	10 ² /g	10 ³ /g
<i>Salmonella</i>	5	0	not detected in 25 g	
SPC/g	5	2	10 ⁵ /g	10 ⁶ /g
Raw crustacea				
Coagulase-positive staphylococci	5	2	10 ² /g	10 ³ /g
<i>Salmonella</i>	5	0	not detected in 25 g	
SPC	5	2	5x10 ⁵ /g	5x10 ⁶ /g
Bivalve molluscs, other than scallops				
<i>Escherichia coli</i>	5	1	2.3/g	7/g
Ready-to-eat food in which growth of <i>Listeria monocytogenes</i> can occur				
<i>Listeria monocytogenes</i>	5	0	10 ² cfu/g	
Ready-to-eat food in which growth of <i>Listeria monocytogenes</i> will not occur				
<i>Listeria monocytogenes</i>	5	0	not detected in 25 g	
Cereal-based foods for infants				
Coliforms	5	2	less than 3/g	20/g
<i>Salmonella</i>	10	0	not detected in 25 g	
Powdered infant formula products				
<i>Bacillus cereus</i>	5	0	100	
Coagulase-positive staphylococci	5	1	0	10/g
Coliforms	5	2	less than 3/g	10/g
<i>Salmonella</i>	10	0	not detected in 25 g	
SPC	5	2	10 ³	10 ⁴ /g
Pepper, paprika and cinnamon				
<i>Salmonella</i>	5	0	not detected in 25 g	
Dried, chipped, desiccated coconut				
<i>Salmonella</i>	10	0	not detected in 25 g	

<i>Column 1</i>	<i>Column 2 (n)</i>	<i>Column 3 (c)</i>	<i>Column 4 (m)</i>	<i>Column 5 (M)</i>
Cocoa powder				
<i>Salmonella</i>	5	0	not detected in 25 g	
Cultured seeds and grains (bean sprouts, alfalfa etc)				
<i>Salmonella</i>	5	0	not detected in 25 g	
Processed egg product				
<i>Salmonella</i>	5	0	not detected in 25 g	
Mineral water				
<i>Escherichia coli</i>	5	0	not detected in 100 mL	
Packaged water				
<i>Escherichia coli</i>	5	0	not detected in 100 mL	
Packaged ice				
<i>Escherichia coli</i>	5	0	not detected in 100 mL	

2015-gs1953

Schedule 28 - Formulated Caffeinated Beverages - Food Standards (Proposal P1025 - Code Revision) Variation—Australia New Zealand Food Standards Code - Amendment No. 154

The Board of Food Standards Australia New Zealand gives notice of the making of this standard under section 92 of the *Food Standards Australia New Zealand Act 1991*.

The Standard commences on 1 March 2016.

Dated 25 March 2015

Standards Management Officer, Delegate of the Board of Food Standards Australia New Zealand.

Note:

This Standard will be published in the Commonwealth of Australia Gazette No. FSC 96 on 10 April 2015.

Note 1 This instrument is a standard under the *Food Standards Australia New Zealand Act 1991* (Cth). The standards together make up the *Australia New Zealand Food Standards Code*. See also section 1.1.1–3.

Formulated caffeinated beverages are regulated by subsection 1.1.1–10(5) and Standard 2.6.4. This Standard lists substances and their corresponding permitted amounts for Standard 2.6.4.

Note 2 The provisions of the Code that apply in New Zealand are incorporated in, or adopted under, the *Food Act 2014* (NZ). See also section 1.1.1–3.

S28–1 Name

This Standard is *Australia New Zealand Food Standards Code - Schedule 28 - Formulated caffeinated beverages*.

Note Commencement: This Standard commences on 1 March 2016, being the date specified as the commencement date in notices in the *Gazette* and the *New Zealand Gazette* under section 92 of the *Food Standards Australia New Zealand Act 1991* (Cth). See also section 93 of that Act.

S28–2 Formulated caffeinated beverages

For section 2.6.4–2 and section 2.6.4–5, the table is:

Formulated caffeinated beverages

<i>Column 1 Substance</i>	<i>Column 2 Permitted amount</i>
Thiamin	40 mg

<i>Column 1</i> <i>Substance</i>	<i>Column 2</i> <i>Permitted amount</i>
Riboflavin	20 mg
Niacin	40 mg
Vitamin B ₆	10 mg
Vitamin B ₁₂	10 µg
Pantothenic acid	10 mg
Taurine	2 000 mg
Glucuronolactone	1 200 mg
Inositol	100 mg

2015-gs1954

Schedule 29 - Special Purpose Foods - Food Standards (Proposal P1025 - Code Revision) Variation—Australia New Zealand Food Standards Code - Amendment No. 154

The Board of Food Standards Australia New Zealand gives notice of the making of this standard under section 92 of the *Food Standards Australia New Zealand Act 1991*.

The Standard commences on 1 March 2016.

Dated 25 March 2015

Standards Management Officer, Delegate of the Board of Food Standards Australia New Zealand.

Note:

This Standard will be published in the Commonwealth of Australia Gazette No. FSC 96 on 10 April 2015.

Note 1 This instrument is a standard under the *Food Standards Australia New Zealand Act 1991* (Cth). The standards together make up the *Australia New Zealand Food Standards Code*. See also section 1.1.1—3.

Special purpose foods are regulated by Part 9 of Chapter 2, which contains Standard 2.9.1, Standard 2.9.2, Standard 2.9.3, Standard 2.9.4, Standard 2.9.5 and Standard 2.9.6. This Standard prescribes information for these standards.

Note 2 The provisions of the Code that apply in New Zealand are incorporated in, or adopted under, the *Food Act 2014* (NZ). See also section 1.1.1—3.

S29—1 Name

This Standard is *Australia New Zealand Food Standards Code - Schedule 29 - Special purpose foods*.

Note Commencement: This Standard commences on 1 March 2016, being the date specified as the commencement date in notices in the *Gazette* and the *New Zealand Gazette* under section 92 of the *Food Standards Australia New Zealand Act 1991* (Cth). See also section 93 of that Act.

S29—2 Infant formula product—calculation of energy

(1) For paragraph 2.9.1—4(2)(a), the energy content of infant formula product must be calculated using:

(a) the energy contributions of the following *components only:

- (i) fat; and
- (ii) protein; and
- (iii) carbohydrate; and

(b) the relevant energy factors set out in section S11—2.

(2) The energy content of infant formula product must be expressed in kilojoules.

S29—3 Infant formula product—calculation of protein content

For paragraph 2.9.1—4(2)(b), the protein content (**PC**) of infant formula product must be calculated in accordance with the following equation:

$$PC = NC \times F$$

where:

NC is the nitrogen content of the infant formula product.

F is:

- (a) for milk proteins and their partial protein hydrolysates—6.38; or
- (b) otherwise—6.25.

S29—4 Infant formula product—calculation of potential renal solute load

(1) For paragraph 2.9.1—4(2)(c), the potential renal solute load (*PRSL*), in mOsm/100 kJ, must be calculated in accordance with the following equation:

$$PRSL = \frac{Na}{23} + \frac{Cl}{35} + \frac{K}{39} + \frac{P_{avail}}{31} + \frac{N}{28}$$

where:

Na is the amount of sodium in the infant formula product in mg/100 kJ.

Cl is the amount of chloride in the infant formula product in mg/100 kJ.

K is the amount of potassium in the infant formula product in mg/100 kJ.

P_{avail} is given by the formula set out in subsection (2).

N is the amount of nitrogen in the infant formula product in mg/100 kJ.

(2) In subsection (1), *P_{avail}* is calculated in accordance with the following equation:

$$P_{avail} = P_{mbf} + \left(\frac{2}{3} \times P_{sbf} \right)$$

where:

P_{mbf} is the amount of phosphorus in the milk-based formula.

P_{sbf} is the amount of phosphorus in the soy-based formula.

S29—5 Infant formula products—substances permitted as nutritive substances

For section 2.9.1—5, the table is:

Infant formula products—substances permitted for use as nutritive substances

<i>Column 1</i> <i>Substance</i>	<i>Column 2</i> <i>Permitted forms</i>	<i>Column 3</i> <i>Minimum amount per 100 kJ</i>	<i>Column 4</i> <i>Maximum amount per 100 kJ</i>
Adenosine-5'-monophosphate	Adenosine-5'- monophosphate	0.14 mg	0.38 mg
L-carnitine	L-carnitine	0.21 mg	0.8 mg
Choline	Choline chloride	1.7 mg	7.1 mg
	Choline bitartrate		
Cytidine-5'-monophosphate	Cytidine-5'-monophosphate	0.22 mg	0.6 mg
Guanosine-5'-monophosphate	Guanosine-5'-monophosphate	0.04 mg	0.12 mg
	Guanosine-5'-monophosphate sodium salt		
Inosine-5'-monophosphate	Inosine-5'-monophosphate	0.08 mg	0.24 mg
	Inosine-5'-monophosphate sodium salt		
Lutein	Lutein from <i>Tagetes erecta L.</i>	1.5 µg	5 µg
Inositol	Inositol	1.0 mg	9.5 mg
Taurine	Taurine	0.8 mg	3 mg
Uridine-5'-monophosphate	Uridine-5'-monophosphate sodium salt	0.13 mg	0.42 mg

S29—6 Infant formula products—L-amino acids that must be present in infant formula and follow-on formula

For section 2.9.1—10, the table is:

L-amino acids that must be present in infant formula and follow-on formula

<i>L-amino acid</i>	<i>Minimum amount per 100 kJ</i>
Histidine	10 mg
Isoleucine	21 mg
Leucine	42 mg
Lysine	30 mg

<i>L-amino acid</i>	<i>Minimum amount per 100 kJ</i>
Cysteine & cysteine total	6 mg
Cysteine, cystine & methionine total	19 mg
Phenylalanine	17 mg
Phenylalanine & tyrosine total	32 mg
Threonine	19 mg
Tryptophan	7 mg
Valine	25 mg

S29—7 Permitted forms of vitamins, minerals and electrolytes in infant formula products, food for infants and food for special medical purposes

For sections 2.9.1—12, 2.9.2—4, 2.9.2—5, 2.9.2—6 and 2.9.5—6, the table is:

Permitted forms of vitamins, minerals and electrolytes in infant formula products, etc

<i>Vitamin, mineral or electrolyte</i>	<i>Permitted forms</i>
Vitamin A	
<i>Retinol forms</i>	vitamin A (retinol) vitamin A acetate (retinyl acetate) vitamin A palmitate (retinyl palmitate) retinyl propionate
<i>Provitamin A forms</i>	beta-carotene
Vitamin C	L-ascorbic acid L-ascorbyl palmitate calcium ascorbate potassium ascorbate sodium ascorbate
Vitamin D	vitamin D ₂ (ergocalciferol) vitamin D ₃ (cholecalciferol) vitamin D (cholecalciferol-cholesterol)
Thiamin	thiamin hydrochloride thiamin mononitrate
Riboflavin	riboflavin riboflavin-5'-phosphate, sodium
Niacin	niacinamide (nicotinamide)
Vitamin B ₆	pyridoxine hydrochloride pyridoxine-5'-phosphate
Folate	folic acid
Pantothenic acid	calcium pantothenate dexpantenol
Vitamin B ₁₂	cyanocobalamin hydroxocobalamin
Biotin	d-biotin
Vitamin E	dl- α -tocopherol d- α -tocopherol concentrate tocopherols concentrate, mixed d- α -tocopheryl acetate dl- α -tocopheryl acetate d- α -tocopheryl acid succinate dl- α -tocopheryl succinate
Vitamin K	Vitamin K ₁ as phylloquinone (phytonadione) phytylmenoaquinone
Calcium	calcium carbonate calcium chloride calcium citrate calcium gluconate calcium glycerophosphate

<i>Vitamin, mineral or electrolyte</i>	<i>Permitted forms</i>
	calcium hydroxide
	calcium lactate
	calcium oxide
	calcium phosphate, dibasic
	calcium phosphate, monobasic
	calcium phosphate, tribasic
	calcium sulphate
Chloride	calcium chloride
	magnesium chloride
	potassium chloride
	sodium chloride
Chromium	chromium sulphate
Copper	copper gluconate
	cupric sulphate
	cupric citrate
Iodine	potassium iodate
	potassium iodide
	sodium iodide
Iron	ferric ammonium citrate
	ferric pyrophosphate
	ferrous citrate
	ferrous fumarate
	ferrous gluconate
	ferrous lactate
	ferrous succinate
	ferrous sulphate
Magnesium	magnesium carbonate
	magnesium chloride
	magnesium gluconate
	magnesium oxide
	magnesium phosphate, dibasic
	magnesium phosphate, tribasic
	magnesium sulphate
Manganese	manganese chloride
	manganese gluconate
	manganese sulphate
	manganese carbonate
	manganese citrate
Molybdenum	sodium molybdate VI
Phosphorus	calcium glycerophosphate
	calcium phosphate, dibasic
	calcium phosphate, monobasic
	calcium phosphate, tribasic
	magnesium phosphate, dibasic
	potassium phosphate, dibasic
	potassium phosphate, monobasic
	potassium phosphate, tribasic
	sodium phosphate, dibasic
	sodium phosphate, monobasic
	sodium phosphate, tribasic
Potassium	potassium bicarbonate
	potassium carbonate
	potassium chloride
	potassium citrate
	potassium glycerophosphate
	potassium gluconate
	potassium hydroxide

<i>Vitamin, mineral or electrolyte</i>	<i>Permitted forms</i>	
Selenium	potassium phosphate, dibasic	
	potassium phosphate, monobasic	
	potassium phosphate, tribasic	
	seleno methionine	
	sodium selenate	
	sodium selenite	
	Sodium	sodium bicarbonate
		sodium carbonate
		sodium chloride
		sodium chloride iodised
sodium citrate		
sodium gluconate		
sodium hydroxide		
sodium iodide		
sodium lactate		
sodium phosphate, dibasic		
sodium phosphate, monobasic		
sodium phosphate, tribasic		
sodium sulphate		
sodium tartrate		
Zinc	zinc acetate	
	zinc chloride	
	zinc gluconate	
	zinc oxide	
	zinc sulphate	

S29—8 Infant formula products—limits on fatty acids that may be present in infant formula and follow-on formula

For section 2.9.1—11, the table is:

Limits on fatty acids that may be present in infant formula and follow-on formula

<i>Fatty acid</i>	<i>Limits</i>
<i>Essential fatty acids</i>	
Linoleic acid (18:2)	no less than 9% of the total fatty acids no more than 26% of the total fatty acids
α -Linolenic acid (18:3)	no less than 1.1% of the total fatty acids no more than 4% of the total fatty acids
<i>Long chain polyunsaturated fatty acids</i>	
Long chain omega 6 series fatty acids (C > = 20)	no more than 2% of the total fatty acids
Arachidonic acid (20:4)	no more than 1% of the total fatty acids
Long chain omega 3 series fatty acids (C > = 20)	no more than 1% of the total fatty acids
Total <i>trans</i> fatty acids	no more than 4% of the total fatty acids
Erucic acid (22:1)	no more than 1% of the total fatty acids

S29—9 Required vitamins, minerals and electrolytes in infant formula and follow-on formula

For section 2.9.1—12, the table is:

Required vitamins, minerals and electrolytes in infant formula and follow-on formula

<i>Column 1</i>	<i>Column 2</i>	<i>Column 3</i>
<i>Vitamin, mineral or electrolyte</i>	<i>Minimum amount per 100 kJ</i>	<i>Maximum amount per 100 kJ</i>
Vitamins		
Vitamin A	14 μ g	43 μ g
Vitamin D	0.25 μ g	0.63 μ g
Vitamin C	1.7 mg	
Thiamin	10 μ g	

Column 1	Column 2	Column 3
<i>Vitamin, mineral or electrolyte</i>	<i>Minimum amount per 100 kJ</i>	<i>Maximum amount per 100 kJ</i>
Riboflavin	14 µg	
Preformed Niacin	130 µg	
Vitamin B ₆	9 µg	36 µg
Folate	2 µg	
Pantothenic acid	70 µg	
Vitamin B ₁₂	0.025 µg	
Biotin	0.36 µg	
Vitamin E	0.11 mg	1.1 mg
Vitamin K	1 µg	
Minerals		
Calcium	12 mg	
Phosphorus	6 mg	25 mg
Magnesium	1.2 mg	4.0 mg
Iron	0.2 mg	0.5 mg
Iodine	1.2 µg	10 µg
Copper	14 µg	43 µg
Zinc	0.12 mg	0.43 mg
Manganese	0.24 µg	24.0 µg
Selenium	0.25 µg	1.19 µg
Electrolytes		
Chloride	12 mg	35 mg
Sodium	5 mg	15 mg
Potassium	20 mg	50 mg

S29—10 Guidelines for infant formula products

Guideline for maximum amount of vitamins and minerals in infant formula products

(1) It is recommended that the quantities specified in the table to this section be observed as the maximum levels of vitamins and minerals in infant formula product.

Guideline for maximum amount of vitamins and minerals in infant formula products

<i>Vitamin or mineral</i>	<i>Recommended maximum amount per 100 kJ</i>
Vitamins	
Vitamin C	5.4 mg
Thiamin	48 µg
Riboflavin	86 µg
Preformed Niacin	480 µg
Folate	8.0 µg
Pantothenic acid	360 µg
Vitamin B ₁₂	0.17 µg
Vitamin K	5.0 µg
Biotin	2.7 µg
Minerals	
Calcium	33 mg
Phosphorus	22 mg
Manganese	7.2 µg, for infant formula products specifically formulated to satisfy particular metabolic, immunological, renal, hepatic or malabsorptive conditions
Chromium	2.0 µg
Molybdenum	3 µg

Guideline on advice regarding additional vitamin and mineral supplementation

(2) Manufacturers are recommended to provide an advice in the label on a package of infant formula product to the effect that consumption of vitamin or mineral preparations is not necessary.

Nutrition information table

(3) It is recommended that the nutrition information table be set out in the format specified in the table to this section.

NUTRITION INFORMATION PANEL		
	Average amount per 100 mL made up formula (see Note 1)	Average amount per 100 g of powder (or per 100 mL for liquid concentrate) (see Note 2)
Energy	kJ	kJ
Protein	G	G
Fat	G	G
Carbohydrate	G	G
Vitamin A	µg	Mg
Vitamin B ₆	µg	Mg
Vitamin B ₁₂	µg	Mg
Vitamin C	Mg	Mg
Vitamin D	µg	Mg
Vitamin E	µg	Mg
Vitamin K	µg	Mg
Biotin	µg	Mg
Niacin	Mg	Mg
Folate	µg	Mg
Pantothenic acid	µg	Mg
Riboflavin	µg	Mg
Thiamin	µg	Mg
Calcium	Mg	Mg
Copper	µg	Mg
Iodine	µg	Mg
Iron	Mg	Mg
Magnesium	Mg	Mg
Manganese	µg	Mg
Phosphorus	Mg	Mg
Selenium	µg	Mg
Zinc	Mg	Mg
Chloride	Mg	Mg
Potassium	Mg	Mg
Sodium	Mg	Mg
(insert any other substance used as a nutritive substance or inulin-type fructans and galacto- oligosaccharides to be declared)	g, Mg, µg	g, Mg, µg

Note 1 Delete the words ‘made up formula’ in the case of formulas sold in ‘ready to drink’ form.

Note 2 Delete this column in the case of formulas sold in ‘ready to drink’ form.

S29—11 Food for infants—claims that can be made about vitamins and minerals added to cereal-based food for infants

For section 2.9.2—10, the table is:

Claims that can be made about vitamins and minerals added to cereal-based food for infants

Vitamin or mineral *Maximum claim per serve*

Thiamin (mg)	15% RDI
Niacin (mg)	15% RDI
Folate (µg)	10% RDI
Vitamin B ₆ (mg)	10% RDI
Vitamin C (mg)	10% RDI
Magnesium (mg)	15% RDI

S29—12 Formulated meal replacements—vitamins and minerals that must be present in formulated meal replacements

(1) For sections 2.9.3—3, 2.9.3—4 and 2.9.6—4, the table is set out below.

(2) In the table, the amounts set out in columns 2 and 3 are for a 1-meal serving, and are expressed as a proportion of the RDI.

Vitamins and minerals that must be present in formulated meal replacements

<i>Column 1</i> <i>Vitamin or mineral</i>	<i>Column 2</i> <i>Maximum amount</i>	<i>Column 3</i> <i>Maximum claim</i>
Vitamin A	300 µg (40%)	300 µg (40%)
Thiamin	No amount set	0.55 mg (50%)
Riboflavin	No amount set	0.85 mg (50%)
Niacin	No amount set	5 mg (50%)
Folate	No amount set	100 µg (50%)
Vitamin B ₆	No amount set	0.8 mg (50%)
Vitamin B ₁₂	No amount set	1 µg (50%)
Vitamin C	No amount set	20 mg (50%)
Vitamin D	5.0 µg (50%)	5 µg (50%)
Vitamin E	No amount set	5 mg (50%)
Calcium	No amount set	400 mg (50%)
Iodine	75 µg (50%)	75 µg (50%)
Iron	No amount set	4.8 mg (40%)
Magnesium	No amount set	160 mg (50%)
Phosphorus	No amount set	500 mg (50%)
Zinc	No amount set	4.8 mg (40%)

S29—13 Vitamins and minerals that may be added to formulated meal replacements

(1) For sections 2.9.3—3, 2.9.3—4 and 2.9.6—4, the table is set out below.

(2) In the table, the amounts set out in columns 2 and 3 are for a 1-meal serving, and are expressed as a proportion of the *ESADDI unless stated otherwise.

Vitamins and minerals that may be added to formulated meal replacements

<i>Column 1</i> <i>Vitamin or mineral</i>	<i>Column 2</i> <i>Maximum amount</i>	<i>Column 3</i> <i>Maximum claim</i>
Biotin	No amount set	5 µg (17%)
Pantothenic acid	No amount set	0.8 mg (17%)
Vitamin K	No amount set	40 µg (50%)
Chromium:		
<i>inorganic</i>	34 µg (17%)	34 µg (17%)
<i>organic</i>	16 µg (8%)	no claim permitted
Copper:		
<i>inorganic</i>	0.50 mg (17%)	0.50 mg (17%)
<i>organic</i>	0.24 mg (8%)	no claim permitted
Manganese:		
<i>inorganic</i>	0.85 mg (17%)	0.85 mg (17%)
<i>organic</i>	0.4 mg (8%)	no claim permitted
Molybdenum:		
<i>inorganic</i>	42.5 µg (17%)	42.5 µg (17%)
<i>organic</i>	20 µg (8%)	no claim permitted
Selenium:		

Column 1	Column 2	Column 3
<i>Vitamin or mineral</i>	<i>Maximum amount</i>	<i>Maximum claim</i>
<i>inorganic</i>	17.5 µg (25% RDI)	17.5 µg (25% RDI)
<i>organic</i>	9 µg (13% RDI)	9 µg (13% RDI)

S29—14 Vitamins and minerals that may be added to formulated supplementary foods

(1) For section 2.9.3—5, the table is set out below.

(2) In the table, the amounts set out in Columns 2 and 3 are for a serving, and are expressed as a proportion of the RDI.

Vitamins and minerals that may be added to formulated supplementary foods

Column 1	Column 2	Column 3
<i>Vitamin or mineral</i>	<i>Maximum amount</i>	<i>Maximum claim</i>
Vitamins		
Vitamin A	340 µg (45%)	265 µg (35%)
Thiamin	No amount set	0.55 mg (50%)
Riboflavin	No amount set	0.85 mg (50%)
Niacin	No amount set	5 mg (50%)
Folate	No amount set	100 µg (50%)
Vitamin B ₆	No amount set	0.8 mg (50%)
Vitamin B ₁₂	No amount set	1 µg (50%)
Vitamin C	No amount set	20 mg (50%)
Vitamin D	5 µg (50%)	5 µg (50%)
Vitamin E	No amount set	5 mg (50%)
Minerals		
Calcium	No amount set	400 mg (50%)
Iodine	75 µg (50%)	75 µg (50%)
Iron	No amount set	6 mg (50%)
Magnesium	No amount set	130 mg (40%)
Phosphorus	No amount set	500 mg (50%)
Zinc	No amount set	3 mg (25%)

S29—15 Vitamins and minerals that may be added to formulated supplementary food for young children

(1) For sections 2.9.3—7 and 2.9.3—8, the table is set out below.

(2) In the table, the amounts set out in Columns 2 and 3 are for a serving, and are expressed as a proportion of the RDI.

Vitamins and minerals that may be added to formulated supplementary food for young children

Column 1	Column 2	Column 3
<i>Vitamin or mineral</i>	<i>Maximum amount (as percentage of RDI)</i>	<i>Maximum claim (as percentage of RDI)</i>
Vitamins		
Vitamin A	135 µg (45%)	105 µg (35%)
Thiamin	No amount set	0.25 mg (50%)
Riboflavin	No amount set	0.4 mg (50%)
Niacin	No amount set	2.5 mg (50%)
Folate	No amount set	50 µg (50%)
Vitamin B ₆	No amount set	0.35 mg (50%)
Vitamin B ₁₂	No amount set	0.5 µg (50%)
Vitamin C	No amount set	15 mg (50%)
Vitamin D	2.5 µg (50%)	2.5 µg (50%)
Vitamin E	No amount set	2.5 mg (50%)
Minerals		
Calcium	No amount set	350 mg (50%)
Iodine	70 µg (100%)	35 µg (50%)
Iron	No amount set	3.0 mg (50%)
Magnesium	No amount set	32 mg (40%)

Column 1 <i>Vitamin or mineral</i>	Column 2 <i>Maximum amount (as percentage of RDI)</i>	Column 3 <i>Maximum claim (as percentage of RDI)</i>
Phosphorus	No amount set	250 mg (50%)
Zinc	No amount set	1.1 mg (25%)

S29—16 Vitamins and minerals that may be added to formulated supplementary sports foods

(1) For section 2.9.4—3, the table is set out below.

(2) In the table, the amounts set out in Columns 2 and 3 are for a *one-day quantity.

Vitamins and minerals that may be added to formulated supplementary sports foods

Column 1 <i>Vitamin or mineral</i>	Column 2 <i>Maximum amount</i>	Column 3 <i>Maximum claim</i>
Vitamins		
Vitamin A	375 µg	375 µg
Thiamin		2.2 mg
Riboflavin		3.4 mg
Niacin		20 mg
Folate		400 µg
Vitamin B ₆		3.2 mg
Vitamin B ₁₂		4 µg
Vitamin C		80 mg
Vitamin D	2.5 µg	2.5 µg
Vitamin E		20 mg
Biotin		50 µg
Pantothenic acid		3.5 mg
Minerals		
Calcium		1 600 mg
Chromium		
<i>inorganic forms</i>	100 µg	100 µg
<i>organic forms</i>	50 µg	50 µg
Copper		
<i>inorganic forms</i>	1.5 mg	1.5 mg
<i>organic forms</i>	750 µg	750 µg
Iodine	75 µg	75 µg
Iron		12 mg
Magnesium		640 mg
Manganese		
<i>inorganic forms</i>		2.5 mg
<i>organic forms</i>		1.25 mg
Molybdenum		
<i>inorganic forms</i>		125 µg
<i>organic forms</i>		62.5 µg
Phosphorus		1 000 mg
Selenium		
<i>inorganic forms</i>	52 µg	52 µg
<i>organic forms</i>	26 µg	26 µg
Zinc		12 mg

S29—17 Additional permitted forms for vitamins and minerals in formulated supplementary sports foods and in formulated meal replacements

For sections 2.9.3—3 and 2.9.4—3, the table is:

Additional permitted forms and intake amounts

Column 1 <i>Vitamin or mineral</i>	Column 2 <i>Permitted forms</i>
Biotin	d-biotin
Pantothenic acid	d-sodium pantothenate

Column 1 <i>Vitamin or mineral</i>	Column 2 <i>Permitted forms</i>
Calcium	Calcium hydroxide
Chromium	
<i>inorganic forms:</i>	Chromic chloride
<i>organic forms:</i>	High chromium yeast
	Chromium picolinate
	Chromium nicotinate
	Chromium aspartate
Copper	
<i>inorganic forms:</i>	Cupric carbonate
	Cupric sulphate
<i>organic forms:</i>	Copper gluconate
	Copper-lysine complex
	Cupric citrate
Magnesium	Magnesium citrate
	Magnesium hydroxide
Manganese	
<i>inorganic forms:</i>	Manganese carbonate
	Manganese chloride
	Manganese sulphate
<i>organic forms:</i>	Manganese citrate
Molybdenum	
<i>inorganic forms:</i>	Sodium molybdate
<i>organic forms:</i>	High molybdenum yeast
Phosphorus	Magnesium phosphate, monobasic
	Potassium phosphate, tribasic
	Sodium phosphate, monobasic
	Sodium phosphate, tribasic
	Phosphoric acid

S29—18 Amino acids that may be added to formulated supplementary sports food

For paragraph 2.9.4—3(1)(b), the table is.

Amino acids that may be added to formulated supplementary sports food

Column 1 <i>Amino acid</i>	Column 2 <i>Maximum amount that may be added to a one-day quantity</i>
L-Alanine	1 200 mg
L-Arginine	1 100 mg
L-Aspartic acid	600 mg
L-Cysteine	440 mg
L-Glutamine	1 900 mg
L-Glutamic acid	1 600 mg
Glycine	1 500 mg
L-Histidine	420 mg
L-Isoleucine	350 mg
L-Leucine	490 mg
L-Lysine	420 mg
L-Methionine	180 mg
L-Ornithine	360 mg
L-Phenylalanine	490 mg
L-Proline	1 100 mg
L-Serine	1 400 mg
L-Taurine	60 mg
L-Threonine	245 mg
L-Tyrosine	400 mg

Column 1 <i>Amino acid</i>	Column 2 <i>Maximum amount that may be added to a one-day quantity</i>
L-Tryptophan	100 mg
L-Valine	350 mg

S29—19 Substances that may be used as nutritive substances in formulated supplementary sports food

For paragraph 2.9.4—3(1)(c), the table is:

Substances that may be used as nutritive substances in formulated supplementary sports food

Column 1 <i>Substance</i>	Column 2 <i>Maximum amount that may be added to a one-day quantity</i>
L-carnitine	100 mg
Choline	10 mg
Inosine	10 mg
Ubiquinones	15 mg
Creatine	3 g
Gamma-oryzinol	25 mg

S29—20 Substances that may be added to food for special medical purposes

For section 2.9.5—6, the table is.

Substances that may be added to food for special medical purposes

Column 1 <i>Substance</i>	Column 2 <i>Permitted forms</i>
Vitamins	
Niacin	Nicotinic acid
Vitamin B ₆	Pyridoxine dipalmitate
Folate	Calcium L-methylfolate
Vitamin E	D-alpha-tocopherol D-alpha-tocopheryl polyethylene glycol-1000 succinate (TPGS)
Pantothenic acid	Sodium pantothenate D-panthenol DL-panthenol
Minerals and electrolytes	
Boron	Sodium borate Boric acid
Calcium	Calcium bisglycinate Calcium citrate malate Calcium malate Calcium L-pidolate
Chloride	Choline chloride Sodium chloride, iodised Hydrochloric acid
Chromium	Chromium chloride Chromium picolinate Chromium potassium sulphate
Copper	Copper-lysine complex Cupric carbonate
Fluoride	Potassium fluoride
Iodine	Sodium iodate
Iron	Carbonyl iron Electrolytic iron Ferric citrate

Column 1 <i>Substance</i>	Column 2 <i>Permitted forms</i>
	Ferric gluconate
	Ferric orthophosphate
	Ferric pyrophosphate, sodium
	Ferric saccharate
	Ferric sodium diphosphate
	Ferrous bisglycinate
	Ferrous carbonate
	Ferrous carbonate, stabilised
	Ferrous L-pidolate
	Iron, reduced (ferrum reductum)
Magnesium	Magnesium acetate
	Magnesium L-aspartate
	Magnesium bisglycinate
	Magnesium citrate
	Magnesium glycerophosphate
	Magnesium hydroxide
	Magnesium hydroxide carbonate
	Magnesium lactate
	Magnesium phosphate, monobasic
	Magnesium L-pidolate
	Magnesium potassium citrate
Manganese	Manganese glycerophosphate
Molybdenum	Ammonium molybdate
Potassium	Potassium glycerophosphate
	Potassium lactate
	Potassium L-pidolate
Selenium	Selenium enriched yeast
	Sodium hydrogen selenite
	Sodium selenate
Zinc	Zinc bisglycinate
	Zinc carbonate
	Zinc citrate
	Zinc lactate
Other substances	
Amino acids	Sodium, potassium, calcium, magnesium salts of single amino acids listed in this section
	Hydrochlorides of single amino acids listed in this section
	L-alanine
	L-arginine
	L-asparagine
	L-aspartic acid
	L-citrulline
	L-cysteine
	L-cystine
	L-glutamic acid
	L-glutamine
	Glycine
	L-histidine
	L-isoleucine
	L-leucine
	L-lysine
	L-lysine acetate
	L-methionine
	L-ornithine

<i>Column 1</i> <i>Substance</i>	<i>Column 2</i> <i>Permitted forms</i>
	L-phenylalanine
	L-proline
	L-serine
	L-threonine
	L-tyrosine
	L-tryptophan
	L-valine
	L-arginine-L-aspartate
	L-lysine-L-aspartate
	L-lysine-L-glutamate
	N-acetyl-L-methionine
Carnitine	L-carnitine
	L-carnitine hydrochloride
	L-carnitine L-tartrate
Choline	Choline
	Choline bitartrate
	Choline chloride
	Choline citrate
	Choline hydrogen tartrate
Inositol	Inositol
Nucleotides	Adenosine-5'-monophosphate
	Adenosine-5'-monophosphate sodium salt
	Cytidine-5'-monophosphate
	Cytidine-5'-monophosphate sodium salt
	Guanosine-5'-monophosphate
	Guanosine-5'-monophosphate sodium salt
	Inosine-5'-monophosphate
	Inosine-5'-monophosphate sodium salt
	Uridine-5'-monophosphate
	Uridine-5'-monophosphate sodium salt
Taurine	Taurine

S29—21 Amounts of nutrients for food for special medical purposes represented as a sole source of nutrition

For section, 2.9.5—7, the table is:

Amounts of nutrients for food for special medical purposes represented as a sole source of nutrition

<i>Column 1</i> <i>Nutrient</i>	<i>Column 2</i> <i>Minimum amount per mJ</i>	<i>Column 3</i> <i>Maximum amount per mJ</i>
Vitamins		
Vitamin A	84 µg retinol equivalents ¹	430 µg retinol equivalents ¹
Thiamin	0.15 mg	No maximum set
Riboflavin	0.2 mg	No maximum set
Niacin	2.2 mg niacin equivalents ²	No maximum set
Vitamin B ₆	0.2 mg	1.2 mg
Folate	25 µg	No maximum set
Vitamin B ₁₂	0.17 µg	No maximum set
Vitamin C	5.4 mg	No maximum set
Vitamin D		
(a) for products intended for children aged 1-10 years—	1.2 µg	7.5 µg
(b) otherwise—	1.2 µg	6.5 µg
Vitamin E equivalents	1 mg alpha-tocopherol ³	No maximum set
Biotin	1.8 µg	No maximum set
Pantothenic Acid	0.35 mg	No maximum set

Column 1 <i>Nutrient</i>	Column 2 <i>Minimum amount per mJ</i>	Column 3 <i>Maximum amount per mJ</i>
Vitamin K	8.5 µg	No maximum set
Minerals		
Calcium		
(a) for products intended for children aged 1-10 years—	120 mg	600 mg
(b) otherwise—	84 mg	420 mg
Magnesium	18 mg	No maximum set
Iron	1.2 mg	No maximum set
Phosphorus	72 mg	No maximum set
Zinc	1.2 mg	3.6 mg
Manganese	0.12 mg	1.2 mg
Copper	0.15 mg	1.25 mg
Iodine	15.5 µg	84 µg
Chromium	3 µg	No maximum set
Molybdenum	7 µg	No maximum set
Selenium	6 µg	25 µg
Electrolytes		
Sodium	72 mg	No maximum set
Potassium	190 mg	No maximum set
Chloride	72 mg	No maximum set

Note 1 See paragraph 1.1.2—14(3)(a)

Note 2 For niacin, add niacin and any niacin provided from the conversion of the amino acid tryptophan, using the conversion factor 1:60.

Note 3 See paragraph 1.1.2—14(3)(d)

2015-gs1955