



New Zealand Gazette

MONDAY, 22 FEBRUARY 2016 — No. 15

CONTENTS

GOVERNMENT NOTICES

General Section

3

Using the Gazette

The *New Zealand Gazette*, the official newspaper of the Government of New Zealand, is published online on Thursdays between 10.00am and 11.00am.

The online version is the official publication and authoritative constitutional record.

Notice Submissions and Style

Notices for publication and related correspondence should be addressed to

New Zealand Gazette
Department of Internal Affairs
PO Box 805
Wellington 6140
Telephone: (04) 462 0313 / (04) 462 0312
Email: gazette@dia.govt.nz

Notices are accepted for publication in the next available issue, unless otherwise specified.

Microsoft Word is the preferred format for notice submissions. Please do not send notices as PDFs as errors can be introduced when converting to Word. Image files should be in JPG or PNG format.

The Gazette Office reserves the right to apply its in-house style to all notices. Any corrections which are related to style will be made at the discretion of the publisher for reasons of consistency.

Please go to www.gazette.govt.nz/howtosubmit/ for more information.

Deadlines

The deadline for submitting notices for publication in the principal edition is **midday Monday for commercial notices** and **midday Tuesday for Government notices**, in the week of publication.

The deadline for cancelling notices in the principal edition is **12.00 midday Wednesday**. Please call the Gazette Office immediately to cancel a notice, and confirm by email. A cancellation fee applies.

For further information and for public holiday deadlines, please go to www.gazette.govt.nz/deadlines/

Advertising Rates

Fees	\$0.68 per word to a maximum of 5,000 words
	\$3,400 fixed fee for notices above 5,000 words (includes 5 hours processing time)
	\$140 per hour for processing time over 5 hours
	Plus printing and delivery costs (if required)
Images	\$50 per image
Supplement set-up fee	\$140
Late fee*	20% surcharge
Cancellation fee	\$55

*Late notices may be accepted at the discretion of the publisher.

Customers will be invoiced in accordance with standard commercial practices. Advertising rates are not negotiable. All rates shown are inclusive of GST.

Availability

New Zealand Gazette notices are published directly online at www.gazette.govt.nz

All editions are also available on subscription from the New Zealand Gazette Office, Department of Internal Affairs, PO Box 805, Wellington 6140 (telephone: (04) 462 0313).

Copyright

© The *New Zealand Gazette* is subject to Crown copyright.

GOVERNMENT NOTICES

General Section

Food Standards (Application A1100 - Maximum Permitted Level of Acesulphame Potassium in Chewing Gum) Variation — Amendment No. 161

The Board of Food Standards Australia New Zealand gives notice of the making of this variation under section 92 of the *Food Standards Australia New Zealand Act 1991*. The Standard commences on the date specified in clause 3 of this variation.

Dated 16 February 2016

Standards Management Officer, Delegate of the Board of Food Standards Australia New Zealand

Note:

This variation will be published in the Commonwealth of Australia Gazette No. FSC 103 on 22 February 2016.

1 Name

This instrument is the *Food Standards (Application A1100 - Maximum Permitted Level of Acesulphame Potassium in Chewing Gum) Variation*.

2 Variation to a Standard in the *Australia New Zealand Food Standards Code*

The Schedule varies Schedule 15 in the *Australia New Zealand Food Standards Code*.

3 Commencement

This instrument commences on 1 March 2016 immediately after the commencement of Standard 5.1.1 - Revocation and transitional provisions - 2014 Revision.

Schedule

[1] The table to section S15—5 is varied by

[1.1] omitting “See Note, below”, where first occurring in item 5, substituting “Not for bubble gum and chewing gum.”

[1.2] omitting “950,” from the Note to item 5

[1.3] inserting in subitem 5.2.1 after the entry for additive 321

950	Acesulphame potassium	5 000	See Note, below
-----	-----------------------	-------	-----------------

Note Section 1.3.1—5 does not apply

2016-gs344

Food Standards (Application A1104 - Voluntary Addition of Vitamins & Minerals to Nut- & Seed-based Beverages) Variation — Amendment No. 161

The Board of Food Standards Australia New Zealand gives notice of the making of this variation under section 92 of the *Food Standards Australia New Zealand Act 1991*. The Standard commences on the dates specified in clause 2 of the variation.

Dated 16 February 2016

Standards Management Officer, Delegate of the Board of Food Standards Australia New Zealand

Note:

This variation will be published in the Commonwealth of Australia Gazette No. FSC 103 on 22 February 2016.

1 Name of instrument

This instrument is the *Food Standards (Application A1104 - Voluntary Addition of Vitamins & Minerals to Nut- & Seed-based Beverages) Variation*.

2 Commencement

(1) Items 1 and 3 of the Schedule commence on 1 March 2016 immediately after the commencement of Standard 5.1.1 - Revocation and transitional provisions - 2014 Revision.

(2) Item 2 of the Schedule commences on 1 September 2016.

3 Variation of Standards and Schedules

The Schedule varies a standard and schedules in the *Australia New Zealand Food Standards Code*.

Schedule

[1] Standard 1.1.2 is varied by omitting from the definition of **food group** in subsection 1.1.2—2(3)

(c) milk, skim milk, cream, fermented milk, yoghurt, cheese, processed cheese, butter, ice cream, condensed milk, dried milk, evaporated milk, and dairy analogues derived from legumes and cereals listed in section S17—4;

and inserting

(c) milk, skim milk, cream, fermented milk, yoghurt, cheese, processed cheese, butter, ice cream, condensed milk, dried milk, evaporated milk, and dairy analogues derived from legumes, cereals, nuts, seeds, or a combination of these ingredients listed in section S17—4;

[2] Schedule 9 is varied by omitting from the table to section S9—2

- | | | |
|---|---|--|
| 2 | (a) A cereal-based beverage that contains less than 3% m/m protein.

(b) An evaporated or dried product made from cereals that, when reconstituted as a beverage according to directions for direct consumption, contains less than 3% m/m protein. | the product is not suitable as a complete milk replacement for children under 5 years. |
| 3 | (a) A cereal-based beverage that contains:
(i) no less than 3% m/m protein; and
(ii) no more than 2.5% m/m fat.

(b) An evaporated or dried product made from cereals that, when reconstituted as a beverage according to directions for direct consumption, contains:
(i) no less than 3% m/m protein; and
(ii) no more than 2.5% m/m fat.

(c) Milk, or an analogue beverage made from soy, that contains no more than 2.5% m/m fat.

(d) Evaporated milk, dried milk, or an equivalent product made from soy, that, when reconstituted as a beverage according to directions for direct consumption, contains no more than 2.5% m/m fat. | the product is not suitable as a complete milk food for children under 2 years. |

substituting

- 2 (a) A beverage made from cereals, nuts, seeds, or a combination of those ingredients, and that contains less than 3% m/m protein. the product is not suitable as a complete milk replacement for children under 5 years.
- (b) An evaporated or dried product made from cereals, nuts, or seeds, or a combination of those ingredients, and that when reconstituted as a beverage according to directions for direct consumption, contains less than 3% m/m protein.
- 3 (a) A beverage made from cereals, nuts, seeds, or a combination of those ingredients, and that contains: the product is not suitable as a complete milk food for children under 2 years.
- (i) no less than 3% m/m protein; and
- (ii) no more than 2.5% m/m fat.
- (b) An evaporated or dried product made from cereals, nuts, seeds, or a combination of those ingredients, and that when reconstituted as a beverage according to directions for direct consumption, contains:
- (i) no less than 3% m/m protein; and
- (ii) no more than 2.5% m/m fat.
- (c) Milk, or an analogue beverage made from soy, that contains no more than 2.5% m/m fat.
- (d) Evaporated milk, dried milk, or an equivalent product made from soy, that, when reconstituted as a beverage according to directions for direct consumption, contains no more than 2.5% m/m fat.

[3] Schedule 17 is varied by omitting from the table to section S17—4

Analogues derived from cereals

Beverages containing no less than 0.3% m/m protein derived from cereals

Reference quantity—200 mL

Vitamin A	110 µg (15%)	125 µg
Thiamin	no claim permitted	0.10 mg
Riboflavin	0.43 mg (25%)	
Vitamin B ₆	no claim permitted	0.12 mg
Vitamin B ₁₂	0.8 µg (40%)	
Vitamin D	1.0 µg (10%)	1.6 µg
Folate	no claim permitted	12 µg
Calcium	240 mg (30%)	
Magnesium	no claim permitted	22 mg
Phosphorus	200 mg (20%)	
Zinc	no claim permitted	0.8 mg
Iodine	15 µg (10%)	

substituting

Analogues derived from cereals, nuts, seeds, or a combination of those ingredients

Beverages containing no less than 0.3% m/m protein derived from cereals, nuts, seeds, or a combination of those ingredients

Reference quantity—200 mL

Vitamin A	110 µg (15%)	125 µg
Thiamin	no claim permitted	0.10 mg
Riboflavin	0.43 mg (25%)	
Vitamin B ₆	no claim permitted	0.12 mg
Vitamin B ₁₂	0.8 µg (40%)	
Vitamin D	1.0 µg (10%)	1.6 µg
Folate	no claim permitted	12 µg
Calcium	240 mg (30%)	
Magnesium	no claim permitted	22 mg
Phosphorus	200 mg (20%)	
Zinc	no claim permitted	0.8 mg
Iodine	15 µg (10%)	

2016-gs568

Food Standards (Proposal P1040 - Code Revision - Consequential & Corrective Amendments II) Variation — Amendment No. 161

The Board of Food Standards Australia New Zealand gives notice of the making of this variation under section 92 of the *Food Standards Australia New Zealand Act 1991*. The variation commences on the dates specified in clause 3 of this variation.

Dated 16 February 2016

Standards Management Officer, Delegate of the Board of Food Standards Australia New Zealand

Note:

This variation will be published in the Commonwealth of Australia Gazette No. FSC 103 on 22 February 2016.

1 Name

This instrument is the *Food Standards (Proposal P1040 - Code Revision - Consequential & Corrective Amendments II) Variation*.

2 Variation to standards in the Australia New Zealand Food Standards Code

The Schedule varies standards in the *Australia New Zealand Food Standards Code*.

3 Commencement

(1) Subject to subsection (2), the variation commences on 1 March 2016 immediately after the commencement of Standard 5.1.1 - Revocation and transitional provisions - 2014 Revision.

(2) Items 1 and 4 of the Schedule commence on 19 January 2017.

Schedule

Standard 1.1.1—Structure of the Code and general provisions

[1] Subsection 1.1.1—2(2)

Omit 'Standard 1.2.12 - Transitional standard for dietary fibre nutrition content claims'

Standard 1.1.2—Definitions used throughout the Code

[2] Subsection 1.1.2—2(3) (definition of *individual portion pack*)

Omit '1.2.1—6(4)', substitute '1.2.1—6(3)'

[3] Section 1.1.2—12 (Note)

Omit 'S28—2, 0, S29—18', substitute 'S28—2, S29—18'

Standard 1.2.7 - Nutrition, health and related claims**[4] Section 1.2.7—12 (Note)**

Omit the Note

Standard 1.3.1 - Food additives**[4A] Section 1.3.1—2 (Note)**

Omit 'that that', substitute 'that'

Standard 1.4.1 - Contaminants and natural toxicants**[5] Subsection 1.4.1—3(3)**

Omit

$$ML = \frac{\sum_{j=1}^N (ML_j Total_j) + CF \times (Total - \sum_{j=1}^N Total_j)}{Total}$$

substitute

$$ML = \frac{\sum_{j=1}^N (ML_j \times Total_j) + CF \times (Total - \sum_{j=1}^N Total_j)}{Total}$$

Standard 1.4.2 - Agvet chemicals**[6] Standard Heading (Note 3)**

Omit '2014', substitute '2014.'

Standard 1.5.2 - Food produced using gene technology**[7] Standard Heading (Note 3)**

Omit '1.1.1—10(3)(c) and (4)(g)', substitute '1.1.1—10(5)(c) and (6)(g)'

Standard 2.4.2 - Edible oil spreads**[8] Section 2.4.2—2 (Note)**

Omit '*edible oil* spread', substitute '*edible oil spread*'

Standard 2.7.1—Labelling of alcoholic beverages and food containing alcohol**[9] Section 2.7.1—1**

Omit 'Alcoholic beverages', substitute 'Labelling of alcoholic beverages and food containing alcohol'

Standard 2.7.4—Wine and wine product**[10] Standard Heading (Note 3)**

Omit 'the *Wine Australia Corporation Act 1980* (Cth)', substitute 'the *Australian Grape and Wine Authority Act 2013* (Cth)'

Standard 2.9.4 - Formulated supplementary sports foods**[11] Paragraph 2.9.4—6(2)(a)**

Omit 'of reconstitution', substitute 'or reconstitution'

Standard 2.9.5 - Food for special medical purposes**[12] Paragraph 2.9.5—3(b)**

Omit 'Part 2', substitute 'Part 1.2'

Standard 2.9.6 - Transitional standard for special purpose foods (including amino acid modified foods)**[13] Section 2.9.6—3 (Note)**

Omit 'published', substitute 'published.'

Standard 2.10.2 - Salt and salt products**[14] Section 2.10.2—3**

Omit all text after the words 'A food', substitute 'that is sold as 'salt' must be salt and contain no less than 970 g/kg sodium chloride on a dry basis, exclusive of permitted additives.'

Schedule 1 - RDIs and ESADDIs

[15] Section S1—2 (table)

Omit

Vitamin E	RDI	10 mg alpha-tocopherol equivalents ⁴	5 mg alpha-tocopherol equivalents ⁴	4 mg alpha-tocopherol equivalents ⁴
-----------	-----	---	--	--

substitute

Vitamin E	RDI	10 mg alpha-tocopherol equivalents ³	5 mg alpha-tocopherol equivalents ³	4 mg alpha-tocopherol equivalents ³
-----------	-----	---	--	--

[15A] Section S1—2 (Notes)

Omit

Note 1 See paragraph 1.1.2—14(a).

Note 2 See paragraph 1.1.2—14(b).

Note 3 See paragraph 1.1.2—14(c).

Note 4 See paragraph 1.1.2—14(d).

substitute

Note 1 See paragraph 1.1.2—14(3)(a).

Note 2 See paragraph 1.1.2—14(3)(b).

Note 3 See paragraph 1.1.2—14(3)(c).

Schedule 2 - Units of measurement

[16] Section S2—2 (table)

Omit 'mJ', substitute 'MJ'

Schedule 3 - Identity and Purity

[16A] Section S3—27

Omit 'cfu/kg', substitute 'cfu/g'

Schedule 4 - Nutrition, health and related claims

[17] Section S4—2 (Note - definition of *sugars*)

Omit '(a)' (second occurring), substitute '(b)'

[18] Section S4—5 (table)

(a) Omit

Iodine	Contributes to normal growth and development	Children
--------	--	----------

substitute

	Contributes to normal growth and development	Children
--	--	----------

(b) Omit

Selenium	Contributes to the maintenance of normal hair and nails
----------	---

substitute

	Contributes to the maintenance of normal hair and nails
--	---

(c) Omit

Energy	Contributes to weight loss or weight maintenance	Diet reduced in energy and including regular exercise	The food: (a) meets the conditions for making a 'diet' nutrition content claim; or (b) is a formulated meal replacement and contains no more than 1200 kJ per serving
--------	--	---	---

substitute

Contributes to weight loss or weight maintenance	Diet reduced in energy and including regular exercise	The food: (a) meets the conditions for making a 'diet' nutrition content claim; or (b) is a formulated meal replacement and contains no more than 1200 kJ per serving
--	---	---

Schedule 12 - Nutrition information panels

[19] Section S12—4 (table)

Omit 'Your daily intakes may be higher or lower depending on your energy needs.'

Schedule 15 - Substances that may be used as food additives

[20] Section S15—5 (table)

(a) Omit the following from item 1.4.2 (where second occurring)

234	Nisin	10
475	Polyglycerol esters of fatty acids	5 000 Only whipped thickened light cream

(b) Insert in item 2.2.2 in numerical order

200 201 202 203	Sorbic acid and sodium, potassium and calcium sorbates	2 000
--------------------	--	-------

Schedule 18 - Processing aids

[21] Section S18—3 (table)

Omit

Diethylenetriamine, triethylene-tetramine, or tetraethylenepentamin cross-linked with epichlorohydrin	GMP
---	-----

substitute

Diethylenetriamine, triethylene-tetramine, or tetraethylenepentamine cross-linked with epichlorohydrin	GMP
--	-----

Schedule 26 - Food produced using gene technology

[22] Schedule Heading (Note 1)

Omit '1.1.1—10(3)(c) and (4)(g)', substitute '1.1.1—10(5)(c) and (6)(g)'

[23] Subsection S26—3(4) (table)

(a) Omit

4	Lucerne	(a) herbicide-tolerant lucerne lines J101 & J163
---	----------------	--

substitute

4	Lucerne	(a) herbicide-tolerant lucerne lines J101 and J163
---	----------------	--

(b) Omit

substitute

(b) food derived from reduced lignin lucerne line KK179

(b) reduced lignin lucerne line KK179

Schedule 29 - Special purpose foods

[24] Section S29—17 (Table heading)

Omit 'and intake amounts'

[24A] Section S29—21 (Notes)

Omit

Note 1 See paragraph 1.1.2—14(3)(a)

Note 2 For niacin, add niacin and any niacin provided from the conversion of the amino acid tryptophan, using the conversion factor 1:60.

Note 3 See paragraph 1.1.2—14(3)(d)

substitute

Note 1 See paragraph 1.1.2—14(3)(a).

Note 2 For niacin, add niacin and any niacin provided from the conversion of the amino acid tryptophan, using the conversion factor 1:60.

Note 3 See paragraph 1.1.2—14(3)(c).

2016-gs569

Food Standards (Proposal M1013 - Maintenance of Schedule 20 - Maximum Residue Limits) Variation — Amendment No. 161 — Part One

The Board of Food Standards Australia New Zealand gives notice of the making of this variation under section 92 of the *Food Standards Australia New Zealand Act 1991*. The Standard commences on the date specified in clause 3 of this variation.

Dated 16 February 2016

Standards Management Officer, Delegate of the Board of Food Standards Australia New Zealand

Note:

This variation will be published in the Commonwealth of Australia Gazette No. FSC 103 on 22 February 2016.

1 Name

This instrument is the *Food Standards (Proposal M1013 - Schedule 20 - MRLs - Consequential & Corrective Amendments) Variation*.

2 Variation to a standard in the *Australia New Zealand Food Standards Code*

The Schedule varies a schedule in the *Australia New Zealand Food Standards Code*.

3 Commencement

The variation commences on 1 March 2016 immediately after the commencement of Standard 5.1.1 - Revocation and transitional provisions - 2014 Revision.

Schedule

Schedule 20 - Maximum residue limits

[1] Schedule heading (Note 1)

Omit

Note 1

Substitute

Note

[2] Section S20—3 (table)

Omit the table, substitute

Maximum residue limits**Agvet chemical: Abamectin**

Permitted residue: Sum of avermectin B1a, avermectin B1b and (Z)-8,9 avermectin B1a, and (Z)-8,9 avermectin B1b

Adzuki bean (dry)	T*0.002
Almonds	*0.01
Apple	0.01
Avocado	T0.05
Blackberries	T0.1
Blueberries	T*0.02
Cattle, edible offal of	0.1
Cattle fat	0.1
Cattle meat	0.005
Cattle milk	0.02
Chervil	T0.5
Citrus fruits	0.02
Common bean (dry) (navy bean)	T*0.002
Coriander (leaves, roots, stems)	T0.5
Cotton seed	*0.01
Cucumber	0.02
Currant, black	0.02
Egg plant	0.02
Fruiting vegetables, cucurbits [except cucumber; squash, summer]	T*0.01
Goat fat	0.1
Goat kidney	0.01
Goat liver	0.05
Goat milk	0.005
Goat muscle	0.01
Grapes	0.02
Herbs	T0.5
Hops, dry	0.2
Kaffir lime leaves	T0.5
Lemon grass	T0.5
Lettuce, head	0.05
Lettuce, leaf	T1
Litchi	T0.05
Maize	T*0.01
Mung bean (dry)	T*0.002
Mushrooms	T0.05
Onion, Welsh	T0.05
Papaya (pawpaw)	T0.1
Passionfruit	T0.2
Peanut	T*0.002
Pear	0.01
Peas	T0.5
Peppers	T0.1
Pig kidney	0.01
Pig liver	0.02
Pig meat (in the fat)	0.02
Pome fruits [except apple; pear]	T0.01
Popcorn	T*0.01
Potato	T0.01
Raspberries, red, black	T0.1
Rhubarb	T0.05

Shallot	T0.05
Sheep, edible offal of	0.05
Sheep meat (in the fat)	0.05
Soya bean (dry)	*0.002
Spring onion	T0.05
Squash, summer	0.02
Stone fruits	0.09
Strawberry	0.1
Sweet corn (corn-on-the-cob)	T0.05
Tomato	0.05
Watercress	T0.5

Agvet chemical: Acephate

Permitted residue: Acephate (Note: the metabolite methamidophos has separate MRLs)

Banana	1
Brassica (cole or cabbage) vegetables, head cabbages, flowerhead brassicas	5
Citrus fruits	5
Cotton seed	2
Edible offal (mammalian)	0.2
Eggs	0.2
Lettuce, head	10
Lettuce, leaf	10
Macadamia nuts	*0.1
Meat (mammalian) [except sheep meat]	0.2
Peppers, weet	5
Potato	0.5
Sheep meat	*0.01
Soya bean (dry)	1
Sugar beet	0.1
Tomato	5
Tree tomato (tamarillo)	0.5

Agvet chemical: Acequinocyl

Permitted residue: Sum of acequinocyl and its metabolite 2-dodecyl-3-hydroxy-1,4-naphthoquinone, expressed as acequinocyl

Citrus fruits	0.2
Grapes	1.6
Hops, dry	4

Agvet chemical: Acetamiprid

Permitted residue—commodities of plant origin:

Acetamiprid

Permitted residue—commodities of animal origin: Sum of

acetamiprid and N-demethyl acetamiprid ((E)-N¹-[(6-chloro-3-pyridyl)methyl]-N²-cyanoacetamidine),

expressed as acetamiprid

Citrus fruits	1
Cotton seed	*0.05
Cranberry	0.6
Cucumber	T0.2
Date	T5
Edible offal (mammalian)	*0.05
Eggs	*0.01
Grapes	0.35

Herbs	3
Meat (mammalian)	*0.01
Milks	*0.01
Potato	*0.05
Poultry, edible offal of	*0.05
Poultry meat	*0.01
Spices	0.1
Stone fruits [except plums]	1
Tomato	T0.1

Agvet chemical: Acibenzolar-S-methyl

Permitted residue: Acibenzolar-S-methyl and all metabolites containing the benzo[1,2,3]thiadiazole-7-carboxyl moiety hydrolysed to benzo [1,2,3]thiadiazole-7-carboxylic acid, expressed as acibenzolar-S-methyl

Cotton seed	*0.02
Edible offal (mammalian)	*0.02
Eggs	*0.02
Meat (mammalian)	*0.02
Milks	*0.005
Poultry, edible offal of	*0.02
Poultry meat	*0.02

Agvet chemical: Acifluorfen

Permitted residue: Acifluorfen

Chia	T*0.01
Edible offal (mammalian)	0.1
Eggs	*0.01
Legume vegetables	0.1
Meat (mammalian)	*0.01
Milks	*0.01
Peanut	0.05
Poultry, edible offal of	0.1
Poultry meat	*0.01
Pulses	0.1

Agvet chemical: Albendazole

Permitted residue: Sum of albendazole, its sulfoxide, sulfone and sulfone amine, expressed as albendazole

Cattle, edible offal of	*0.1
Cattle meat	*0.1
Goat, edible offal of	*0.1
Goat meat	*0.1
Sheep, edible offal of	3
Sheep meat	0.2

Agvet chemical: Albendazole sulphoxide

see *Albendazole*

Agvet chemical: Aldicarb

Permitted residue: Sum of aldicarb, its sulfoxide and its sulfone, expressed as aldicarb

Citrus fruits	0.05
Cotton seed	*0.05
Edible offal (mammalian)	*0.01
Meat (mammalian)	*0.01
Milks	*0.01

Sugar cane	*0.02
------------	-------

Agvet chemical: Aldoxycarb

Permitted residue: Sum of aldoxycarb and its sulfone, expressed as aldoxycarb

Cattle, edible offal of	0.2
Cattle meat	*0.02
Eggs	0.1
Milks	*0.02
Poultry, edible offal of	0.2
Poultry meat	*0.02
Wheat	*0.02

Agvet chemical: Aliphatic alcohol ethoxylates

Permitted residue: Aliphatic alcohol ethoxylates

Cattle, edible offal of	*0.1
Cattle meat	*0.1
Cattle milk	1

Agvet chemical: Alpha-cypermethrin

see *Cypermethrin*

Agvet chemical: Altrenogest

Permitted residue: Altrenogest

Pig meat	*0.005
Pig, edible offal of	0.005

Agvet chemical: Aluminium phosphide

see *Phosphine*

Agvet chemical: Ametoctradin

Permitted residue—commodities of plant origin:

Ametoctradin

Permitted residue—commodities of animal origin: Sum of ametoctradin and 6-(7-amino-5-ethyl [1,2,4] triazolo [1,5-a]pyrimidin-6-yl) hexanoic acid

Brassica (cole or cabbage) vegetables, head cabbages, flowerhead brassicas	9
Celery	20
Cucumber	0.4
Dried grapes (currants, raisins and sultanas)	20
Edible offal (mammalian)	*0.02
Eggs	*0.02
Fruiting vegetables, cucurbits [except cucumber]	3
Fruiting vegetables, other than cucurbits [except mushrooms; sweet corn (corn-on-the-cob)]	1.5
Garlic	1.5
Grapes [except dried grapes]	6
Hops, dry	30
Leafy vegetables	50
Meat (mammalian)	*0.02
Milks	*0.02
Onion, bulb	1.5
Peppers, chili (dry)	15

Potato	0.05
Poultry, edible offal of	*0.02
Poultry meat	*0.02
Shallot	1.5
Spring onion	20

Agvet chemical: Ametryn*Permitted residue: Ametryn*

Cotton seed	0.05
Edible offal (mammalian)	*0.05
Meat (mammalian)	*0.05
Milks	*0.05
Pineapple	*0.05
Pome fruits	0.1
Sugar cane	0.05

Agvet chemical: Aminoethoxyvinylglycine*Permitted residue: Aminoethoxyvinylglycine*

Apple	0.1
Stone fruits [except cherries]	0.2
Walnuts	*0.05

Agvet chemical: Aminopyralid*Permitted residue—commodities of plant origin: Sum of aminopyralid and conjugates, expressed as aminopyralid**Permitted residue—commodities of animal origin:**Aminopyralid*

Cereal grains	0.1
Edible offal (mammalian) [except kidney]	0.02
Eggs	*0.01
Kidney (mammalian)	0.3
Meat (mammalian)	*0.01
Milks	*0.01
Poultry, edible offal of	*0.01
Poultry meat	*0.01
Wheat bran, unprocessed	0.3

Agvet chemical: Amitraz*Permitted residue: Sum of amitraz and N-(2,4-dimethylphenyl)-n'-methylformamidine, expressed as N-(2,4-dimethylphenyl)-N'-methylformamidine*

Apple	0.5
Cotton seed	*0.1
Cotton seed oil, crude	1
Edible offal (mammalian)	0.5
Meat (mammalian)	0.1
Milks	0.1
Stone fruits [except cherries]	0.5

Agvet chemical: Amitrole*Permitted residue: Amitrole*

Avocado	*0.01
Banana	*0.01
Blueberries	T*0.01
Cereal grains	*0.01
Citrus fruits	*0.01

Edible offal (mammalian)	*0.01
Grapes	*0.01
Hops, dry	*0.01
Meat (mammalian)	*0.01
Milks	*0.01
Oilseed	*0.01
Papaya (pawpaw)	*0.01
Passionfruit	*0.01
Pecan	*0.01
Pineapple	*0.01
Pome fruits	*0.01
Potato	*0.05
Pulses	*0.01
Stone fruits	*0.02
Sugar cane	*0.01

Agvet chemical: Amoxicillin*Permitted residue: Inhibitory substance, identified as amoxicillin*

Cattle milk	*0.01
Edible offal (mammalian)	*0.01
Eggs	*0.01
Meat (mammalian)	*0.01
Poultry, edible offal of	*0.01
Poultry meat	*0.01
Sheep milk	*0.01

Agvet chemical: Ampicillin*Permitted residue: Inhibitory substance, identified as ampicillin*

Cattle milk	*0.01
Horse, edible offal of	*0.01
Horse meat	*0.01

Agvet chemical: Amprolium*Permitted residue: Amprolium*

Eggs	4
Poultry, edible offal of	1
Poultry meat	0.5

Agvet chemical: Apramycin*Permitted residue: Apramycin*

Edible offal (mammalian)	2
Meat (mammalian)	*0.05
Poultry, edible offal of	1
Poultry meat	*0.05

Agvet chemical: Asulam*Permitted residue: Asulam*

Apple	*0.1
Edible offal (mammalian)	*0.1
Hops, dry	*0.1
Meat (mammalian)	*0.1
Milks	*0.1
Poppy seed	*0.1
Potato	0.4

Sugar cane	*0.1
------------	------

Agvet chemical: Atrazine*Permitted residue: Atrazine*

Edible offal (mammalian)	T*0.1
Lupin (dry)	*0.02
Maize	*0.1
Meat (mammalian)	T*0.01
Milks	T*0.01
Potato	*0.01
Rape seed (canola)	*0.02
Sorghum	*0.1
Sugar cane	*0.1
Sweet corn (corn-on-the-cob)	*0.1

Agvet chemical: Avermectin B1see *Abamectin***Agvet chemical: Avilamycin***Permitted residue: Inhibitory substance, identified as avilamycin*

Poultry, edible offal of	*0.05
Poultry meat	*0.05

Agvet chemical: Azaconazole*Permitted residue: Azaconazole*

Mushrooms	0.1
-----------	-----

Agvet chemical: Azamethiphos*Permitted residue: Azamethiphos*

Cereal grains	0.1
Edible offal (mammalian)	*0.05
Eggs	*0.05
Meat (mammalian)	*0.05
Milks	*0.05
Poultry, edible offal of	*0.05
Poultry meat	*0.05
Wheat bran, unprocessed	0.5

Agvet chemical: Azaperone*Permitted residue: Azaperone*

Pig, edible offal of	0.2
Pig meat	0.2

Agvet chemical: Azimsulfuron*Permitted residue: Azimsulfuron*

Edible offal (mammalian)	*0.02
Eggs	*0.02
Meat (mammalian)	*0.02
Milks	*0.02
Poultry, edible offal of	*0.02
Poultry meat	*0.02
Rice	*0.02

Agvet chemical: Azinphos-methyl*Permitted residue: Azinphos-methyl*

Blueberries	5
Edible offal (mammalian)	*0.05
Grapes	2
Litchi	2
Macadamia nuts	*0.01
Meat (mammalian)	*0.05
Milks	*0.05
Pome fruits	1
Stone fruits	2
Strawberry	1

Agvet chemical: Azoxystrobin*Permitted residue: Azoxystrobin*

Almonds	*0.01
Anise myrtle leaves (dried)	T3
Avocado	1
Banana	T0.5
Barley	0.2
Beans [except broad and soya bean]	2
Bergamot	T50
Blackberries	5
Blueberries	5
Boysenberry	5
Brassica (cole or cabbage) vegetables, head cabbages, flowerhead brassicas	0.7
Brassica leafy vegetables [except mizuna]	2
Bulb vegetables [except fennel, bulb; onion, bulb]	2
Burnet, salad	T50
Carrot	0.2
Chervil	T50
Chick-pea (dry)	T0.5
Citrus fruits	10
Cloudberry	T5
Coriander (leaves, roots, stems)	T50
Coriander, seed	T50
Cotton seed	*0.01
Cranberry	0.5
Dewberries (including boysenberry and loganberry)	T5
Dill, seed	T50
Dried grapes	5
Edible offal (mammalian)	*0.01
Eggs	*0.01
Fennel, seed	T50
Fennel, bulb	T0.1
Fruiting vegetables, cucurbits	1
Galangal, Greater	T0.1
Grapes	2
Herbs [except as otherwise listed under this chemical]	T50
Horseradish	0.5
Kaffir lime leaves	T50
Lemon grass	T50
Lemon myrtle leaves (dried)	T3
Lemon verbena (dry leaves)	T50
Lentil (dry)	T0.5

Lettuce, head	15
Lettuce, leaf	15
Maize	T*0.01
Mango	0.5
Meat (mammalian)	*0.01
Mexican tarragon	T50
Milks	0.005
Mizuna	T50
Oats	0.1
Olives	T2
Passionfruit	0.5
Peanut	0.05
Peanut oil, crude	0.1
Peas (pods and succulent, immature seeds)	2
Peppers	3
Poppy seed	*0.02
Potato	0.05
Poultry, edible offal of	*0.01
Poultry meat	*0.01
Radish	0.5
Raspberries, red, black	5
Riberry	T1
Rice	T7
Rose and dianthus (edible flowers)	T50
Rucola (rocket)	T50
Spices	*0.1
Stone fruits	1.5
Strawberry	10
Tea, green, black	T20
Tomato	T1
Tree nuts [except almonds]	2
Turmeric, root	T0.1
Wheat	0.1

Agvet chemical: Bacitracin*Permitted residue: Inhibitory substance, identified as bacitracin*

Chicken, edible offal of	*0.5
Chicken fat	*0.5
Chicken meat	*0.5
Eggs	*0.5
Milks	*0.5

Agvet chemical: Benalaxyl*Permitted residue: Benalaxyl*

Fruiting vegetables, cucurbits	0.2
Garlic	0.1
Grapes	0.5
Lettuce, head	*0.01
Lettuce, leaf	*0.01
Onion, bulb	0.1
Shallot	T0.5
Spring onion	T0.1

Agvet chemical: Bendiocarb

Permitted residue—commodities of plant origin:

Unconjugated bendiocarb

Permitted residue—commodities of animal origin: Sum of conjugated and unconjugated Bendiocarb, 2,2-dimethyl-1,3-benzodioxol-4-ol and N-hydroxymethylbendiocarb, expressed as Bendiocarb

Banana	*0.02
Cattle, edible offal of	0.2
Cattle meat	0.1
Eggs	0.05
Milks	0.1
Poultry, edible offal of	0.1
Poultry meat	0.05

Agvet chemical: Benfluralin

Permitted residue: Benfluralin

Lettuce, head	T*0.05
Lettuce, leaf	T*0.05

Agvet chemical: Benomyl

see *Carbendazim*

Agvet chemical: Bensulfuron-methyl

Permitted residue: Bensulfuron-methyl

Rice	*0.02
Rice bran, processed	*0.05

Agvet chemical: Bensulide

Permitted residue: Bensulide

Fruiting vegetables, cucurbits	*0.1
--------------------------------	------

Agvet chemical: Bentazone

Permitted residue: Bentazone

Beans [except soya bean]	0.5
Edible offal (mammalian)	*0.05
Eggs	*0.05
Meat (mammalian)	*0.05
Milks	*0.05
Onion, bulb	T0.1
Peanut	*0.1
Peas	3
Poultry, edible offal of	*0.05
Poultry meat	*0.05
Pulses	*0.01
Rice	*0.03
Sweet corn (corn-on-the-cob)	*0.1

Agvet chemical: Benzocaine

Permitted residue: Benzocaine

Abalone	*0.05
Finfish	*0.05

Agvet chemical: Benzofenap

Permitted residue: Sum of benzofenap, benzofenap-OH and Benzofenap-red, expressed as benzofenap

Rice	*0.01
------	-------

Agvet chemical: Benzyladenine*Permitted residue: Benzyladenine*

Apple	0.2
Pear	*0.005
Pistachio nut	T*0.05

Agvet chemical: Benzyl G penicillin*Permitted residue: Inhibitory substance, identified as benzyl G penicillin*

Edible offal (mammalian)	*0.06
Meat (mammalian)	*0.06
Milks	*0.0015

Agvet chemical: Betacyfluthrinsee *Cyfluthrin***Agvet chemical: Bifenazate***Permitted residue: Sum of bifenazate and bifenazate diazene (diazene-carboxylic acid, 2-(4-methoxy-[1,1'-biphenyl-3-yl] 1-methylethyl ester), expressed as bifenazate*

Almonds	0.1
Apricot	0.5
Blackberries	T7
Cherries	2.5
Cloudberry	T7
Cranberry	1.5
Dewberries (including boysenberry and loganberry)	T7
Dried grapes	T2
Edible offal (mammalian)	*0.01
Eggs	*0.01
Fruiting vegetables, cucurbits	1
Fruiting vegetables, other than cucurbits [except mushrooms; sweet corn (corn-on-the-cob)]	1
Grapes [except wine grapes]	T1
Hops, dry	15
Lettuce, head	T20
Lettuce, leaf	T20
Meat (mammalian) (in the fat)	*0.01
Milks	*0.01
Nectarine	0.5
Papaya (pawpaw)	2
Peach	2
Podded pea (young pods) (snow and sugar snap)	T1
Poultry, edible offal of	*0.01
Poultry meat	*0.01
Plums (including prunes)	0.5
Pome fruits	2
Raspberries, red, black	T7
Strawberry	2
Yard-long bean (pods)	T1

Agvet chemical: Bifenthrin

Permitted residue: Bifenthrin

Almonds	T0.1
Apple	*0.05
Avocado	T0.1
Banana	0.1
Blackberries	T3
Blueberries	T3
Brassica (cole or cabbage) vegetables, head cabbages, flowerhead brassicas [except cabbages, head]	T1
Cabbages, head	T7
Cereal grains	*0.02
Cherries	T1
Chervil	T0.5
Chia	T0.2
Cloudberry	T3
Citrus fruits	*0.05
Common bean (pods and/or immature seeds)	T1
Cotton seed	0.1
Cucumber	T0.5
Dewberries (including boysenberry and loganberry)	T3
Edible offal (mammalian)	0.5
Eggs	*0.05
Field pea (dry)	T*0.01
Fruiting vegetables, cucurbits [except cucumber]	0.1
Fruiting vegetables, other than cucurbits	0.5
Galangal, rhizomes	T10
Ginger, root	T*0.01
Gooseberry	T3
Grapes	0.2
Herbs	T0.5
Kaffir lime leaves	T10
Leafy vegetables [except chervil; mizuna; rucola (rocket)]	T2
Lemon balm	T10
Lemon grass	T10
Lemon verbena	T10
Lupin (dry)	T*0.02
Meat (mammalian) (in the fat)	2
Milks	0.5
Mizuna	T0.5
Olives	T0.5
Pear	0.5
Peas (pods and succulent, immature seeds)	*0.01
Pineapple	T*0.01
Poppy seed	*0.02
Poultry, edible offal of	*0.05
Poultry meat (in the fat)	*0.05
Pulses [except field pea (dry); lupin (dry)]	*0.02
Rape seed (canola)	*0.02
Raspberries, red, black	T3
Rucola (rocket)	T0.5

Stone fruits [except cherries]	1
Strawberry	1
Sugar cane	*0.01
Sweet potato	*0.05
Taro	T*0.05
Tea, green, black	5
Turmeric, root	T10

Agvet chemical: Bioresmethrin*Permitted residue: Bioresmethrin*

Mango	T0.5
-------	------

Agvet chemical: Bitertanol*Permitted residue: Bitertanol*

Beans [except broad bean; soya bean]	0.5
Edible offal (mammalian)	3
Eggs	*0.01
Meat (mammalian) (in the fat)	0.3
Milks	0.2
Poultry, edible offal of	*0.01
Poultry meat	*0.01
Strawberry	*0.05

Agvet chemical: Bixafen*Permitted residue—commodities of plant origin: Bixafen**Permitted residue—commodities of animal origin: Sum of bixafen and N-(3',4'-dichloro-5-fluorobiphenyl-2-yl)-3-(difluoromethyl)-1H-pyrazole-4-carboxamide (bixafen-desmethyl), expressed as bixafen*

Barley	T0.3
Eggs	T*0.02
Edible offal (mammalian)	T1
Meat (mammalian) (in the fat)	T0.3
Milks	T*0.02
Poultry, edible offal of	T*0.02
Poultry meat (in the fat)	T*0.02
Pulses	T0.1
Rape seed	T*0.01
Wheat	T0.5

Agvet chemical: Boscalid*Permitted residue—commodities of plant origin: Boscalid**Permitted residue—commodities of animal origin: Sum of boscalid, 2-chloro-N-(4'-chloro-5-hydroxybiphenyl-2-yl)nicotinamide and the glucuronide conjugate of 2-chloro-N-(4'-chloro-5-hydroxybiphenyl-2-yl)nicotinamide, expressed as boscalid equivalents*

All other foods	0.5
Blackberries	T10
Blueberries	T15
Boysenberry	T10
Brassica (cole or cabbage) vegetables, head cabbages, flowerhead brassicas	2
Bulb vegetables [except onion, bulb]	T5
Celery	T15
Cherries	T3
Chervil	T30

Cloudberry	T10
Coriander (leaves, roots, stems)	T30
Dewberries (including boysenberry and loganberry and youngberry) [except boysenberry]	T10
Dried grapes	15
Fruiting vegetables, cucurbits	0.5
Fruiting vegetables, other than cucurbits	1
Edible offal (mammalian)	0.3
Grapes	5
Herbs	T30
Hops, dry	35
Leafy vegetables	30
Legume vegetables	3
Meat (mammalian) (in the fat)	0.3
Milk fats	0.7
Milks	0.1
Onion, bulb	T1
Pistachio nut	T2
Pome fruits	2
Raspberries, red, black	T10
Root and tuber vegetables	1
Silvanberries	T10
Stone fruits [except cherries]	1.7
Strawberry	10

Agvet chemical: Brodifacoum*Permitted residue: Brodifacoum*

Cereal grains	T*0.00002
Edible offal (mammalian)	T*0.00005
Meat (mammalian)	T*0.00005
Pulses	T*0.00002
Sugar cane	*0.0005

Agvet chemical: Bromacil*Permitted residue: Bromacil*

Asparagus	*0.04
Citrus fruits	*0.04
Edible offal (mammalian)	*0.04
Meat (mammalian)	*0.04
Milks	*0.04
Pineapple	*0.04

Agvet chemical: Bromoxynil*Permitted residue: Bromoxynil*

Cereal grains	*0.2
Edible offal (mammalian)	T3
Eggs	*0.02
Garlic	T0.1
Grapes	*0.01
Linseed	*0.02
Meat (mammalian) (in the fat)	T1
Milks	T0.1
Poultry, edible offal of	*0.02
Poultry meat	*0.02
Sugar cane	*0.02

Agvet chemical: Bupirimate*Permitted residue: Bupirimate*

Apple	1
Egg plant	T1
Fruiting vegetables, cucurbits	1
Peppers	0.7
Strawberry	1

Agvet chemical: Buprofezin*Permitted residue: Buprofezin*

Celery	T5
Chervil	T50
Citrus fruits	2
Coriander (leaves, roots, stems)	T50
Cotton seed	T1
Cotton seed oil, crude	T0.3
Custard apple	0.1
Dried grapes (currants, raisins and sultanas)	1
Edible offal (mammalian)	*0.05
Fruiting vegetables, cucurbits	T2
Fruiting vegetables, other than cucurbits	T2
Grapes	2.5
Herbs	T50
Lettuce, leaf	T10
Litchi	T0.5
Mango	0.2
Meat (mammalian) (in the fat)	*0.05
Milks	*0.01
Mizuna	T50
Olives	T0.5
Olive oil, crude	T2
Passionfruit	2
Pear	0.2
Persimmon, Japanese	1
Rucola (rocket)	T50
Stone fruits [except apricot; peach]	1.9
Tree tomato	T1

Agvet chemical: Butafenacil*Permitted residue: Butafenacil*

Cereal grains [except rice]	*0.02
Edible offal (mammalian)	*0.02
Eggs	*0.01
Grapes	T*0.02
Meat (mammalian)	*0.01
Milks	*0.01
Pome fruits	T*0.02
Poultry, edible offal of	*0.02
Poultry meat	*0.01
Stone fruits	T*0.02

Agvet chemical: Butroxydim*Permitted residue: Butroxydim*

Edible offal (mammalian)	*0.01
--------------------------	-------

Eggs	*0.01
Legume vegetables	*0.01
Meat (mammalian)	*0.01
Milks	*0.01
Oilseed	*0.01
Poultry, edible offal of	*0.01
Poultry meat	*0.01
Pulses	*0.01

Agvet chemical: Cadusafos*Permitted residue: Cadusafos*

Banana	*0.01
Citrus fruits	*0.01
Ginger, root	0.1
Sugar cane	*0.01
Tomato	*0.01

Agvet chemical: Captan*Permitted residue: Captan*

Almonds	0.3
Berries and other small fruits [except blueberries; grapes; strawberry]	T30
Blueberries	20
Chick-pea (dry)	T0.1
Cucumber	T5
Dried grapes	15
Edible offal (mammalian)	*0.05
Eggs	*0.02
Grapes	10
Lentil (dry)	T0.1
Lettuce, leaf	T7
Meat (mammalian)	*0.05
Milks	*0.01
Peppers, chili	T7
Peppers, sweet	T7
Pitaya (dragon fruit)	T20
Pome fruits	10
Poultry, edible offal of	*0.02
Poultry meat	*0.02
Stone fruits	15
Strawberry	10
Tree nuts [except almonds]	3

Agvet chemical: Carbaryl*Permitted residue: Carbaryl*

Apricot	10
Asparagus	10
Avocado	10
Banana (in the pulp)	5
Barley	15
Blackberries	10
Blueberries	7
Brazilian cherry (grumichama)	5
Carambola	5
Cassava	T0.1
Cereal grains [except barley; sorghum]	5
Cherries	5

Citrus fruits	7
Cotton seed	3
Cranberry	3
Custard apple	5
Dewberries (including boysenberry and loganberry)	10
Edible offal (mammalian)	T0.2
Eggs	T0.2
Elephant apple	5
Feijoa	5
Fruiting vegetables, cucurbits	3
Galangal, rhizomes (fresh)	T5
Granadilla	5
Grapes	5
Guava	5
Jaboticaba	5
Jackfruit	5
Jambu	5
Kiwifruit	10
Leafy vegetables	10
Litchi	5
Longan	5
Mango	5
Meat (mammalian)	T0.2
Milks	T*0.05
Nectarine	10
Okra	10
Olives	10
Olives, processed	1
Papaya (pawpaw)	5
Passionfruit	5
Peach	10
Plums (including prunes)	5
Pome fruits	5
Potato	0.2
Poultry, edible offal of	T5
Poultry meat	T0.5
Rambutan	5
Raspberries, red, black	10
Sapodilla	5
Sapote, black	5
Sapote, green	5
Sapote, mammey	5
Sapote, white	5
Sorghum	10
Strawberry	7
Sugar cane	T*0.05
Sunflower seed	1
Sweet corn (corn-on-the-cob)	1
Tree nuts	1
Tree nuts (whole in shell)	10
Turmeric, root (fresh)	T5
Vegetables [except as otherwise listed under this chemical]	5
Wheat bran, unprocessed	T20

Agvet chemical: Carbendazim

Permitted residue: Sum of carbendazim and 2-aminobenzimidazole, expressed as carbendazim

Apple	0.2
Apricot	2
Banana	T1
Berries and other small fruits [except grapes]	T5
Cherries	20
Chives	*0.1
Citron	0.7
Edible offal (mammalian)	0.2
Eggs	*0.1
Garlic	T0.2
Ginger, root	T10
Grapefruit	0.2
Grapes	0.3
Lemon	0.7
Lime	0.7
Macadamia nuts	0.1
Mandarins	0.7
Meat (mammalian)	0.2
Milks	*0.1
Mineola	0.7
Mushrooms	T5
Nectarine	0.2
Onion, bulb	T*0.2
Oranges	0.2
Peach	0.2
Pear	0.2
Peppers	*0.1
Peppers, chili (dry)	20
Poultry, edible offal of	*0.1
Poultry meat	*0.1
Pulses	0.5
Shaddock (pomelo)	0.2
Spices	*0.1
Sugar cane	T0.1
Tangelo [except mineola]	0.2
Tangors	0.7
Tomato	0.5

Agvet chemical: Carbofuran*Permitted residue: Sum of carbofuran and 3-hydroxycarbofuran, expressed as carbofuran*

Barley	0.2
Cotton seed	0.1
Edible offal (mammalian)	*0.05
Eggs	*0.05
Garlic	T0.1
Meat (mammalian)	*0.05
Milks	*0.05
Poultry, edible offal of	*0.05
Poultry meat	*0.05
Rice	0.2
Sugar cane	*0.1
Sunflower seed	0.1
Wheat	0.2

Agvet chemical: Carbon disulphide*Permitted residue: Carbon disulfide*

Cereal grains	10
Pulses	T10

Agvet chemical: Carbonyl sulphide*Permitted residue: Carbonyl sulphide*

Cereal grains	T0.2
Pulses	T0.2
Rape seed (canola)	T0.2

Agvet chemical: Carbosulfansee *Carbofuran***Agvet chemical: Carboxin***Permitted residue: Carboxin*

Cereal grains	0.1
---------------	-----

Agvet chemical: Carfentrazone-ethyl*Permitted residue: Carfentrazone-ethyl*

Assorted tropical and sub-tropical fruits - edible peel	*0.05
Assorted tropical and sub-tropical fruits - inedible peel	*0.05
Berries and other small fruits [except grapes]	T*0.05
Cereal grains	*0.05
Citrus fruits	*0.05
Cotton seed	T*0.05
Edible offal (mammalian)	*0.05
Eggs	*0.05
Grapes	*0.05
Hops, dry	0.1
Meat (mammalian)	*0.05
Milks	*0.025
Pome fruits	*0.05
Potato	*0.05
Poultry, edible offal of	*0.05
Poultry meat	*0.05
Stone fruits	*0.05
Tree nuts	*0.05

Agvet chemical: Ceftiofur*Permitted residue: Desfuroylceftiofur*

Cattle, edible offal of	2
Cattle fat	0.5
Cattle meat	0.1
Cattle milk	0.1

Agvet chemical: Cefuroxime*Permitted residue: Inhibitory substance, identified as cefuroxime*

Cattle, edible offal of	*0.1
Cattle meat	*0.1
Cattle milk	*0.1

Agvet chemical: Cephalonium*Permitted residue: Inhibitory substance, identified as cephalonium*

Cattle, edible offal of	*0.1
Cattle meat	*0.1
Cattle milk	*0.02

Agvet chemical: Cephapirin*Permitted residue: Cephapirin and des-acetylcephapirin, expressed as cephapirin*

Cattle, edible offal of	*0.02
Cattle meat	*0.02
Cattle milk	*0.01

Agvet chemical: Chinomethionatsee *Oxythioquinox***Agvet chemical: Chlorantraniliprole***Permitted residue—plant commodities and animal commodities other than milk: Chlorantraniliprole**Permitted residue—milk: Sum of chlorantraniliprole, 3-bromo-N-[4-chloro-2-(hydroxymethyl)-6-[(methylamino)carbonyl]phenyl]-1-(3-chloro-2-pyridinyl)-1H-pyrazole-5-carboxamide, and 3-bromo-N-[4-chloro-2-(hydroxymethyl)-6-[[[(hydroxymethyl)amino]carbonyl]phenyl]-1-(3-chloro-2-pyridinyl)-1H-pyrazole-5-carboxamide, expressed as chlorantraniliprole*

Adzuki bean (dry)	T0.5
All other foods	*0.01
Almonds	T0.05
Asparagus	13
Avocado	4
Berries and other small fruits	2.5
Brassica (cole or cabbage) vegetables, head cabbages, flowerhead brassicas	0.5
Celery	5
Cherries	1
Chick-pea (dry)	0.07
Citrus fruits	1.4
Coffee beans	0.4
Cotton seed	0.3
Coriander (leaves, roots, stems)	T20
Dried fruits	2
Edible offal (mammalian) [except liver]	*0.01
Eggs	0.03
Fruiting vegetables, cucurbits	0.5
Fruiting vegetables, other than cucurbits [except peppers, chili; sweet corn (corn-on-the-cob)]	0.3
Herbs	T20
Hops, dry	90
Leafy vegetables [except lettuce, head; rucola]	15
Legume vegetables	2
Lettuce, head	3
Liver (mammalian)	0.02
Meat (mammalian) (in the fat)	0.02
Mexican tarragon	T20

Milk fats	0.1
Milks	*0.01
Mung bean (dry)	0.7
Peppers, chili	1
Pistachio nut	T0.05
Plums	1
Pome fruits	0.3
Poultry, edible offal of	*0.01
Poultry meat (in the fat)	*0.01
Rape seed (canola)	2
Rhubarb	5
Rice	0.15
Root and tuber vegetables	T0.05
Rucola (rocket)	T20
Soya bean (dry)	0.07
Stone fruits [except cherries and plums]	4
Sunflower seed	2
Sweet corn (corn-on-the-cob)	*0.01
Tree nuts [except almonds; pistachio nut]	0.02

Agvet chemical: Chlorfenapyr*Permitted residue: Chlorfenapyr*

Brassica (cole or cabbage) vegetables, head cabbages, flowerhead brassicas	0.5
Brassica leafy vegetables [except Chinese cabbage]	T3
Chinese cabbage	3
Cotton seed	0.5
Edible offal (mammalian)	*0.05
Eggs	*0.01
Meat (mammalian) (in the fat)	0.05
Milks	*0.01
Mizuna	T3
Onion, Welsh	T1
Peach	1
Peppers, chili	0.01
Pome fruits	0.5
Poultry, edible offal of	*0.01
Poultry meat (in the fat)	*0.01
Rucola (rocket)	T5
Shallot	T1
Spices	0.05
Spring onion	T1
Tea, green, black	50

Agvet chemical: Chlorfenvinphos*Permitted residue: Chlorfenvinphos, sum of E and Z isomers*

Broccoli	T0.05
Brussels sprouts	T0.05
Cabbages, head	T0.05
Carrot	T0.4
Cattle, edible offal of	T*0.1
Cattle meat (in the fat)	T0.2
Cattle milk (in the fat)	T0.2
Cauliflower	T0.1

Celery	T0.4
Cotton seed	T0.05
Deer meat (in the fat)	0.2
Egg plant	T0.05
Goat, edible offal of	T*0.1
Goat meat (in the fat)	T0.2
Horseradish	T0.1
Leek	T0.05
Maize	T0.05
Mushrooms	T0.05
Onion, bulb	T0.05
Peanut	T0.05
Potato	T0.05
Radish	T0.1
Rice	T0.05
Sheep, edible offal of	T*0.1
Sheep meat (in the fat)	T0.2
Swede	T0.05
Sweet potato	T0.05
Tomato	T0.1
Turnip, garden	T0.05
Wheat	T0.05

Agvet chemical: Chlorfluazuron*Permitted residue: Chlorfluazuron*

Cattle, edible offal of	0.1
Cattle meat (in the fat)	1
Cattle milk	0.1
Cotton seed	0.1
Cotton seed oil, crude	0.1
Cotton seed oil, edible	*0.05
Eggs	0.2
Poultry, edible offal of	0.1
Poultry meat (in the fat)	1

Agvet chemical: Chlorhexidine*Permitted residue: Chlorhexidine*

Milks	0.05
Sheep, edible offal of	*0.5
Sheep fat	*0.5
Sheep meat	*0.5

Agvet chemical: Chloridazon*Permitted residue: Chloridazon*

Beetroot	*0.05
----------	-------

Agvet chemical: Chlormequat*Permitted residue: Chlormequat cation*

Barley	T2
Dried grapes	0.75
Edible offal (mammalian)	0.5
Eggs	0.1
Grapes	0.75
Meat (mammalian)	0.2
Milks	0.5
Poultry, edible offal of	0.1

Poultry meat	*0.05
Wheat	5

Agvet chemical: Chloropicrin*Permitted residue: Chloropicrin*

Cereal grains	*0.1
---------------	------

Agvet chemical: Chlorothalonil*Permitted residue—commodities of plant origin:**Chlorothalonil**Permitted residue—commodities of animal origin: 4-hydroxy-2,5,6-trichloroisophthalonitrile metabolite, expressed as chlorothalonil*

Almonds	T0.1
Apricot	7
Asparagus	T*0.1
Banana	3
Berries and other small fruits [except blackcurrant; grapes]	T10
Brussels sprouts	7
Carrot	7
Celery	10
Cherries	10
Coriander (leaves, roots, stems)	T20
Currant, black	10
Edible offal (mammalian)	7
Egg plant	T10
Fennel, bulb	5
Fennel, leaf	5
Fennel, seed	5
Fruiting vegetables, cucurbits	5
Galangal, Greater	T7
Galangal, Lesser	T7
Garlic	10
Grapes	10
Herbs [except fennel, leaf]	T20
Leafy vegetables [except lettuce]	T100
Leek	T10
Lettuce, head	T10
Lettuce, leaf	T10
Mango	T1
Meat (mammalian) (in the fat)	2
Milks	0.05
Nectarine	7
Onion, bulb	10
Onion, Welsh	T10
Papaya (pawpaw)	10
Peach	30
Peanut	0.2
Peas (pods and succulent, immature seeds)	10
Persimmon, American	T5
Persimmon, Japanese	T5
Plums (including prunes)	10
Potato	0.1
Poultry, edible offal of	*0.05
Poultry meat	*0.05
Pulses	3

Rice	T*0.1
Shallot	T10
Spring onion	T10
Sunflower seed	T*0.01
Tomato	10
Tree tomato	T10
Turmeric, root	T7
Vegetables [except asparagus; Brussels sprouts; carrot; celery; egg plant; fennel bulb; fruiting vegetables, cucurbits; garlic; leafy vegetables; leek; onion, bulb; peas (pods and succulent, immature seeds); potato; pulses; spring onion; tomato]	T7
Wasabi	T7

Agvet chemical: Chlorpropham*Permitted residue: Chlorpropham*

Garlic	*0.05
Onion, bulb	*0.05
Potato	30

Agvet chemical: Chlorpyrifos*Permitted residue: Chlorpyrifos*

Asparagus	T0.5
Avocado	0.5
Banana	T0.5
Blackberries	0.5
Blueberries	*0.01
Brassica (cole or cabbage) vegetables, head cabbages, flowerhead brassicas	T0.5
Cassava	T*0.02
Celery	T5
Cereal grains [except sorghum]	T0.1
Cherries	1
Citrus fruits	1
Coffee beans	T0.5
Cotton seed	0.05
Cotton seed oil, crude	0.2
Cranberry	1
Dried fruits	T2
Edible offal (mammalian)	T0.1
Eggs	T*0.01
Ginger, root	*0.02
Grapes	T1
Kiwifruit	2
Leek	T5
Mango	*0.05
Meat (mammalian) (in the fat)	T0.5
Milks (in the fat)	T0.2
Oilseed [except cotton seed; peanut]	T*0.05
Olives	T*0.05
Onion, bulb	0.2
Parsley	0.05
Passionfruit	*0.05
Peanut	0.05
Peppers, chili (dry)	20

Peppers, sweet	T1
Persimmon, American	T1
Persimmon, Japanese	T1
Pineapple	T0.5
Pitaya (dragon fruit)	T*0.05
Pome fruits	T0.5
Potato	0.05
Poultry, edible offal of	T0.1
Poultry meat (in the fat)	T0.1
Sorghum	T3
Spices	5
Star apple	T*0.05
Stone fruits [except cherries]	T1
Strawberry	0.3
Sugar cane	T0.1
Swede	T0.3
Sweet potato	T0.05
Taro	0.05
Tea, green, black	2
Tomato	T0.5
Tree nuts	T0.05
Vegetables [except asparagus; brassica vegetables; cassava; celery; leek; peppers, chili (dry); peppers, sweet; potato; swede; sweet potato; taro; tomato]	T*0.01

Agvet chemical: Chlorpyrifos-methyl*Permitted residue: Chlorpyrifos-methyl*

Cereal grains [except rice]	10
Cotton seed	*0.01
Edible offal (mammalian)	*0.05
Eggs	*0.05
Lupin (dry)	10
Meat (mammalian) (in the fat)	*0.05
Milks (in the fat)	*0.05
Poultry, edible offal of	*0.05
Poultry meat (in the fat)	*0.05
Rice	0.1
Tea, green, black	0.1
Wheat bran, unprocessed	20
Wheat germ	30

Agvet chemical: Chlorsulfuron*Permitted residue: Chlorsulfuron*

Cereal grains	*0.05
Edible offal (mammalian)	*0.05
Meat (mammalian)	*0.05
Milks	*0.05

Agvet chemical: Chlortetracycline*Permitted residue: Inhibitory substance, identified as chlortetracycline*

Cattle kidney	0.6
Cattle liver	0.3
Cattle meat	0.1
Eggs	0.2

Pig kidney	0.6
Pig liver	0.3
Pig meat	0.1
Poultry, edible offal of	0.6
Poultry meat	0.1

Agvet chemical: Chlorthal-dimethyl*Permitted residue: Chlorthal-dimethyl*

Eggs	*0.05
Edible offal (mammalian)	*0.05
Meat (mammalian)	*0.05
Lettuce, head	2
Lettuce, leaf	2
Milks	*0.05
Parsley	T2
Poultry, edible offal of	*0.05
Poultry meat	*0.05
Vegetables [except as otherwise listed under this chemical]	5

Agvet chemical: Clavulanic acid*Permitted residue: Clavulanic acid*

Cattle, edible offal of	*0.01
Cattle meat	*0.01
Cattle milk	*0.01

Agvet chemical: Clethodimsee *Sethoxydim***Agvet chemical: Clodinafop-propargyl***Permitted residue: Clodinafop-propargyl*

Barley	T*0.02
Edible offal (mammalian)	*0.05
Eggs	*0.05
Meat (mammalian)	*0.05
Milks	*0.05
Poultry, edible offal of	*0.05
Poultry meat	*0.05
Wheat	*0.05

Agvet chemical: Clodinafop acid*Permitted residue: (R)-2-[4-(5-chloro-3-fluoro-2-pyridinyloxy) phenoxy] propanoic acid*

Barley	T*0.02
Edible offal (mammalian)	*0.1
Eggs	*0.1
Meat (mammalian)	*0.1
Milks	*0.1
Poultry, edible offal of	*0.1
Poultry meat	*0.1
Wheat	*0.1

Agvet chemical: Clofentezine*Permitted residue: Clofentezine*

Almonds	T0.5
Banana	*0.01

Edible offal (mammalian)	T*0.05
Grapes	1
Hops, dry	*0.2
Meat (mammalian)	T*0.05
Milks	T*0.05
Pome fruits	0.1
Stone fruits	0.1
Tomato	T1

Agvet chemical: Clomazone*Permitted residue: Clomazone*

Beans [except broad bean; soya bean]	*0.05
Common bean (pod and/or immature seeds)	T*0.05
Fruiting vegetables, cucurbits	*0.05
Poppy seed	*0.05
Potato	*0.05
Rice	*0.01

Agvet chemical: Clopyralid*Permitted residue: Clopyralid*

Blueberries	0.5
Cauliflower	T0.2
Cereal grains	2
Edible offal (mammalian) [except kidney]	0.5
Hops, dry	2
Kidney of cattle, goats, pigs and sheep	5
Meat (mammalian)	0.1
Milks	0.05
Poppy seed	T0.5
Rape seed (canola)	0.5
Strawberry	4

Agvet chemical: Cloquintocet-mexyl*Permitted residue: Sum of cloquintocet mexyl and 5-chloro-8-quinolinoxyacetic acid, expressed as cloquintocet mexyl*

Barley	*0.1
Edible offal (mammalian)	*0.1
Eggs	*0.1
Meat (mammalian)	*0.1
Milks	*0.1
Poppy seed	T*0.02
Poultry, edible offal of	*0.1
Poultry meat	*0.1
Rye	*0.1
Triticale	*0.1
Wheat	*0.1

Agvet chemical: Clorsulon*Permitted residue: Clorsulon*

Cattle, edible offal of	*0.1
Cattle meat	*0.1
Cattle milk	1.5

Agvet chemical: Closantel

Permitted residue: Closantel

Sheep, edible offal of	5
Sheep meat	2

Agvet chemical: Clothianidin*Permitted residue: Clothianidin*

Banana	*0.02
Cherimoya	T2
Cherries	T5
Cotton seed	*0.02
Cranberry	0.01
Custard apple	T2
Dried grapes	10
Edible offal (mammalian)	*0.02
Eggs	*0.02
Fruiting vegetables, cucurbits	T1
Fruiting vegetables, other than cucurbits [except mushrooms; sweet corn (corn-on-the-cob)]	T0.7
Grapes [except wine grapes]	3
Llama	T2
Maize	*0.01
Meat (mammalian)	*0.02
Milks	*0.01
Olives	T0.5
Persimmon, American	T2
Persimmon, Japanese	T2
Pome fruits	T2
Popcorn	*0.01
Poultry, edible offal of	*0.02
Poultry meat	*0.02
Rape seed (canola)	*0.01
Sorghum	*0.01
Soursop	T2
Soya bean (dry)	T0.02
Spices	0.05
Stone fruits [except cherries]	T3
Sugar apple	T2
Sugar cane	0.1
Sunflower seed	*0.01
Sweet corn (corn-on-the-cob)	0.02
Tea, green, black	T0.7
Wine grapes	*0.02

Agvet chemical: Cloxacillin*Permitted residue: Inhibitory substance, identified as Cloxacillin*

Cattle milk	*0.01
-------------	-------

Agvet chemical: Coumaphos*Permitted residue: Sum of coumaphos and its oxygen analogue, expressed as coumaphos*

Cattle fat	*0.02
Cattle kidney	*0.02
Cattle liver	*0.02
Cattle milk	*0.01
Cattle milk fat	0.1

Cattle muscle	*0.02
---------------	-------

Agvet chemical: Coumatetralyl*Permitted residue: Coumatetralyl*

Pig, edible offal of [except liver]	T0.003
Pig fat	T*0.001
Pig liver	T0.004
Pig meat	T*0.001

Agvet chemical: Cyanamide*Permitted residue: Cyanamide*

Apple	*0.02
Blueberries	*0.05
Grapes	*0.05
Kiwifruit	*0.1
Pear, Oriental (nashi)	*0.1
Plums (including prunes)	*0.02

Agvet chemical: Cyanazine*Permitted residue: Cyanazine*

Bulb vegetables	*0.02
Cereal grains	*0.01
Leek	0.05
Peas	0.02
Podded pea (young pods) (snow and sugar snap)	0.05
Potato	0.02
Pulses	*0.01
Sweet corn (corn-on-the-cob)	*0.02

Agvet chemical: Cyantraniliprole*Permitted residue: Cyantraniliprole*

All other foods	0.05
Bulb vegetables [except onion, bulb]	7
Cotton seed	*0.01
Edible offal (mammalian)	*0.01
Eggs	*0.01
Fruiting vegetables, cucurbits	0.5
Fruiting vegetables, other than cucurbits	2
Meat (mammalian) (in the fat)	*0.01
Milk fats	*0.01
Milks	*0.01
Onion, bulb	0.05
Potato	0.05
Poultry, edible offal of	*0.01
Poultry meat (in the fat)	*0.01

Agvet chemical: Cyazofamid*Permitted residue: Cyazofamid*

Hops, dry	10
-----------	----

Agvet chemical: Cyclanilide*Permitted residue: Sum of cyclanilide and its methyl ester, expressed as cyclanilide*

Cotton seed	0.2
-------------	-----

Cotton seed oil, crude	*0.01
Edible offal (mammalian)	2
Eggs	*0.01
Meat (mammalian)	0.05
Milks	0.05
Poultry, edible offal of	*0.01
Poultry meat	*0.01

Agvet chemical: Cyflufenamid*Permitted residue: Cyflufenamid*

Dried grapes (currants, raisins and sultanas)	0.5
Edible offal (mammalian)	*0.01
Eggs	*0.01
Fruiting vegetables, cucurbits	0.1
Grapes	0.15
Meat (mammalian) (in the fat)	*0.01
Milks	*0.01
Poultry, edible offal of	*0.01
Poultry meat (in the fat)	*0.01
Strawberry	T*0.01

Agvet chemical: Cyfluthrin*Permitted residue: Cyfluthrin, sum of isomers*

Avocado	0.1
Brassica (cole or cabbage) vegetables, head cabbages, flowerhead brassicas	0.5
Carambola	T0.1
Cereal grains	2
Chia	T0.5
Citrus fruits	0.2
Cotton seed	0.01
Cotton seed oil, crude	0.02
Custard apple	T0.1
Edible offal (mammalian)	*0.01
Egg plant	T0.2
Eggs	*0.01
Grapes	1
Legume vegetables	0.5
Lemon aspen	T1
Litchi	T0.3
Macadamia nuts	0.05
Mango	T0.1
Mammalian fats [except milk fats]	0.5
Meat (mammalian)	0.02
Milks	0.1
Okra	T0.2
Papaya (pawpaw)	T0.2
Pecan	T0.05
Peppers, sweet	T0.2
Persimmon, American	T0.1
Persimmon, Japanese	T0.1
Poultry, edible offal of	*0.01
Poultry meat (in the fat)	*0.01
Pulses	0.5
Rape seed (canola)	*0.05
Stone fruits	0.3

Tomato	0.2
Wheat bran, unprocessed	5

Agvet chemical: Cyhalofop-butyl

Permitted residue: Sum of cyhalofop-butyl, cyhalofop and metabolites expressed as cyhalofop-butyl

Edible offal (mammalian)	*0.05
Eggs	*0.05
Meat (mammalian) (in the fat)	*0.05
Milks	*0.05
Poultry, edible offal of	*0.05
Poultry meat	*0.05
Rice	*0.01

Agvet chemical: Cyhalothrin

Permitted residue: Cyhalothrin, sum of isomers

Barley	0.2
Beetroot	*0.01
Berries and other small fruits	0.2
Brassica (cole or cabbage) vegetables, head cabbages, flowerhead brassicas	0.1
Cereal grains [except barley; sorghum; wheat]	*0.01
Chard	T0.5
Citrus fruits	*0.01
Coriander (leaves, roots, stems)	T1
Cotton seed	*0.02
Cucumber	T0.05
Edible offal (mammalian)	*0.02
Eggs	*0.02
Garlic	*0.05
Legume vegetables	0.1
Meat (mammalian) (in the fat)	0.5
Milks (in the fat)	0.5
Onion, bulb	*0.05
Onion, Welsh	T0.05
Parsley	T1
Potato	*0.01
Poultry, edible offal of	*0.02
Poultry meat	*0.02
Pulses [except soya bean (dry)]	0.2
Radish	*0.01
Rape seed (canola)	0.02
Shallot	T0.05
Sorghum	0.5
Soya bean (dry)	*0.02
Spring onion	T0.05
Stone fruits	0.5
Sunflower seed	*0.01
Tea, green, black	1
Tomato	0.02
Wheat	*0.05

Agvet chemical: Cypermethrin

Permitted residue: Cypermethrin, sum of isomers

Adzuki bean (dry)	T0.05
All other foods	*0.01

Asparagus	0.5
Avocado	T0.2
Beetroot	T0.1
Berries and other small fruits [except grapes]	0.5
Brassica (cole or cabbage) vegetables, head cabbages, flowerhead brassicas	1
Broad bean (dry) (fava bean)	0.05
Cattle, edible offal of	0.05
Cattle meat (in the fat)	0.5
Celery	T1
Cereal grains [except wheat]	1
Chick-pea (dry)	0.2
Citrus fruits [except kumquats]	0.3
Common bean (dry) (navy bean)	0.05
Coriander (leaves, roots, stems)	T5
Coriander, seed	T1
Cotton seed	0.2
Cotton seed oil, crude	*0.02
Deer meat (in the fat)	T0.5
Durian	1
Eggs	0.05
Field pea (dry)	0.05
Fruiting vegetables, cucurbits	T0.3
Goat, edible offal of	0.05
Goat meat (in the fat)	0.5
Grapes	2
Herbs	T5
Horse, edible offal of	*0.05
Horse meat (in the fat)	*0.05
Leafy vegetables [except lettuce, head]	T5
Leek	T0.5
Lemon balm	T5
Lettuce, head	2
Linola oil, edible	0.1
Linola seed	0.1
Linseed	0.5
Longan	1
Lupin (dry)	*0.01
Milks (in the fat)	1
Mung bean (dry)	0.05
Olives	T*0.05
Onion, bulb	*0.01
Onion, Welsh	T0.5
Peas	1
Peppers, chili	1
Pig, edible offal of	*0.05
Pig meat (in the fat)	*0.05
Persimmon, American	T2
Persimmon, Japanese	T2
Pome fruits	1
Poppy seed	T*0.05
Potato	*0.01
Poultry, edible offal of	*0.05
Poultry meat (in the fat)	*0.05
Radish	T0.05
Rape seed (canola)	0.2
Rape seed oil, edible	0.2

Shallot	T0.5
Sheep, edible offal of	0.05
Sheep meat (in the fat)	0.5
Soya bean (dry)	0.05
Soya bean oil, crude	0.1
Spring onion	T0.5
Stone fruits	1
Sunflower seed	0.1
Sunflower seed oil, crude	0.1
Sweet corn (corn-on-the-cob)	0.05
Tea, green, black	0.5
Tomato	0.5
Wheat	0.2

Agvet chemical: Cyproconazole*Permitted residue: Cyproconazole, sum of isomers*

Barley	*0.02
Chick-pea (dry)	T*0.01
Edible offal (mammalian)	1
Eggs	*0.01
Lentil (dry)	T*0.01
Meat (mammalian)	0.03
Milks	*0.01
Peanut	0.02
Potato	*0.02
Poultry, edible offal of	*0.01
Poultry meat	*0.01
Wheat	*0.02

Agvet chemical: Cyprodinil*Permitted residue: Cyprodinil*

Blackberries	10
Blueberries	3
Boysenberry	10
Bulb vegetables [except fennel, bulb; garlic; onion, bulb]	T3
Chives	T3
Cloudberry	T5
Common bean (pods and/or immature seeds)	0.7
Cucumber	0.5
Dewberries (including boysenberry and loganberry) [except boysenberry]	T5
Dried grapes (currants, raisins and sultanas)	5
Dried stone fruits	0.05
Edible offal (mammalian)	*0.01
Egg plant	T0.2
Grapes	3
Leafy vegetables	10
Meat (mammalian)	*0.01
Melons, except watermelon	T0.2
Milks	*0.01
Onion, bulb	0.2
Peas (pods and succulent, immature seeds)	0.5
Peppers, sweet	0.7
Pistachio nut	T0.1

Pome fruits	0.05
Raspberries, red, black	10
Stone fruits	2
Strawberry	5
Tomato	T1

Agvet chemical: Cyromazine*Permitted residue: Cyromazine*

Cattle, edible offal of	0.05
Cattle meat	0.05
Eggs	0.2
Goat, edible offal of	0.2
Goat meat	0.2
Milks	*0.01
Mushrooms	10
Pig, edible offal of	0.05
Pig meat	0.05
Poultry, edible offal of	0.1
Poultry meat	0.05
Sheep, edible offal of	0.2
Sheep meat	0.2

Agvet chemical: 2,4-D*Permitted residue: 2,4-D*

Cereal grains	0.2
Citrus fruits	5
Edible offal (mammalian)	2
Eggs	*0.05
Grapes	T*0.05
Legume vegetables	*0.05
Lupin (dry)	*0.05
Meat (mammalian)	0.2
Milks	*0.05
Oilseed	*0.05
Pear	*0.05
Potato	0.1
Poultry, edible offal of	*0.05
Poultry meat	*0.05
Pulses	*0.05
Sugar cane	5

Agvet chemical: 2,4-DB*Permitted residue: 2,4-DB*

Cereal grains	*0.02
Edible offal (mammalian)	0.2
Eggs	*0.05
Meat (mammalian)	0.2
Milks	*0.05
Poultry, edible offal of	*0.05
Poultry meat	*0.05

Agvet chemical: Deltamethrin*Permitted residue: Deltamethrin*

Brassica (cole or cabbage) vegetables, head cabbages, flowerhead brassicas	*0.05
Cattle, edible offal of	0.1

Cattle meat (in the fat)	0.5
Cereal grains	2
Eggs	*0.01
Fruiting vegetables, other than cucurbits	0.1
Goat, edible offal of	0.1
Goat meat (in the fat)	0.2
Legume vegetables	0.1
Milks	0.05
Oilseed	0.1
Pig, edible offal of	*0.01
Pig meat (in the fat)	0.1
Poultry, edible offal of	*0.01
Poultry meat (in the fat)	*0.01
Pulses	0.1
Sheep, edible offal of	0.1
Sheep meat (in the fat)	0.2
Sweet corn (kernels)	0.1
Tea, green, black	5
Wheat bran, unprocessed	5
Wheat germ	3

Agvet chemical: Derquantel*Permitted residue: Derquantel*

Sheep fat	0.0002
Sheep kidney	0.0002
Sheep liver	0.0002
Sheep muscle	0.0002

Agvet chemical: Dexamethasone and Dexamethasone trimethylacetate*Permitted residue: Dexamethasone*

Cattle, edible offal of	0.1
Cattle meat	0.1
Cattle milk	*0.05
Horse, edible offal of	0.1
Horse meat	0.1
Pig, edible offal of	0.1
Pig meat	0.1

Agvet chemical: Diafenthiuron*Permitted residue: Sum of diafenthiuron; N-[2,6-bis(1-methylethyl)-4-phenoxyphenyl]-N-(1,1-dimethylethyl)urea; and N-[2,6-bis(1-methylethyl)-4-phenoxyphenyl]-N-(1,1-dimethylethyl)carbodiimide, expressed as diafenthiuron*

Cotton seed	0.2
Edible offal (mammalian)	*0.02
Eggs	*0.02
Meat (mammalian) (in the fat)	*0.02
Milks	*0.02
Peanut	T0.1
Poultry, edible offal of	*0.02
Poultry meat (in the fat)	*0.02

Agvet chemical: Diazinon*Permitted residue: Diazinon*

Cereal grains	0.1
Citrus fruits	0.7
Coriander (leaves, roots, stems)	*0.05
Coriander, seed	*0.05
Edible offal (mammalian)	0.7
Eggs	*0.05
Fruit [except as otherwise listed under this chemical]	0.5
Kiwifruit	0.5
Meat (mammalian) (in the fat)	0.7
Milks (in the fat)	0.5
Olive oil, crude	2
Parsley	*0.05
Peach	0.7
Poultry, edible offal of	*0.05
Poultry meat	*0.05
Shallot	T0.5
Spring onion	T0.5
Sugar cane	0.5
Sweet corn (corn-on-the-cob)	0.7
Tree nuts	0.1
Vegetable oils, crude [except olive oil, virgin]	0.1
Vegetables	0.7

Agvet chemical: Dicamba*Permitted residue: Dicamba*

Cereal grains	*0.05
Edible offal (mammalian)	0.05
Eggs	*0.05
Meat (mammalian)	0.05
Milks	0.1
Poultry, edible offal of	*0.05
Poultry meat	*0.05
Sugar cane	0.1
Sugar cane molasses	2

Agvet chemical: Dicamba*Permitted residue: Sum of dicamba, 3,6-dichloro-5-hydroxy-2-methoxybenzoic acid and 3,6-dichloro-2-hydroxybenzoic acid, expressed as dicamba*

Soya bean	10
-----------	----

Agvet chemical: Dichlobenil*Permitted residue: Dichlobenil*

Blueberries	T1
Citrus fruits	0.1
Currants, black, red, white	T1
Gooseberry	T1
Grapes	0.1
Pome fruits	0.1
Raspberries, red, black	T1
Stone fruits	0.1
Tomato	0.1

Agvet chemical: Dichlofluanid*Permitted residue: Dichlofluanid*

Berries and other small fruits [except grapes; strawberry]	T50
Grapes	0.5
Peanut	*0.02
Strawberry	10
Tomato	1

Agvet chemical: 1,3-dichloropropene*Permitted residue: 1,3-dichloropropene*

Grapes	0.018
--------	-------

Agvet chemical: Dichlorprop-P*Permitted residue: Sum of dichlorprop acid, its esters and conjugates, hydrolysed to dichlorprop acid, and expressed as dichlorprop acid*

Citrus fruits	0.2
Edible offal (mammalian)	*0.05
Eggs	*0.02
Meat (mammalian)	*0.02
Milks	*0.01
Poultry, edible offal of	*0.05
Poultry meat	*0.02

Agvet chemical: Dichlorvos*Permitted residue: Dichlorvos*

Cacao beans	5
Cereal grains	5
Coffee beans	2
Edible offal (mammalian)	0.05
Eggs	0.05
Fruit	0.1
Lentil (dry)	2
Lettuce, head	1
Lettuce, leaf	1
Meat (mammalian)	0.05
Milks	0.02
Mushrooms	0.5
Peanut	2
Poultry, edible offal of	0.05
Poultry meat	0.05
Rape seed (canola)	T0.1
Rice bran, unprocessed	10
Soya bean (dry)	2
Tomato	0.5
Tree nuts	2
Vegetables [except as otherwise listed under this chemical]	0.5
Wheat bran, unprocessed	10
Wheat germ	10

Agvet chemical: Diclofop-methyl*Permitted residue: Diclofop-methyl*

Cereal grains	0.1
Edible offal (mammalian)	*0.05
Eggs	*0.05
Lupin (dry)	0.1
Meat (mammalian)	*0.05

Milks	*0.05
Oilseed	0.1
Peas	0.1
Poppy seed	0.1
Poultry, edible offal of	*0.05
Poultry meat	*0.05

Agvet chemical: Dicloran*Permitted residue: Dicloran*

Beans [except broad bean; soya bean]	20
Berries and other small fruits [except grapes]	20
Broad bean (green pods and immature seeds)	20
Carrot	15
Grapes	10
Lettuce, head	20
Lettuce, leaf	20
Onion, bulb	20
Stone fruits	15
Sweet potato	20
Tomato	20

Agvet chemical: Dicofof*Permitted residue: Sum of dicofof and 2,2,2-trichloro-1-(4-chlorophenyl)-1-(2-chlorophenyl)ethanol, expressed as dicofof*

Almonds	5
Cotton seed	0.1
Cucumber	2
Fruit [except strawberry]	5
Gherkin	2
Hops, dry	5
Strawberry	1
Tea, green, black	5
Tomato	1
Vegetables [except as otherwise listed under this chemical]	5

Agvet chemical: Dicyclanil*Permitted residue: Sum of dicyclanil and its triaminopyridyl metabolite expressed as dicyclanil*

Sheep fat	0.3
Sheep kidney	0.3
Sheep liver	0.3
Sheep meat	0.3

Agvet chemical: Didecyldimethylammonium chloride*Permitted residue: Didecyldimethylammonium chloride*

Assorted tropical and sub-tropical fruits - inedible peel	20
---	----

Agvet chemical: Dieldrin

see Aldrin and Dieldrin

Agvet chemical: Difenoconazole*Permitted residue: Difenoconazole*

Anise myrtle (dried)	T10
Asparagus	*0.05
Avocado	0.5
Banana	*0.02
Beetroot	T0.5
Carrot	0.2
Cereal grains	*0.01
Celeriac	T0.5
Celery	T5
Chard (silver beet)	T3
Cherries	2.5
Chicory leaves (green and red cultivars)	T3
Chives	2
Coriander (leaves, roots, stems)	T20
Dried grapes	6
Edible offal (mammalian)	*0.05
Eggs	*0.05
Endive	T3
Grapes	4
Lemon myrtle leaves (dried)	T10
Macadamia nuts	*0.01
Meat (mammalian)	*0.05
Milks	*0.01
Papaya (pawpaw)	1
Parsley	T20
Pome fruits	0.3
Poppy seed	T*0.01
Potato	*0.02
Poultry meat	*0.05
Poultry, edible offal of	*0.05
Riberry	T1
Spinach	T3
Tomato	0.5

Agvet chemical: Diflubenzuron*Permitted residue: Diflubenzuron*

Cattle, edible offal of	*0.02
Cattle milk	0.05
Cereal grains	T2
Mushrooms	0.1
Sheep kidney	0.05
Sheep liver	0.05
Sheep meat (in the fat)	0.05
Sheep milk	0.05
Stone fruits [except cherries]	0.07
Tea, green, black	0.1
Wheat bran, unprocessed	T5

Agvet chemical: Diflufenican*Permitted residue: Diflufenican*

Barley	0.05
Edible offal (mammalian)	0.1
Eggs	*0.02
Grapes	*0.002
Meat (mammalian)	0.01
Milks	0.01
Oats	0.05

Peas	0.05
Poultry, edible offal of	*0.02
Poultry meat	*0.02
Pulses	0.05
Rye	0.05
Triticale	0.05
Wheat	0.02

Agvet chemical: Dimethenamid-P*Permitted residue: Sum of dimethenamid-P and its (R)-isomer*

Common bean (pods and/or immature seeds)	*0.02
Edible offal (mammalian)	*0.01
Eggs	*0.01
Maize	*0.02
Meat (mammalian)	*0.01
Milks	*0.01
Onion, bulb	T*0.01
Peas	*0.02
Poppy seed	*0.01
Poultry, edible offal of	*0.01
Poultry meat	*0.01
Pulses	*0.02
Pumpkins	*0.02
Rape seed (canola)	T*0.01
Sweet corn (corn-on-the-cob)	*0.02

Agvet chemical: Dimethipin*Permitted residue: Dimethipin*

Cotton seed	0.5
Cotton seed oil, crude	*0.1
Cotton seed oil, refined	*0.1
Edible offal (mammalian)	*0.01
Eggs	*0.02
Meat (mammalian)	*0.01
Milks	*0.01
Poultry, edible offal of	*0.01
Poultry meat	*0.01

Agvet chemical: Dimethirimol*Permitted residue: Dimethirimol*

Fruiting vegetables, cucurbits	1
--------------------------------	---

Agvet chemical: Dimethoate*Permitted residue: Sum of dimethoate and omethoate, expressed as dimethoate*see also *Omethoate*

Abiu	5
Artichoke, globe	T1
Asparagus	0.02
Assorted tropical and sub-tropical fruits - inedible peel [except avocado; mango]	5
Avocado	3
Banana passionfruit	5
Bearberry	T5

Beetroot	T*0.1
Bilberry	T5
Bilberry, bog	T5
Bilberry, red	T5
Blackberries	T5
Blueberries	T5
Boysenberry	0.02
Broccoli	T0.3
Cabbages, head	T0.2
Cactus fruit	5
Carrot	T0.3
Cauliflower	T0.3
Celery	T0.5
Cereal grains	T0.05
Cherries	T0.2
Citrus fruits	5
Cranberry	T5
Edible offal (mammalian)	0.1
Egg plant	T0.2
Eggs	*0.05
Elderberries	0.02
Grapes	T*0.1
Legume vegetables	T2
Mango	1
Meat (mammalian)	*0.05
Melons, except watermelon	T5
Milks	*0.05
Oilseed [except peanut]	0.2
Olive oil, refined	T0.1
Onion, bulb	0.7
Parsnip	T0.3
Peanut	T*0.05
Peppers, chili	T5
Peppers, sweet	0.7
Potato	0.1
Poultry, edible offal of	*0.05
Poultry meat	*0.05
Pulses	T0.5
Radish	T3
Raspberries, red, black	T5
Rhubarb	0.7
Rollinia	5
Santols	5
Squash, summer (including zucchini)	0.7
Stone fruits [except cherries]	T*0.02
Strawberry	0.02
Sweet corn (corn-on-the-cob)	T0.3
Sweet potato	0.1
Tomato	0.02
Turnip, garden	*0.2
Watermelon	T5
Wheat bran, processed	T1

Agvet chemical: Dimethomorph

Permitted residue: Sum of E and Z isomers of dimethomorph

Beetroot	T0.1
----------	------

Brassica (cole or cabbage) vegetables,	6
Head cabbage, flowerhead brassicas	
Corn salad (lamb's lettuce)	10
Edible offal (mammalian)	*0.01
Fruiting vegetables, cucurbits	0.5
Fruiting vegetables, other than cucurbits	1.5
Garlic	0.6
Grapes	3
Herbs	10
Hops, dry	80
Leafy vegetables	30
Leafy vegetables [except lettuce, head]	T10
Leek	0.5
Lima bean (young pods and/or immature seeds)	0.6
Meat (mammalian)	*0.01
Milks	*0.01
Mizuna	T10
Onion, bulb	0.6
Onion, Welsh	2
Parsley	T2
Peas	1
Poppy seed	*0.02
Potato	0.05
Radish	T0.1
Shallot	0.6
Spices	0.05
Spring onion	15

Agvet chemical: Dinitolmide

Permitted residue: Sum of dinitolmide and its metabolite 3-amino-5-nitro-o-toluamide, expressed as dinitolmide equivalents

Poultry, edible offal of	6
Poultry fats	2
Poultry meat	3

Agvet chemical: Dinitro-o-toluamide

see *Dinitolmide*

Agvet chemical: Dinotefuran

Permitted residue—commodities of plant origin:

Dinotefuran

Permitted residue—commodities of animal origin: Sum of Dinotefuran and 1-methyl-3-(tetrahydro-3-furylmethyl) urea (UF) expressed as dinotefuran

Cotton seed	0.1
Cranberry	0.2
Edible offal (mammalian)	*0.02
Eggs	*0.02
Grapes	0.9
Meat (mammalian)	*0.02
Milks	*0.02
Poultry, edible offal of	*0.02
Poultry meat	*0.02

Agvet chemical: Diphenylamine*Permitted residue: Diphenylamine*

Apple	10
Edible offal (mammalian) [except liver]	*0.01
Eggs	0.05
Liver of cattle, goats, pigs and sheep	0.05
Meat (mammalian) (in the fat)	*0.01
Milks (in the fat)	*0.01
Pear	7
Poultry, edible offal of	*0.01
Poultry meat (in the fat)	*0.01

Agvet chemical: Diquat*Permitted residue: Diquat cation*

Anise myrtle leaves	T0.5
Barley	5
Beans [except broad bean; soya bean]	1
Broad bean (green pods and/or immature seeds)	1
Edible offal (mammalian)	*0.05
Eggs	*0.01
Fruit	*0.05
Hops, dry	T0.2
Lemon myrtle leaves	T0.5
Linseed	*0.01
Maize	0.1
Meat (mammalian)	*0.05
Milks	*0.01
Native pepper (<i>Tasmannia lanceolata</i>) leaves	T0.5
Oats	5
Oilseed [except linseed; poppy seed]	5
Onion, bulb	0.1
Peas	0.1
Poppy seed	*0.01
Potato	0.2
Poultry, edible offal of	*0.05
Poultry meat	*0.05
Pulses	1
Rice	5
Rice, polished	1
Rye	2
Sorghum	2
Sugar beet	0.1
Sugar cane	*0.05
Tea, green, black	T0.5
Tree nuts	*0.05
Triticale	2
Vegetable oils, crude	1
Vegetables [except beans; broad bean; onion, bulb; peas; potato; pulses; sugar beet]	*0.05
Wheat	2

Agvet chemical: Disulfoton*Permitted residue: Sum of disulfoton and demeton-S and their sulfoxides and sulfones, expressed as disulfoton*

Cotton seed	0.5
-------------	-----

Edible offal (mammalian)	0.02
Eggs	*0.02
Hops, dry	0.5
Meat (mammalian)	0.02
Milks	0.01
Potato	0.5
Poultry, edible offal of	*0.02
Poultry meat	*0.02
Vegetables	0.5

Agvet chemical: Dithianon*Permitted residue: Dithianon*

Fruit	2
-------	---

Agvet chemical: Dithiocarbamates

Permitted residue: Total dithiocarbamates, determined as carbon disulphide evolved during acid digestion and expressed as milligrams of carbon disulphide per kilogram of food

Almonds	3
Asparagus	T1
Avocado	7
Banana	2
Beans [except broad bean; soya bean]	2
Beetroot	1
Berries and other small fruits [except strawberry]	T10
Brassica (cole or cabbage) vegetables, head cabbages, flowerhead brassicas	2
Broad bean (green pods and immature seeds)	2
Bulb vegetables [except garlic; onion, bulb]	T10
Carrot	1
Celery	5
Cereal grains	0.5
Citrus fruits	0.2
Coconut	5
Coffee beans	5
Common bean (pods and/or immature seeds)	2
Cotton seed	10
Custard apple	5
Edible offal (mammalian)	2
Eggs	*0.5
Fig	3
Fruiting vegetables, cucurbits	2
Fruiting vegetables, other than cucurbits [except roselle]	3
Garlic	4
Herbs [except parsley]	T5
Hops	T10
Leafy vegetables	5
Litchi	5
Macadamia nuts	*0.2
Mango	7
Meat (mammalian)	*0.5

Milks	*0.2
Olives	T2
Onion, bulb	4
Papaya (pawpaw)	5
Parsley	5
Parsnip	T1
Passionfruit (including granadilla)	3
Peanut	0.2
Peas (pods and succulent, immature seeds)	2
Persimmon, Japanese	3
Pistachio nut	T3
Pome fruits	3
Pomegranate	3
Poppy seed	*0.2
Potato	1
Poultry meat	*0.5
Poultry, edible offal of	*0.5
Pulses	0.5
Radish	T1
Rhubarb	2
Roselle (rosella)	5
Stone fruits	3
Strawberry	5
Sunflower seed	T*0.05
Swede	T1
Tree tomato	T5
Turnip, garden	T1
Walnuts	T*0.2
Wasabi	T2

Agvet chemical: Diuron

Permitted residue: Sum of diuron and 3,4-dichloroaniline, expressed as diuron

Asparagus	2
Cereal grains	0.1
Cotton seed oil, crude	0.5
Edible offal (mammalian)	3
Fruit	0.5
Meat (mammalian)	0.1
Milks	0.1
Oilseed	0.5
Pulses	*0.05
Sugar cane	0.2

Agvet chemical: Dodine

Permitted residue: Dodine

Pome fruits	5
Stone fruits	*0.05

Agvet chemical: Doramectin

Permitted residue: Doramectin

Cattle, edible offal of	0.1
Cattle fat	0.1
Cattle meat	0.01
Cattle milk	0.05
Pig kidney	0.03

Pig liver	0.05
Pig meat (in the fat)	0.1
Sheep, edible offal of	0.05
Sheep fat	0.1
Sheep meat	0.02

Agvet chemical: 2,2-DPA*Permitted residue: 2,2-dichloropropionic acid*

Avocado	*0.1
Banana	*0.1
Cereal grains	*0.1
Citrus fruits	*0.1
Cotton seed	*0.1
Currants, black, red, white	15
Edible offal (mammalian)	0.2
Grapes	3
Meat (mammalian)	0.2
Milks	*0.1
Papaya (pawpaw)	*0.1
Pecan	*0.1
Pineapple	*0.1
Pome fruits	*0.1
Stone fruits	1
Sugar cane	*0.1
Sunflower seed	*0.1
Vegetables	*0.1

Agvet chemical: EDCsee *Ethylene dichloride***Agvet chemical: Emamectin***Permitted residue: Sum of emamectin B1a and emamectin B1b*

Beetroot	T0.05
Bergamot	T0.05
Brassica (cole or cabbage) vegetables, head cabbages, flowerhead brassicas	0.02
Burnet, salad	T0.05
Celery	T0.2
Chia	T0.05
Coriander (leaves, roots, stems)	T0.05
Coriander, seed	T0.05
Cotton seed	0.005
Dill, seed	T0.05
Edible offal (mammalian)	0.02
Egg plant	T0.1
Fennel, seed	T0.05
Grapes	*0.002
Herbs	T0.05
Kaffir lime leaves	T0.05
Leafy vegetables [except lettuce, head; lettuce, leaf; mizuna]	T0.5
Lemon grass	T0.05
Lemon verbena (fresh weight)	T0.05
Lettuce, head	0.2
Lettuce, leaf	0.2
Meat (mammalian) (in the fat)	0.01

Milks	*0.001
Milk fats	0.01
Mizuna	T0.5
Parsnip	T0.05
Peppers, sweet	0.01
Pulses	*0.01
Radish	T0.05
Rape seed (canola)	*0.01
Strawberry	T0.1
Swede	T0.05
Sweet corn (corn-on-the-cob)	*0.002
Tomato	0.01
Turnip, garden	T0.05

Agvet chemical: Endosulfan*Permitted residue: Sum of A- and B- endosulfan and endosulfan sulphate*

Tea, green, black	10
-------------------	----

Agvet chemical: Endothal*Permitted residue: Endothal*

Cotton seed	0.1
Potato	0.1

Agvet chemical: Enilconazolesee *Imazalil***Agvet chemical: Epoxiconazole***Permitted residue: Epoxiconazole*

Avocado	0.5
Banana	1
Cereal grains	0.05
Edible offal (mammalian)	0.05
Eggs	*0.01
Meat (mammalian)	*0.01
Milks	*0.005
Poultry, edible offal of	*0.01
Poultry meat (in the fat)	*0.01
Wheat bran, unprocessed	0.3
Wheat germ	0.2

Agvet chemical: Eprinomectin*Permitted residue: Eprinomectin B1a*

Cattle, edible offal of	2
Cattle fat	0.5
Cattle meat	0.1
Cattle milk	0.03
Deer, edible offal of	2
Deer meat	0.1

Agvet chemical: EPTC*Permitted residue: EPTC*

Cereal grains	*0.04
Edible offal (mammalian)	*0.1
Eggs	*0.01
Meat (mammalian)	*0.1

Milks	*0.1
Oilseed	0.1
Poultry, edible offal of	*0.05
Poultry meat	*0.05
Vegetables	*0.04

Agvet chemical: Erythromycin

Permitted residue: Inhibitory substance, identified as erythromycin

Edible offal (mammalian)	*0.3
Meat (mammalian)	*0.3
Milks	*0.04
Poultry, edible offal of	*0.3
Poultry meat	*0.3

Agvet chemical: Esfenvalerate

see *Fenvalerate*

Agvet chemical: Ethephon

Permitted residue: Ethephon

Apple	1
Banana	T*0.05
Barley	1
Cherries	15
Cotton seed	2
Cotton seed oil, crude	*0.1
Currant, black	1
Edible offal (mammalian)	0.2
Eggs	*0.2
Grapes	10
Kiwifruit	0.1
Macadamia nuts	*0.1
Mandarins	2
Mango	T*0.02
Meat (mammalian)	0.1
Milks	0.1
Nectarine	0.01
Olives	T5
Oranges, sweet, sour	2
Papaya	T1
Peach	0.5
Pineapple	2
Poultry, edible offal of	*0.2
Poultry meat	*0.1
Sugar cane	0.5
Sugar cane molasses	7
Tomato	2
Walnuts	T5
Wheat	T1

Agvet chemical: Ethion

Permitted residue: Ethion

Cattle, edible offal of	2.5
Cattle meat (in the fat)	2.5
Citrus fruits	1
Cotton seed	0.1
Cotton seed oil, crude	0.05

Grapes	2
Milks (in the fat)	0.5
Pome fruits	1
Stone fruits	1
Tea, green, black	5

Agvet chemical: Ethofumesate*Permitted residue: Ethofumesate*

Beetroot	0.1
Bulb vegetables	*0.1
Chard (silver beet)	1
Edible offal (mammalian)	0.5
Meat (mammalian) (in the fat)	0.5
Milks (in the fat)	0.2
Poppy seed	*0.02
Spinach	T1
Sugar beet	0.1

Agvet chemical: Ethopabate*Permitted residue: Ethopabate*

Poultry, edible offal of	15
Poultry meat	5

Agvet chemical: Ethoprophos*Permitted residue: Ethoprophos*

Banana	*0.05
Cereal grains	*0.005
Custard apple	*0.02
Litchi	*0.02
Potato	*0.02
Sugar cane	*0.1
Sweet potato	*0.02
Tomato	*0.01

Agvet chemical: Ethoxyquin*Permitted residue: Ethoxyquin*

Crustaceans	1
Diadromous fish	1
Edible offal (mammalian)	1
Eggs	0.1
Freshwater fish	1
Marine fish	1
Meat (mammalian)	0.5
Poultry, edible offal of	0.1
Poultry meat (in the fat)	0.5

Agvet chemical: Ethoxysulfuron*Permitted residue—commodities of plant origin:**Ethoxysulfuron**Permitted residue—commodities of animal origin: 2-amino-4, 6-dimethoxypyrimidine, expressed as ethoxysulfuron*

Edible offal (mammalian)	*0.05
Meat (mammalian)	*0.05
Milks	*0.01
Sugar cane	*0.01

Agvet chemical: Ethyl formate*Permitted residue: Ethyl formate*

Dried fruits	1
--------------	---

Agvet chemical: Ethylene dichloride (EDC)*Permitted residue: 1,2-dichloroethane*

Cereal grains	*0.1
---------------	------

Agvet chemical: Etoxazole*Permitted residue: Etoxazole*

Banana	0.2
Cherries	1
Chervil	T1
Citrus fruits	0.5
Coriander (leaves, roots, stems)	T1
Cotton seed	0.2
Custard apple	T0.1
Dried grapes	1.5
Edible offal (mammalian)	*0.01
Eggs	*0.01
Fruiting vegetables, other than cucurbits	0.05
Fruiting vegetables, cucurbits	T0.1
Grapes	0.5
Herbs	T1
Hops, dry	7
Ivy gourd	T0.1
Meat (mammalian) (in the fat)	*0.02
Milks	*0.01
Mizuna	T1
Papaya	T0.1
Podded pea (young pods) (snow and sugar snap)	T0.1
Pointed gourd	T0.1
Pome fruits	0.2
Poultry, edible offal of	*0.01
Poultry meat (in the fat)	*0.02
Rucola (Rocket)	T1
Stone fruits [except cherries]	0.3
Tea, green, black	15

Agvet chemical: Etridiazole*Permitted residue: Etridiazole*

Beetroot	*0.02
Cotton seed	*0.02
Peanut	*0.02
Vegetables [except as otherwise listed under this chemical]	0.2

Agvet chemical: Fenamiphos*Permitted residue: Sum of fenamiphos, its sulfoxide and sulfone, expressed as fenamiphos*

Aloe vera	1
Banana	*0.05
Brassica (cole or cabbage) vegetables, head cabbages, flowerhead brassicas	*0.05
Celery	*0.05

Citrus fruits	*0.05
Edible offal (mammalian)	*0.05
Eggs	*0.05
Fruiting vegetables, cucurbits	*0.05
Ginger, root	*0.05
Grapes	*0.05
Leafy vegetables [except lettuce, head; lettuce, leaf]	*0.05
Lettuce, head	0.2
Lettuce, leaf	0.2
Meat (mammalian)	*0.05
Milks	*0.005
Mushrooms	0.1
Onion, bulb	*0.05
Peanut	*0.05
Pineapple	*0.05
Poultry, edible offal of	*0.05
Poultry meat	*0.05
Root and tuber vegetables	0.2
Strawberry	0.2
Sugar cane	*0.05
Tomato	0.5

Agvet chemical: Fenarimol*Permitted residue: Fenarimol*

Berries and other small fruits [except grapes]	T0.1
Cherries	1
Fruiting vegetables, cucurbits	0.2
Grapes	0.1
Pome fruits	0.2

Agvet chemical: Fenbendazole*Permitted residue: Fenbendazole*

Cattle, edible offal of	*0.1
Cattle meat	*0.1
Goat, edible offal of	0.5
Goat meat	0.5
Milks	0.1
Sheep, edible offal of	0.5
Sheep meat	0.5

Agvet chemical: Fenbuconazole*Permitted residue: Fenbuconazole*

Banana	0.5
Blueberries	0.3
Cranberry	0.5
Edible offal (mammalian)	0.05
Eggs	*0.01
Meat (mammalian)	*0.01
Milks	*0.01
Nectarine	0.5
Poultry, edible offal of	*0.01
Poultry meat	*0.01
Stone fruits [except nectarine]	1
Wheat	*0.01

Agvet chemical: Fenbutatin oxide*Permitted residue: Bis[tris(2-methyl-2-phenylpropyl)tin]-oxide*

Assorted tropical and sub-tropical fruits - inedible peel	5
Berries and other small fruits [except table grapes]	1
Cherries	6
Citrus fruits	5
Citrus peel	30
Dried grapes	T10
Fig	T10
Grapes [except wine grapes]	5
Hops, dry	20
Nectarine	3
Peach	3
Pome fruits	3
Tomato	T2

Agvet chemical: Fenhexamid*Permitted residue: Fenhexamid*

Blackberries	T20
Blueberries	5
Chervil	T15
Cloudberry	T20
Coriander (leaves, roots, stems)	T15
Cucumber	T10
Dewberries (including boysenberry, loganberry and youngberry)	T20
Dried grapes	20
Edible offal (mammalian)	2
Grapes	10
Herbs	T15
Kiwifruit	15
Lettuce, head	T50
Lettuce, leaf	T50
Meat (mammalian) (in the fat)	*0.05
Milks	*0.01
Mizuna	T15
Peas (pods and succulent, immature seeds)	T5
Peppers	T30
Raspberries, red, black	T20
Rucola (rocket)	T15
Stone fruits [except plums]	10
Strawberry	10
Tomato	T2

Agvet chemical: Fenitrothion*Permitted residue: Fenitrothion*

Apple	0.5
Cabbages, head	0.5
Cacao beans	0.1
Cereal grains	10
Cherries	0.5
Edible offal (mammalian)	*0.05
Eggs	*0.05

Fruit [except as otherwise listed under this chemical]	0.1
Grapes	0.5
Lettuce, head	0.5
Lettuce, leaf	0.5
Meat (mammalian)	T*0.05
Milks (in the fat)	T*0.05
Oilseed	0.1
Poultry, edible offal of	*0.05
Poultry meat	*0.05
Pulses [except soya bean (dry)]	0.1
Rice, polished	0.1
Soya bean (dry)	0.3
Sugar cane	0.02
Tea, green, black	0.5
Tomato	0.5
Tree nuts	0.1
Vegetables [except as otherwise listed under this chemical]	0.1
Wheat bran, unprocessed	20
Wheat germ	20

Agvet chemical: Fenoxaprop-ethyl

Permitted residue: Sum of fenoxaprop-ethyl (all isomers) and 2-(4-(6-chloro-2-benzoxazolylloxy)phenoxy)propanoate and 6-chloro-2,3-dihydrobenzoxazol-2-one, expressed as fenoxaprop-ethyl

Barley	*0.01
Chick-pea (dry)	*0.01
Edible offal (mammalian)	0.2
Eggs	*0.02
Meat (mammalian)	0.05
Milks	0.02
Poultry, edible offal of	*0.1
Poultry meat	*0.01
Rice	T*0.02
Rye	*0.01
Triticale	*0.01
Wheat	*0.01

Agvet chemical: Fenoxycarb

Permitted residue: Fenoxycarb

Currant, black	T2
Currant, red	T2
Gooseberry	T2
Olive oil, virgin	T3
Olives	T1
Pome fruits	2

Agvet chemical: Fenprothrin

Permitted residue: Fenprothrin

Cherries	5
Citrus fruits	2
Grapes	5
Stone fruits [except cherries; peach]	1.4
Tea, green, black	2

Agvet chemical: Fenpyrazamine*Permitted residue: Fenpyrazamine*

Dried grapes (currants, raisins and sultanas)	10
Edible offal (mammalian)	*0.01
Eggs	*0.01
Meat (mammalian)	*0.01
Milks	*0.005
Poultry, edible offal of	*0.01
Poultry meat	*0.01
Table grapes	5
Wine grapes	0.05

Agvet chemical: Fenpyroximate*Permitted residue: Fenpyroximate*

Apple	0.3
Cherries	2
Citrus fruits	0.6
Grapes	1
Hops, dry	10
Pear	0.3
Strawberry	1
Tea, green, black	0.1

Agvet chemical: Fenthion*Permitted residue: Sum of fenthion, its oxygen analogue, and their sulfoxides and sulfones, expressed as fenthion*

Apricot	T0.2
Assorted tropical and sub-tropical fruits - inedible peel	5
Cattle, edible offal of	1
Cattle meat	1
Cherries	T0.4
Citrus fruits	T0.7
Eggs	*0.05
Grapes	T0.2
Melons, except watermelon	T3
Milks	T0.2
Nectarine	T0.25
Olive oil, crude	T0.5
Olives	T0.2
Peach	T0.2
Peppers, chili	T7
Peppers, sweet	T0.5
Persimmon, Japanese	T0.3
Pig, edible offal of	0.5
Pig meat	0.5
Plums	T0.25
Pome fruits	T0.25
Poultry, edible offal of	*0.05
Poultry meat	*0.05
Sheep, edible offal of	0.2
Sheep meat	0.2
Watermelon	T3

Agvet chemical: Fentin

Permitted residue: Fentin hydroxide, excluding inorganic tin and Di- and Mono-phenyltin

Cacao beans	*0.1
Carrot	0.2
Celeriac	0.1
Celery	1
Coffee beans	*0.1
Peanut	*0.05
Pecan	*0.05
Potato	0.1
Rice	*0.1
Sugar beet	0.2

Agvet chemical: Fenvalerate*Permitted residue: Fenvalerate, sum of isomers*

Berries and other small fruits	1
Brassica (cole or cabbage) vegetables, head cabbages, flowerhead brassicas	1
Brassica leafy vegetables	1
Cereal grains	2
Celery	2
Dried grapes	0.5
Edible offal (mammalian)	0.05
Eggs	0.02
Grapes	0.1
Legume vegetables	0.5
Meat (mammalian) (in the fat)	1
Milks	0.2
Oilseed [except peanut]	0.5
Peanut	T0.1
Poultry, edible offal of	*0.02
Poultry meat (in the fat)	0.05
Pulses	0.5
Sweet corn (corn-on-the-cob)	0.05
Tea, green, black	0.05
Tomato	0.2
Wheat bran, unprocessed	5

Agvet chemical: Fipronil*Permitted residue: Sum of fipronil, the sulphenyl metabolite (5-amino-1-[2,6-dichloro-4-(trifluoromethyl)phenyl]-4-[(trifluoromethyl) sulphenyl]-1H-pyrazole-3-carbonitrile), the sulphonyl metabolite (5-amino-1-[2,6-dichloro-4-(trifluoromethyl)phenyl]-4-[(trifluoromethyl)sulphonyl]-1H-pyrazole-3-carbonitrile), and the trifluoromethyl metabolite (5-amino-4-trifluoromethyl-1-[2,6-dichloro-4-(trifluoromethyl)phenyl]-1H-pyrazole-3-carbonitrile)*

Asparagus	0.2
Assorted tropical and sub-tropical fruit - inedible peel [except banana; custard apple]	T*0.01
Banana	0.01
Bergamot	T0.1
Brassica (cole or cabbage) vegetables, head cabbages, flowerhead brassicas	T0.05
Burnet, salad	T0.1
Celery	T0.3

Chervil	T0.1
Citrus fruits	T*0.01
Coriander (leaves, roots, stems)	T0.1
Coriander, seed	T0.1
Cotton seed	*0.01
Cotton seed oil, crude	*0.01
Custard apple	T0.05
Dill, seed	T0.1
Edible offal (mammalian)	0.02
Eggs	0.02
Fennel, seed	T0.1
Ginger, root	*0.01
Grapes [except wine grapes]	T*0.01
Herbs	T0.1
Honey	0.01
Kaffir lime leaves	T0.1
Lemon grass	T0.1
Lemon verbena (fresh weight)	T0.1
Lettuce, head	T0.1
Lettuce, leaf	T0.1
Meat (mammalian) (in the fat)	0.1
Milks	0.01
Mizuna	T0.1
Mushrooms	0.02
Peanut	T*0.01
Peanut oil, crude	T*0.01
Pecan	T*0.01
Peppers, chili	*0.005
Peppers, sweet	T0.1
Pome fruits	T*0.01
Poppy seed	*0.01
Potato	*0.01
Poultry, edible offal of	*0.01
Poultry meat (in the fat)	0.02
Rape seed (canola)	*0.01
Rice	*0.005
Rucola (rocket)	T0.1
Sorghum	0.01
Stone fruits	0.01
Sugar cane	*0.01
Sunflower seed	*0.01
Swede	0.1
Sweet potato	*0.01
Turnip, garden	0.1
Wine grapes	*0.01

Agvet chemical: Flamprop-methyl***Permitted residue: Flamprop-methyl***

Edible offal (mammalian)	*0.01
Lupin (dry)	0.05
Meat (mammalian)	*0.01
Milks	*0.01
Safflower seed	*0.05
Triticale	0.05
Wheat	0.05

Agvet chemical: Flamprop-M-methyl

see *Flamprop-methyl*

Agvet chemical: Flavophospholipol

Permitted residue: Flavophospholipol

Cattle fat	*0.01
Cattle kidney	*0.01
Cattle liver	*0.01
Cattle meat	*0.01
Cattle milk	T*0.01
Eggs	*0.02

Agvet chemical: Flonicamid

Permitted residue: Flonicamid [N -(cyanomethyl)-4-(trifluoromethyl)-3-pyridinecarboxamide] and its metabolites TFNA [4- trifluoromethylnicotinic acid], TFNA-AM [4-trifluoromethylnicotinamide] TFNG [N -(4-trifluoromethylnicotinoyl)glycine]

Apple	0.7
Cotton seed	1
Edible offal (mammalian)	*0.02
Eggs	*0.02
Fruiting vegetables, cucurbits	0.7
Hops, dry	7
Meat (mammalian)	*0.02
Milks	*0.02
Potato	0.2
Poultry, edible offal of	*0.02
Poultry meat	*0.02
Stone fruits	0.6

Agvet chemical: Florasulam

Permitted residue: Florasulam

Cereal grains	*0.01
Edible offal (mammalian)	*0.01
Eggs	*0.01
Meat (mammalian)	*0.01
Milks	*0.01
Poultry, edible offal of	*0.01
Poultry meat	*0.01

Agvet chemical: Florfenicol

Permitted residue: Sum of florfenicol and its metabolites florfenicol alcohol, florfenicol oxamic acid, monochloroflorfenicol and florfenicol amine expressed as florfenicol amine

Cattle kidney	0.5
Cattle liver	3
Cattle meat	0.3
Fish	T0.5
Pig fat/skin	1
Pig kidney	1
Pig liver	3
Pig meat	0.5

Agvet chemical: Fluazifop-p-butyl

Permitted residue: Sum of fluazifop-butyl, fluazifop and their conjugates, expressed as fluazifop

Assorted tropical and sub-tropical fruits - inedible peel [except avocado; banana]	0.05
Avocado	*0.02
Banana	*0.02
Berries and other small fruits	0.2
Brassica (cole or cabbage) vegetables, head cabbages, flowerhead brassicas	1
Celery	*0.02
Chia	T2
Citrus fruits	*0.02
Coriander (leaves, roots, stems)	T2
Date	T0.2
Edible offal (mammalian)	*0.05
Egg plant	T0.7
Eggs	*0.05
Fruiting vegetables, cucurbits	0.1
Galangal, rhizomes	0.05
Garlic	0.05
Ginger, root	0.05
Herbs	T2
Hops, dry	0.05
Leafy vegetables [except lettuce, head]	T2
Leek	T1
Legume vegetables	0.1
Lettuce, head	0.05
Lotus root	T3
Lupin (dry)	0.1
Meat (mammalian)	*0.05
Milks	0.1
Oilseed	0.5
Olives	T0.05
Onion, bulb	0.05
Onion, Chinese	0.05
Onion, Welsh	0.05
Peppers, sweet	*0.02
Pome fruits	*0.01
Potato	0.05
Poultry, edible offal of	*0.05
Poultry meat	*0.05
Pulses	0.5
Root and tuber vegetables [except potato; sweet potato; taro; yam bean; yams]	T1
Shallot	0.05
Spring Onion	0.05
Stone fruits	0.05
Sugar cane	T*0.1
Sweet potato	T0.3
Taro	T3
Tea, green, black	T50
Tomato	0.1
Turmeric, root	0.05
Water chestnut	T3
Yam bean	T3
Yams	T0.3

Agvet chemical: Fluazinam

Permitted residue: Fluazinam

Brassica (cole or cabbage) vegetables, head cabbages, flowerhead brassicas	*0.01
Pome fruits	*0.01
Potato	*0.01
Wine grapes	*0.05

Agvet chemical: Fluazuron*Permitted residue: Fluazuron*

Cattle, edible offal of	0.5
Cattle meat (in the fat)	7

Agvet chemical: Flubendiamide*Permitted residue—commodities of plant origin:**Flubendiamide**Permitted residue—commodities of animal origin: Sum of flubendiamide and 3-iodo-N-(2-methyl-4-[1,2,2,2-tetrafluoro-1-(trifluoromethyl)ethyl]phenyl) phthalimide, expressed as flubendiamide*

Brassica (cole or cabbage) vegetables, head cabbages, flowerhead brassicas	5
Chia	1
Common bean (pods and/or immature seeds)	T2
Cotton seed	0.5
Edible offal (mammalian)	0.03
Eggs	*0.01
Fruiting vegetables, cucurbits	0.2
Fruiting vegetables, other than cucurbits [except sweet corn (corn-on- the-cob)]	2
Grapes	1.4
Herbs	20
Leafy vegetables [except lettuce, head]	10
Lettuce, head	5
Meat (mammalian) (in the fat)	0.05
Milk fats	0.05
Milks	*0.01
Potato	*0.02
Poultry, edible offal of	*0.01
Poultry meat (in the fat)	*0.01
Root and tuber vegetables [except potato]	0.2
Spices	0.02
Stalk and stem vegetables	5
Stone fruits	1.6
Sweet corn (corn-on-the-cob)	T*0.05
Tea, green, black	0.02

Agvet chemical: Flucythrinate*Permitted residue: Flucythrinate*

Cotton seed	*0.1
Cotton seed oil, crude	*0.1
Edible offal (mammalian)	*0.05
Eggs	*0.05
Meat (mammalian)	*0.05
Milks	*0.05
Poultry, edible offal of	*0.05

Poultry meat *0.05

Agvet chemical: Fludioxonil

Permitted residue—commodities of animal origin: Sum of fludioxonil and oxidisable metabolites, expressed as fludioxonil

Permitted residue—commodities of plant origin:

Fludioxonil

Apricot	10
Blackberries	5
Blueberries	2
Boysenberry	5
Broccoli	T*0.01
Bulb vegetables [except fennel, bulb; garlic; onion, bulb]	T3
Chestnuts	T1
Chives	T3
Citrus fruits	10
Cloudberry	T5
Common bean (pods and/or immature seeds)	0.7
Cotton seed	*0.05
Cucumber	0.5
Dewberries (including boysenberry and loganberry) [except boysenberry]	T5
Edible offal (mammalian)	0.1
Egg plant	T0.2
Grapes	2
Kiwifruit	15
Leafy vegetables	10
Maize	*0.02
Mango	3
Meat (mammalian)	0.05
Melons, except watermelon	T0.2
Milks	0.05
Onion, bulb	0.2
Peach	10
Peanut	T*0.01
Peas (pods and succulent, immature seeds)	0.5
Peppers, sweet	2
Pistachio nut	T0.2
Pome fruits	5
Pomegranate	5
Potato	0.02
Rape seed (canola)	*0.01
Raspberries, red, black	5
Sorghum	*0.01
Stone fruits [except apricot; peach]	5
Strawberry	5
Sunflower seed	T*0.02
Sweet corn (corn-on-the-cob)	*0.02
Tomato	T1

Agvet chemical: Fluensulfone

Permitted residue: Sum of fluensulfone, 3,4,4-trifluorobut-3-ene-1-sulfonic acid (M-3627) and 5-chlorothiazole-2-sulfonic acid (M-3625)

All other foods	1
Edible offal (mammalian)	*0.03
Eggs	*0.03
Fruiting vegetables, cucurbits	2
Fruiting vegetables, other than cucurbits	1
Meat (mammalian)	*0.03
Milks	*0.03
Poultry, Edible offal of	*0.03
Poultry meat	*0.03

Agvet chemical: Flumethrin*Permitted residue: Flumethrin, sum of isomers*

Cattle, edible offal of	0.05
Cattle meat (in the fat)	0.2
Honey	T*0.005
Horse, edible offal of	0.1
Horse meat	0.1
Milks	0.05

Agvet chemical: Flumetsulam*Permitted residue: Flumetsulam*

Barley	*0.05
Edible offal (mammalian)	0.3
Eggs	*0.1
Garden pea	*0.1
Maize	*0.05
Meat (mammalian)	*0.1
Milks	*0.1
Oats	*0.05
Peanut	*0.05
Poultry, edible offal of	*0.1
Poultry meat	*0.1
Pulses	*0.05
Rye	*0.05
Triticale	*0.05
Wheat	*0.05

Agvet chemical: Flumiclorac pentyl*Permitted residue: Flumiclorac pentyl*

Cotton seed	0.1
Edible offal (mammalian)	*0.01
Eggs	*0.01
Meat (mammalian)	*0.01
Milks	*0.01
Poultry, edible offal of	*0.01
Poultry meat	*0.01

Agvet chemical: Flumioxazin*Permitted residue: Flumioxazin*

Cereal grains	*0.05
Edible offal (mammalian)	*0.01
Eggs	*0.01
Meat (mammalian)	*0.01
Milks	*0.01
Oilseed	*0.1
Poultry, edible offal of	*0.01

Poultry meat	*0.01
Pulses	*0.1

Agvet chemical: Flunixin*Permitted residue: Flunixin*

Cattle kidney	0.02
Cattle liver	0.02
Cattle meat (in the fat)	0.02

Agvet chemical: Fluometuron*Permitted residue: Sum of fluometuron and 3-trifluoromethylaniline, expressed as fluometuron*

Cereal grains	*0.1
Citrus fruits	0.5
Cotton seed	*0.1
Pineapple	*0.1

Agvet chemical: Fluopicolide*Permitted residue: Fluopicolide*

Grapes	2
--------	---

Agvet chemical: Fluopyram*Permitted residue—commodities of plant origin: Fluopyram**Permitted residue—commodities of animal origin: Sum of fluopyram and 2-(trifluoromethyl)-benzamide, expressed as fluopyram*

Almonds	0.05
Banana	0.1
Cherries	3
Dried grapes (currants, raisins and sultanas)	15
Edible offal (mammalian)	0.2
Grapes	2
Hops, dry	100
Meat (mammalian)	*0.02
Milks	*0.02
Pome fruits	0.5
Stone fruits [except cherries]	2

Agvet chemical: Fluoxastrobin*Permitted residue: Sum of fluoxastrobin and its Z isomer*

Cranberry	1.9
-----------	-----

Agvet chemical: Flupropanate*Permitted residue: Flupropanate*

Edible offal (mammalian)	*0.1
Meat (mammalian) (in the fat)	*0.1
Milks	0.1

Agvet chemical: Fluquinconazole*Permitted residue: Fluquinconazole*

Barley	*0.02
Edible offal (mammalian)	0.2
Eggs	*0.02
Meat (mammalian) (in the fat)	0.5

Milks	*0.02
Pome fruits	0.3
Poultry, edible offal of	*0.02
Poultry meat (in the fat)	*0.02
Rape seed (canola)	*0.01
Wheat	*0.02

Agvet chemical: Fluroxypyr*Permitted residue: Fluroxypyr*

Cereal grains	0.2
Edible offal (mammalian) [except kidney]	0.1
Eggs	*0.01
Kidney (mammalian)	1
Meat (mammalian) (in the fat)	0.1
Milks	0.1
Poultry, edible offal of	*0.05
Poultry meat	*0.05
Sugar cane (in the juice)	0.2
Sweet corn (corn-on-the-cob)	0.2

Agvet chemical: Flusilazole*Permitted residue: Flusilazole*

Grapes	0.5
Pome fruits	0.2
Sugar cane	*0.02

Agvet chemical: Flutolanil*Permitted residue—commodities of plant origin:**Flutolanil**Permitted residue—commodities of animal origin:**Flutolanil and metabolites hydrolysed to 2-trifluoromethyl-benzoic acid and expressed as flutolanil*

Edible offal (mammalian)	*0.05
Eggs	*0.05
Meat (mammalian) (in the fat)	*0.05
Milks	*0.05
Potato	0.05
Poultry, edible offal of	*0.05
Poultry meat (in the fat)	*0.05

Agvet chemical: Flutriafol*Permitted residue: Flutriafol*

Barley	0.2
Cereal grains [except as otherwise listed under this chemical]	*0.02
Edible offal (mammalian)	0.5
Eggs	*0.05
Garden pea (young pods)	*0.01
Meat (mammalian)	*0.05
Milks	*0.05
Poultry, edible offal of	*0.05
Poultry meat	*0.05
Rape seed (canola)	*0.02
Stone fruits	1.5
Sugar cane	*0.01

Agvet chemical: Fluvalinate*Permitted residue: Fluvalinate, sum of isomers*

Apple	0.1
Asparagus	0.2
Cauliflower	0.5
Cotton seed	0.1
Honey	T*0.01
Stone fruits	0.05
Table grapes	0.05
Tomato	0.5

Agvet chemical: Fluxapyroxad*Permitted residue: Fluxapyroxad*

All other foods	0.1
Barley	3
Barley bran, unprocessed	0.5
Blackberries	5
Blueberries	7
Brassica leafy vegetables	4
Bulb vegetables	1.5
Dried grapes (currants, raisins and sultanas)	5.7
Edible offal (mammalian)	0.03
Eggs	0.005
Fruiting vegetables, cucurbits	0.5
Fruiting vegetables, other than cucurbits [except mushrooms; sweet corn (corn-on-the-cob)]	0.6
Grapes [except dried grapes]	2
Mango	0.5
Meat (mammalian) (in the fat)	0.05
Milk fats	0.1
Milks	0.005
Oilseed [except cotton; peanut]	0.9
Oranges, sweet, sour	0.2
Pecan	0.06
Peppers, chili (dry)	6
Pome fruits	0.8
Poultry, edible offal of	*0.01
Poultry meat (in the fat)	*0.01
Prunes	5
Pulses [except soya bean (dry)]	0.4
Raspberries, red, black	5
Rice [except rice bran, unprocessed; rice hulls]	5
Rice bran, unprocessed	8.5
Rice hulls	15
Root and tuber vegetables [except sugar beet]	0.9
Rye	3
Sorghum	3
Soya bean (dry)	0.3
Soya bean (immature seeds)	0.15
Stone fruits [except prunes]	3
Strawberry	4
Sugar beet	0.15
Sugar cane	3
Wheat	0.3

Agvet chemical: Forchlorfenuron*Permitted residue: Forchlorfenuron*

Blueberries	T*0.01
Grapes	0.03
Kiwifruit	T*0.01
Mango	T*0.01
Plums (including prunes)	T*0.01
Prunes	T*0.01

Agvet chemical: Fosetyl*Permitted residue: Fosetyl*

Apple	1
Avocado	5
Brassica (cole or cabbage) vegetables, head cabbages, flowerhead brassicas	T0.1
Citrus fruits	5
Durian	T5
Fruiting vegetables, other than cucurbits	T0.02
Leafy vegetables [except rucola (rocket); spinach]	T0.2
Peach	1
Pineapple	5
Rucola (rocket)	T0.7
Spinach	T0.7
Stone fruits [except cherries; peach]	T1

Agvet chemical: Furathiocarbsee *Carbofuran**Residues arising from the use of furathiocarb are covered by MRLs for carbofuran***Agvet chemical: Glufosinate and Glufosinate-ammonium***Permitted residue: Sum of glufosinate-ammonium, N-acetyl glufosinate and 3-[hydroxy(methyl)-phosphinoyl] propionic acid, expressed as glufosinate (free acid)*

Assorted tropical and sub-tropical fruits - inedible peel	0.2
Berries and other small fruits	0.1
Cereal grains	*0.1
Citrus fruits	0.1
Coffee beans	T*0.05
Common bean (pods and immature seeds)	T*0.05
Cotton seed	3
Date	*0.05
Edible offal (mammalian)	5
Eggs	*0.05
Hops, dry	T1
Maize	0.2
Meat (mammalian)	0.1
Milks	*0.05
Native foods	*0.05
Oilseed [except cotton seed; rape seed (canola)]	*0.1

Olives	*0.1
Peppers, sweet	*0.05
Podded pea (young pods) (snow and sugar snap)	T1
Pome fruits	*0.1
Poultry, edible offal of	*0.1
Poultry meat	*0.05
Pulses [except soya bean (dry)]	*0.1
Rape seed (canola)	5
Saffron	T*0.05
Soya bean (dry)	2
Stone fruits	*0.05
Sugar cane	*0.2
Tomato	*0.05
Tea, green, black	*0.05
Tree nuts	0.1

Agvet chemical: Glyphosate

Permitted residue: Sum of glyphosate and Aminomethylphosphonic acid (AMPA) metabolite, expressed as glyphosate

Adzuki bean (dry)	10
Avocado	*0.05
Babaco	*0.05
Banana	0.2
Barley	10
Berries and other small fruits	*0.05
Bulb vegetables	*0.1
Cereal grains [except barley; maize; sorghum; wheat]	T*0.1
Citrus fruits	0.5
Coffee beans	T0.2
Cotton seed	15
Cotton seed oil, crude	*0.1
Cowpea (dry)	10
Custard apple	*0.05
Date	T2
Edible offal (mammalian)	2
Eggs	*0.05
Fig	*0.05
Fruiting vegetables, cucurbits	*0.1
Fruiting vegetables, other than cucurbits	*0.1
Guar bean (dry)	10
Guava	*0.05
Hops, dry	*0.1
Kiwifruit	*0.05
Leafy vegetables	*0.1
Legume vegetables	*0.1
Lemon myrtle	T20
Linseed	T5
Litchi	0.2
Maize	5
Mango	*0.05
Meat (mammalian)	*0.1
Milks	*0.1
Monstero	*0.05
Mung bean (dry)	10

Native foods [except lemon myrtle]	T2
Oilseed [except cotton seed; peanut; poppy seed; linseed; rape seed (canola); sunflower seed]	T*0.1
Olives	*0.1
Papaya (pawpaw)	*0.05
Passionfruit	3
Peanut	*0.1
Persimmon, American	*0.05
Persimmon, Japanese	*0.05
Pome fruits	*0.05
Poppy seed	T20
Poultry, edible offal of	1
Poultry meat	*0.1
Pulses [except adzuki bean (dry); cowpea (dry); guar bean (dry); mung bean (dry); soya bean (dry)]	5
Rape seed (canola)	20
Rollinia	*0.05
Root and tuber vegetables	*0.1
Saffron	T*0.05
Sorghum	15
Soya bean (dry)	20
Stalk and stem vegetables	*0.01
Stone fruits	0.2
Sugar cane	T0.3
Sugar cane molasses	T5
Sunflower seed	T20
Tea, green, black	2
Tree nuts	0.2
Wheat	5
Wheat bran, unprocessed	20

Agvet chemical: Guazatine*Permitted residue: Guazatine*

Citrus fruits	5
Melons, except watermelon	10
Tomato	5

Agvet chemical: Halauxifen-methyl*Permitted residue—commodities of plant origin:**Halauxifen-methyl**Permitted residue—commodities of animal origin: 4-Amino-3-chloro-6-(4-chloro-2-fluoro-3-hydroxyphenyl)-pyridine-2-carboxylic acid, expressed as halauxifen-methyl*

Cereal grains	*0.01
Edible offal (mammalian)	0.01
Eggs	*0.01
Meat (mammalian)	*0.01
Milks	*0.01
Poultry, edible offal of	*0.01
Poultry meat	*0.01

Agvet chemical: Halofuginone*Permitted residue: Halofuginone*

Cattle fat	0.025
Cattle kidney	0.03

Cattle liver	0.03
Cattle muscle	0.01

Agvet chemical: Halosulfuron-methyl*Permitted residue: Halosulfuron-methyl*

Cotton seed	*0.05
Edible offal (mammalian)	0.2
Maize	*0.05
Meat (mammalian)	*0.01
Milks	*0.01
Poultry, edible offal of	*0.01
Poultry meat	*0.01
Sorghum	*0.05
Sugar cane	*0.05

Agvet chemical: Haloxyfop*Permitted residue: Sum of haloxyfop, its esters and conjugates, expressed as haloxyfop*

Assorted tropical and sub-tropical fruits - inedible peel	*0.05
Berries and other small fruits	*0.05
Chia	T3
Citrus fruits	*0.05
Cotton seed	0.1
Cotton seed oil, crude	0.2
Edible offal (mammalian)	0.5
Eggs	*0.01
Garlic	T0.05
Guar bean (dry)	T2
Leafy vegetables [except mizuna]	T0.5
Linola seed	0.1
Linseed	0.1
Meat (mammalian) (in the fat)	0.02
Milks	0.02
Mizuna	T0.5
Onion, bulb	T*0.05
Peanut	0.05
Persimmon, Japanese	*0.05
Pome fruits	*0.05
Poultry, edible offal of	0.05
Poultry meat (in the fat)	*0.01
Pulses	0.1
Rape seed (canola)	0.1
Stone fruits	*0.05
Sugar cane	T0.03
Sunflower seed	*0.05
Tree nuts	*0.05

Agvet chemical: Hexaconazole*Permitted residue: Hexaconazole*

Apple	0.1
Grapes	0.05
Pear	0.1

Agvet chemical: Hexazinone*Permitted residue: Hexazinone*

Blueberries	0.6
Edible offal (mammalian)	*0.1
Eggs	*0.05
Meat (mammalian)	*0.1
Milks	*0.05
Pineapple	1
Poultry, edible offal of	*0.05
Poultry meat	*0.05
Sugar cane	*0.1

Agvet chemical: Hexythiazox*Permitted residue: Hexythiazox*

Berries and other small fruits	1
Fruiting vegetables, cucurbits	T0.05
Fruiting vegetables, other than cucurbits [except mushrooms; sweet corn (corn-on-the-cob)]	T1
Hops, dry	2
Peas	T*0.05
Pome fruits	1
Potato	T*0.02
Stone fruits	1
Tea, green, black	4

Agvet chemical: Hydrogen phosphidesee *Phosphine***Agvet chemical: Imazalil***Permitted residue: Imazalil*

Chicken, edible offal of	*0.01
Chicken meat	*0.01
Citrus fruits	10
Eggs	*0.01
Melons, except watermelon	10
Mushrooms	T1
Onion, bulb	0.05
Pome fruits	5
Potato	5

Agvet chemical: Imazamox*Permitted residue: Imazamox*

Adzuki bean (dry)	T*0.05
Barley	*0.05
Broad bean (dry) (fava beans)	T*0.05
Edible offal (mammalian)	*0.05
Field pea (dry)	*0.05
Lentil (dry)	0.25
Meat (mammalian)	*0.05
Milks	*0.05
Peanut	*0.05
Poppy seed	T*0.05
Rape seed (canola)	*0.05
Rice	0.05
Soya bean (dry)	0.1
Sunflower seed	0.3
Wheat	*0.05

Agvet chemical: Imazapic*Permitted residue: Sum of imazapic and its hydroxymethyl derivative*

Edible offal (mammalian)	*0.05
Eggs	*0.01
Maize	0.1
Meat (mammalian) (in the fat)	*0.05
Milks	*0.01
Peanut	*0.1
Poultry, edible offal of	*0.01
Poultry meat	*0.01
Rape seed (canola)	*0.05
Rice	0.05
Sugar cane	0.1
Wheat	*0.05

Agvet chemical: Imazapyr*Permitted residue: Imazapyr*

Barley	*0.05
Edible offal (mammalian)	*0.05
Lentil (dry)	0.2
Meat (mammalian) (in the fat)	*0.05
Maize	0.1
Milks	*0.01
Poppy seed	T*0.05
Rape seed (canola)	*0.05
Rice	0.05
Sugar cane	0.05
Sunflower seed	0.05
Wheat	*0.05

Agvet chemical: Imazethapyr*Permitted residue: Imazethapyr*

Edible offal (mammalian)	*0.1
Eggs	*0.1
Legume vegetables	*0.1
Maize	*0.05
Meat (mammalian)	*0.1
Milks	*0.1
Peanut	*0.1
Poultry, edible offal of	*0.1
Poultry meat	*0.1
Pulses	*0.1

Agvet chemical: Imidacloprid*Permitted residue: Sum of imidacloprid and metabolites containing the 6-chloropyridinylmethylene moiety, expressed as imidacloprid*

Apple	0.3
Assorted tropical and sub-tropical fruits - inedible peel [except banana]	T1
Banana	0.5
Beetroot	T0.05
Bergamot	T5
Berries and other small fruits [except blueberries; cranberry; grapes; strawberry]	5

Blueberries	T0.1
Brassica (cole or cabbage) vegetables, head cabbages, flowerhead brassicas	0.5
Broad bean (dry)	*0.05
Burdock, greater	T0.05
Burnet, salad	T5
Carrot	T0.5
Cereal grains [except maize; popcorn; sorghum]	*0.05
Celery	0.3
Citrus fruits	2
Common bean (dry) (navy bean)	T1
Common bean (pods and/or immature seeds)	T1
Coriander (leaves, roots, stems)	T5
Coriander, seed	T5
Cotton seed	*0.02
Cranberry	0.05
Date	T1
Dill, seed	T5
Edible offal (mammalian)	0.2
Eggs	*0.02
Fennel, bulb	T0.1
Fennel, seed	T5
Field pea (dry)	*0.05
Fruiting vegetables, cucurbits	0.2
Fruiting vegetables, other than cucurbits [except sweet corn (corn-on- the-cob)]	0.5
Galangal, Greater	T0.05
Garlic	T0.5
Ginger, Japanese	T5
Ginger, root	T0.3
Grapes	1
Hazelnuts	T*0.01
Herbs	T5
Hops, dry	T10
Kaffir lime leaves	T5
Leafy vegetables [except lettuce, head]	20
Lemon balm	T5
Lemon grass	T5
Lemon verbena (fresh weight)	T5
Lentil (dry)	0.2
Lettuce, head	5
Lupin (dry)	0.2
Maize	0.05
Meat (mammalian)	0.05
Milks	0.05
Peanut	*0.05
Persimmon, Japanese	T1
Podded Pea (young pods) (snow and sugar snap)	T0.1
Popcorn	0.05
Potato	0.3
Poultry, edible offal of	*0.02
Poultry meat	*0.02
Radish, Japanese	T0.05
Rape seed (canola)	*0.05

Rhubarb	T0.2
Rose and dianthus (edible flowers)	T5
Sorghum	*0.02
Spices [except coriander (leaves, roots, stems); coriander seed; dill seed; fennel seed; ginger root]	0.05
Stone fruits	0.5
Strawberry	0.5
Sugar cane	*0.05
Sunflower seed	*0.02
Sweet corn (corn-on-the-cob)	*0.05
Sweet potato	0.3
Taro	T0.05
Teas (tea and herb teas)	T10
Tree tomato	T2
Yam bean	T0.05
Yams	T0.05

Agvet chemical: Imidocarb (dipropionate salt)*Permitted residue: Imidocarb*

Cattle, edible offal of	5
Cattle meat	1
Cattle milk	0.2

Agvet chemical: Indoxacarb*Permitted residue: Sum of indoxacarb and its R-isomer*

Asparagus	T1
Berries and other small fruits [except grapes]	T1
Brassica (cole or cabbage) vegetables, head cabbages and flowerhead brassicas	2
Celery	T5
Cherries	T2
Chervil	T10
Chia	T0.5
Coriander (leaves, roots, stems)	T20
Cotton seed	1
Dried grapes	2
Edible offal (mammalian) [except kidney]	*0.01
Egg plant	0.5
Eggs	*0.01
Grapes	2
Herbs	T20
Kidney (mammalian)	0.2
Leafy vegetables [except chervil; lettuce, head; mizuna; rucola]	5
Lemon balm	T10
Lettuce, head	3
Linseed	T0.5
Meat (mammalian) (in the fat)	1
Mexican tarragon	T20
Milk fats	1
Milks	0.1
Mizuna	T10
Olives	T0.2
Peanut	T0.02

Peppers, sweet	0.5
Pome fruits	2
Poultry (edible offal of)	*0.01
Poultry meat (in the fat)	*0.01
Pulses	0.2
Rape seed (canola)	T*0.05
Rucola (rocket)	T20
Safflower seed	T0.5
Stone fruits [except cherries]	2
Sunflower seed	T1
Tomato	T0.5

Agvet chemical: Inorganic bromide*Permitted residue: Bromide ion*

Avocado	75
Cereal grains	50
Citrus fruits	30
Dates, dried	100
Dried fruits [except as otherwise listed under this chemical]	30
Dried grapes	100
Dried herbs	400
Dried peach	50
Figs, dried	250
Fruit [except as otherwise listed under this chemical]	20
Peppers, sweet	50
Prunes	20
Spices	400
Strawberry	30
Vegetables [except as otherwise listed under this chemical]	20

Agvet chemical: Iodosulfuron methyl*Permitted residue: Iodosulfuron methyl*

Barley	*0.01
Edible offal (mammalian)	*0.01
Eggs	*0.01
Meat (mammalian) (in the fat)	*0.01
Milks	*0.01
Poultry, edible offal of	*0.01
Poultry meat (in the fat)	*0.01
Wheat	*0.01

Agvet chemical: Ioxynil*Permitted residue: Ioxynil*

Garlic	*0.02
Leek	T2
Onion, bulb	*0.02
Onion, Welsh	T10
Shallot	T10
Spring onion	T10
Sugar cane	*0.02

Agvet chemical: Ipconazole*Permitted residue: Ipconazole*

Cereal grains	*0.01
---------------	-------

Edible offal (mammalian)	*0.01
Eggs	*0.01
Meat (mammalian)	*0.01
Milks	*0.01
Poultry, edible offal of	*0.01
Poultry meat	*0.01

Agvet chemical: Iprodione*Permitted residue: Iprodione*

Almonds	*0.02
Beans [except broad bean; soya bean]	T2
Beetroot	T0.1
Berries and other small fruits [except grapes]	12
Brassica leafy vegetables	15
Broad bean (green pods and immature seeds)	0.2
Broccoli	T*0.05
Brussels sprouts	0.5
Cabbages, head	T*0.05
Carrot	T0.5
Cauliflower	T*0.05
Celeriac	T0.7
Celery	2
Chard (silver beet)	T15
Edible offal (mammalian)	*0.1
Egg plant	T1
Garlic	T10
Grapes	20
Kiwifruit	10
Lettuce, head	5
Lettuce, leaf	5
Lupin (dry)	*0.1
Macadamia nuts	*0.01
Mandarins	T5
Meat (mammalian)	*0.1
Milks	*0.1
Onion, bulb	T0.7
Passionfruit	10
Peanut	0.05
Peanut oil, crude	0.05
Peppers	T3
Pistachio nut	T0.2
Pome fruits	3
Potato	*0.05
Rape seed (canola)	0.5
Soya bean (dry)	0.05
Spinach	T5
Stone fruits	10
Tangelo, large-sized cultivars	T5
Tomato	2

Agvet chemical: Isoeugenol*Permitted residue: Isoeugenol, sum of cis- and trans-isomers*

Diadromous fish (whole commodity)	100
Freshwater fish (whole commodity)	100

Marine fish (whole commodity)	100
-------------------------------	-----

Agvet chemical: Isoxaben*Permitted residue: Isoxaben*

Assorted tropical and sub-tropical fruits - edible peel	*0.01
Assorted tropical and sub-tropical fruits - inedible peel	*0.01
Barley	*0.01
Citrus fruits	*0.01
Edible offal (mammalian)	*0.01
Eggs	*0.01
Grapes	*0.01
Hops, dry	*0.1
Meat (mammalian)	*0.01
Milks	*0.01
Pome fruits	*0.01
Poultry, edible offal of	*0.01
Poultry meat	*0.01
Stone fruits	*0.01
Tree nuts	*0.01
Triticale	*0.01
Wheat	*0.01

Agvet chemical: Isoxaflutole*Permitted residue: Sum of isoxaflutole and 2-cyclopropylcarbonyl-3-(2-methylsulfonyl-4-trifluoromethylphenyl)-3-oxopropanenitrile, expressed as isoxaflutole*

Cereal grains	*0.02
Chick-pea (dry)	*0.02
Edible offal (mammalian)	0.1
Eggs	*0.05
Meat (mammalian)	*0.05
Milks	*0.05
Poppy seed	*0.02
Poultry, edible offal of	*0.05
Poultry meat	*0.05
Soya bean (dry)	0.05

Agvet chemical: Ivermectin*Permitted residue: H₂B_{1a}*

Cattle kidney	*0.01
Cattle liver	0.1
Cattle meat (in the fat)	0.04
Cattle milk	0.05
Deer kidney	*0.01
Deer liver	*0.01
Deer meat (in the fat)	*0.01
Horse, edible offal of	*0.01
Horse meat	*0.01
Pig kidney	*0.01
Pig liver	*0.01
Pig meat (in the fat)	0.02
Sheep kidney	*0.01
Sheep liver	0.015
Sheep meat (in the fat)	0.02

Agvet chemical: Ketoprofen*Permitted residue: Ketoprofen*

Cattle, edible offal of	*0.05
Cattle meat	*0.05
Cattle milk	*0.05

Agvet chemical: Kitasamycin*Permitted residue: Inhibitory substance, identified as kitasamycin*

Eggs	*0.2
Pig, edible offal of	*0.2
Pig meat	*0.2

Agvet chemical: Kresoxim-methyl*Permitted residue—commodities of plant origin:**Kresoxim-methyl**Permitted residue—commodities of animal origin: Sum of a-(p-hydroxy-o-tolyloxy)-o-tolyl (methoxyimino) acetic acid and (E)- methoxyimino[a-(o-tolyloxy)-o-tolyl]acetic acid, expressed as kresoxim-methyl*

Asparagus	0.05
Barley	0.1
Beetroot	0.05
Berries and other small fruits	1.5
Chard (beet leaves)	0.05
Coffee beans	0.05
Cotton seed	0.05
Dried grapes (currants, raisins and sultanas)	2
Edible offal (mammalian)	0.05
Egg plant	0.6
Fruiting vegetables, cucurbits	0.4
Egg plant	0.6
Garlic	0.3
Ginseng (dried)	1
Grape leaves	15
Grapefruit	0.5
Leek	5
Mammalian fats [except milk fats]	0.05
Meat (mammalian)	0.05
Milks	0.05
Oats	0.1
Olive oil, virgin	0.7
Olives	0.2
Onion, bulb	0.3
Oranges, sweet, sour	0.5
Pear	5
Pecan	0.15
Peppers, sweet	1
Pome fruits [except pear]	0.2
Potato	0.1
Poultry meat	0.05
Rice	0.02
Rye	0.1
Shallot	0.3
Soya bean (dry)	0.05

Sugar beet	0.05
Sunflower seed	0.1
Tea, green, black	15
Tomato	0.6
Turnip, garden	0.05
Wheat	0.1

Agvet chemical: Lambda-cyhalothrinsee *Cyhalothrin***Agvet chemical: Lasalocid***Permitted residue: Lasalocid*

Cattle milk	*0.01
Edible offal (mammalian)	0.7
Eggs	*0.05
Meat (mammalian)	*0.05
Poultry, edible offal of	0.4
Poultry fat/skin	1
Poultry meat	*0.1

Agvet chemical: Levamisole*Permitted residue: Levamisole*

Edible offal (mammalian)	1
Eggs	1
Goat milk	0.1
Meat (mammalian)	0.1
Milks [except goat milk]	0.3
Poultry, edible offal of	0.1
Poultry meat	0.1

Agvet chemical: Lincomycin*Permitted residue: Inhibitory substance, identified as lincomycin*

Cattle milk	*0.02
Edible offal (mammalian) [except sheep, edible offal of]	0.2
Eggs	0.2
Goat milk	*0.1
Meat (mammalian) [except sheep meat]	0.2
Poultry, edible offal of	0.1
Poultry meat	0.1

Agvet chemical: Lindane*Permitted residue: Lindane*

Pineapple	0.5
-----------	-----

Agvet chemical: Linuron*Permitted residue: Sum of linuron plus 3,4-dichloroaniline, expressed as linuron*

Celeriac	T0.5
Celery	*0.05
Cereal grains	*0.05
Chervil	T1
Coriander (leaves, roots, stems)	T1
Coriander, seed	0.2
Edible offal (mammalian)	1

Eggs	*0.05
Herbs	T1
Leek	*0.02
Lemon grass	T1
Lemon verbena (dry leaves)	T1
Meat (mammalian)	*0.05
Milks	*0.05
Mizuna	T1
Parsnip	T0.05
Poultry, edible offal of	*0.05
Poultry meat	*0.05
Rucola (rocket)	T1
Turmeric, root	T*0.05
Vegetables [except celeriac; celery; leek; parsnip]	*0.05

Agvet chemical: Lufenuron*Permitted residue: Lufenuron*

Cotton seed	T0.2
Cotton seed oil, crude	T0.5
Edible offal (mammalian)	T*0.01
Eggs	T0.05
Meat (mammalian) (in the fat)	T1
Milks	T0.2
Poultry, edible offal of	T*0.01
Poultry meat (in the fat)	T1

2016-gs570

Food Standards (Proposal M1013 - Maintenance of Schedule 20 - Maximum Residue Limits) Variation — Amendment No. 161 — Part Two

The Board of Food Standards Australia New Zealand gives notice of the making of this variation under section 92 of the *Food Standards Australia New Zealand Act 1991*. The Standard commences on the date specified in clause 3 of this variation.

Dated 16 February 2016

Standards Management Officer, Delegate of the Board of Food Standards Australia New Zealand

Note:

This variation will be published in the Commonwealth of Australia Gazette No. FSC 103 on 22 February 2016.

1 Name

This instrument is the *Food Standards (Proposal M1013 - Schedule 20 - MRLs - Consequentials & Corrective Amendments) Variation*.

2 Variation to a standard in the *Australia New Zealand Food Standards Code*

The Schedule varies a schedule in the *Australia New Zealand Food Standards Code*.

3 Commencement

The variation commences on 1 March 2016 immediately after the commencement of Standard 5.1.1 - Revocation and transitional provisions - 2014 Revision.

Schedule***Schedule 20 - Maximum residue limits*****[1] Schedule heading (Note 1)**

Omit

Note 1

Substitute

Note**[2] Section S20—3 (table)**

Omit the table, substitute

Maximum residue limits**Agvet chemical: Maduramicin***Permitted residue: Maduramicin*

Poultry, edible offal of	1
Poultry meat	0.1

Agvet chemical: Magnesium phosphidesee *Phosphine***Agvet chemical: Malathion**see *Maldison***Agvet chemical: Maldison***Permitted residue: Maldison*

Beans (dry)	8
Cauliflower	0.5
Cereal grains	8
Chard (silver beet)	0.5
Citrus fruits	4
Currant, black	T2
Dried fruits	8
Edible offal (mammalian)	1
Egg plant	0.5
Eggs	1
Fruit [except citrus fruits; currant, black; dried fruits; grapes; pear; strawberry]	2
Garden pea	0.5
Grapes	8
Kale	3
Kohlrabi	0.5
Lentil (dry)	8
Meat (mammalian) (in the fat)	1
Milks (in the fat)	1
Oilseed [except peanut]	T10
Onion, Welsh	T0.1
Peanut	8
Pear	0.5
Peppers, sweet	0.5
Poultry, edible offal of	1
Poultry meat (in the fat)	1
Root and tuber vegetables	0.5
Shallot	T0.1
Spring onion	T0.1
Strawberry	1
Tomato	3
Tree nuts	8
Turnip, garden	0.5

Vegetables [except beans (dry); cauliflower; chard (silver beet); egg plant; garden pea; kale; kohlrabi; lentil (dry); onion, Welsh; peppers, sweet; root and tuber vegetables; shallot; spring onion; tomato; turnip, garden]	2
Wheat bran, unprocessed	20

Agvet chemical: Maleic hydrazide

Permitted residue: Sum of free and conjugated maleic hydrazide, expressed as maleic hydrazide

Carrot	T40
Garlic	15
Onion, bulb	15
Potato	50

Agvet chemical: Mancozeb

see *Dithiocarbamates*

Agvet chemical: Mandipropamid

Permitted residue: Mandipropamid

Dried grapes (currants, raisins and sultanas)	2
Edible offal (mammalian)	*0.01
Eggs	*0.01
Grapes	2
Hops, dry	50
Leafy vegetables	T20
Meat (mammalian) (in the fat)	*0.01
Milks	*0.01
Poppy seed	*0.01
Poultry, edible offal of	*0.01
Poultry meat (in the fat)	*0.01

Agvet chemical: MCPA

Permitted residue: MCPA

Cereal grains	*0.02
Edible offal (mammalian)	*0.05
Eggs	*0.05
Field pea (dry)	*0.05
Meat (mammalian)	*0.05
Milks	*0.05
Poultry, edible offal of	*0.05
Poultry meat	*0.05
Rhubarb	*0.02

Agvet chemical: MCPB

Permitted residue: MCPB

Cereal grains	*0.02
Edible offal (mammalian)	*0.05
Eggs	*0.05
Legume vegetables	*0.02
Meat (mammalian)	*0.05
Milks	*0.05
Poultry, edible offal of	*0.05
Poultry meat	*0.05
Pulses	*0.02

Agvet chemical: Mebendazole*Permitted residue: Mebendazole*

Edible offal (mammalian)	*0.02
Meat (mammalian)	*0.02
Milks	0.02

Agvet chemical: Mefenpyr-diethyl

Permitted residue—commodities of plant origin: Sum of mefenpyr-diethyl and metabolites hydrolysed to 1-(2,4-dichlorophenyl)-5-methyl-2-pyrazoline-3,5-dicarboxylic acid, and 1-(2,4-dichlorophenyl)-5-methyl-pyrazole-3-carboxylic acid, expressed as mefenpyr-diethyl

Permitted residue—commodities of animal origin: Sum of mefenpyr-diethyl and 1-(2,4-dichlorophenyl)-5-ethoxycarbonyl-5-methyl-2-pyrazoline-3-carboxylic acid, expressed as mefenpyr-diethyl

Cereal grains	*0.01
Edible offal (mammalian)	*0.05
Eggs	*0.01
Meat (mammalian)	*0.05
Milks	*0.01
Poultry, edible offal of	*0.05
Poultry meat	*0.05

Agvet chemical: Meloxicam*Permitted residue: Meloxicam*

Cattle kidney	0.2
Cattle liver	0.1
Cattle meat	*0.01
Cattle milk	0.005
Pig fat/skin	0.1
Pig kidney	*0.01
Pig liver	*0.01
Pig meat	0.02

Agvet chemical: Mepanipyrim*Permitted residue: Mepanipyrim*

Strawberry	2
------------	---

Agvet chemical: Mepiquat*Permitted residue: Mepiquat*

Cotton seed	1
Cotton seed oil, crude	0.2
Edible offal (mammalian)	0.1
Eggs	0.05
Meat (mammalian)	0.1
Milks	0.05
Poultry, edible offal of	0.1
Poultry meat	0.1

Agvet chemical: Mesosulfuron-methyl*Permitted residue: Mesosulfuron-methyl*

Edible offal (mammalian)	*0.01
Eggs	*0.01
Meat (mammalian)	*0.01
Milks	*0.01

Poultry, edible offal of	*0.01
Poultry meat	*0.01
Wheat	*0.02

Agvet chemical: Metaflumizone

Permitted residue: Sum of metaflumizone, its E and Z isomers and its metabolite 4-{2-oxo-2-[3-(trifluoromethyl)phenyl]ethyl}-benzotrile expressed as metaflumizone

Citrus fruits	0.04
Grapes	0.04
Tree nuts	0.04

Agvet chemical: Metalaxyl

Permitted residue: Metalaxyl

Asparagus	0.05
Avocado	0.5
Beetroot	T*0.01
Beetroot leaves	T0.1
Berries and other small fruits [except grapes]	T0.5
Bulb vegetables	0.1
Cereal grains	*0.1
Chives	2
Coriander (leaves, roots, stems)	2
Durian	T0.5
Edible offal (mammalian)	*0.05
Eggs	*0.05
Fruiting vegetables, cucurbits	0.2
Ginger, root	0.5
Grapes	1
Herbs [except chives; thyme]	T0.3
Kaffir lime leaves	T0.3
Leafy vegetables	0.3
Lemon grass	T0.3
Lemon verbena (dry leaves)	T0.3
Macadamia nuts	1
Meat (mammalian)	*0.05
Milks	*0.01
Papaya (pawpaw)	*0.01
Peppers	T0.1
Pineapple	0.1
Podded pea (young pods) (snow and sugar snap)	T0.1
Pome fruits	0.2
Poppy seed	*0.02
Poultry, edible offal of	*0.05
Poultry meat	*0.05
Rose and dianthus (edible flowers)	T0.3
Spices	*0.1
Stone fruits	0.2
Thyme	T0.5
Turmeric, root	T0.1
Vegetables [except asparagus; beetroot; bulb vegetables [alliums]; fruiting vegetables, cucurbits; leafy vegetables; peppers; podded pea (young pods) (snow and sugar snap peas)]	T0.1

Agvet chemical: Metalaxyl-Msee *Metalaxyl***Agvet chemical: Metaldehyde***Permitted residue: Metaldehyde*

Cereal grains	1
Fruit	1
Herbs	1
Oilseed	1
Pulses	1
Spices	1
Teas (tea and herb teas)	1
Vegetables	1

Agvet chemical: Metconazole*Permitted residue: Metconazole*

Potato	0.04
Stone fruits	0.2
Sweet potato	0.04

Agvet chemical: Methabenzthiazuron*Permitted residue: Methabenzthiazuron*

Garlic	T*0.05
Leek	T*0.05
Onion, bulb	*0.05
Onion, Welsh	T0.2
Shallot	T0.2
Spring onion	T0.2

Agvet chemical: Methamsee *Dithiocarbamates***Agvet chemical: Metham-sodium**see *Metham***Agvet chemical: Methamidophos***Permitted residue: Methamidophos*see also *Acephate*

Banana	0.2
Brassica (cole or cabbage) vegetables, head cabbages, flowerhead brassicas	1
Celery	2
Citrus fruits	0.5
Cotton seed	0.1
Cucumber	0.5
Edible offal (mammalian)	*0.01
Egg plant	1
Hops, dry	5
Leafy vegetables [except lettuce, head; lettuce, leaf]	T1
Lettuce, head	1
Lettuce, leaf	1
Lupin (dry)	0.5
Meat (mammalian)	*0.01
Milks	*0.01

Peach	1
Peanut	*0.02
Peppers, sweet	2
Potato	0.25
Rape seed (canola)	0.1
Soya bean (dry)	0.1
Sugar beet	0.05
Tomato	2
Tree tomato (tamarillo)	*0.01

Agvet chemical: Methidathion*Permitted residue: Methidathion*

Apple	0.2
Avocado	0.5
Brassica (cole or cabbage) vegetables, head cabbages, flowerhead brassicas	0.1
Cereal grains	*0.01
Citrus fruits [except mandarins]	2
Coffee beans	T1
Custard apple	0.2
Date	T*0.01
Dates, dried or dried and candied	T*0.01
Eggs	*0.05
Fruiting vegetables, other than cucurbits	0.1
Garlic	*0.01
Grapes	0.5
Legume vegetables	0.1
Lettuce, head	1
Lettuce, leaf	1
Litchi	T0.1
Longan	0.1
Macadamia nuts	*0.01
Mandarins	5
Mango	2
Meat (mammalian) (in the fat)	0.5
Milks (in the fat)	0.5
Oilseed	1
Olive oil, crude	T2
Olives	T1
Onion, bulb	*0.01
Passionfruit	0.2
Pear	0.2
Persimmon, Japanese	0.5
Poultry, edible offal of	*0.05
Poultry meat	*0.05
Pulses	0.1
Root and tuber vegetables	*0.01
Stone fruits	*0.01
Strawberry	*0.01
Tomato	0.1
Vegetable oils, edible	0.1
Vegetables [except garlic; lettuce, head; lettuce, leaf; onion, bulb; root and tuber vegetables]	0.1

Agvet chemical: Methiocarb

Permitted residue: Sum of methiocarb, its sulfoxide and sulfone, expressed as methiocarb

Citrus fruits	0.1
Fruit [except as otherwise listed under this chemical]	T0.1
Grapes	0.5
Vegetables	0.1
Wine	0.1

Agvet chemical: Methomyl*Permitted residue: Methomyl*

Apple	1
Avocado	*0.1
Blackberries	2
Blueberries	2
Brassica (cole or cabbage) vegetables, head cabbages, flowerhead brassicas	2
Celeriac	0.1
Celery	3
Cereal grains	*0.1
Chard	2
Cherries	2
Chia	T1
Citrus fruits	1
Coffee beans	T1
Coriander (leaves, roots, stems)	T10
Cotton seed	*0.1
Dried grapes	*0.05
Edible offal (mammalian)	0.05
Eggs	*0.02
Fig	T0.7
Fruiting vegetables, cucurbits	0.1
Fruiting vegetables, other than cucurbits [except peppers]	1
Ginger, Japanese	T2
Ginger, root	*0.1
Grapes	2
Guava	3
Herbs	T10
Hops, dry	0.5
Leafy vegetables [except chard; lettuce, head; lettuce, leaf]	1
Legume vegetables	1
Lettuce, head	2
Lettuce, leaf	2
Linseed	*0.1
Macadamia nuts	T1
Meat (mammalian)	0.05
Milks	0.05
Mints	0.5
Nectarine	1
Onion, Chinese	T1
Onion, Welsh	T2
Peach	1
Peanut	*0.05
Pear	3
Peppers	T2
Persimmon, American	T0.2

Persimmon, Japanese	T0.2
Plantago ovata seed	0.05
Poppy seed	*0.05
Poultry, edible offal of	*0.02
Poultry meat	*0.02
Pulses	1
Rape seed (canola)	0.5
Root and tuber vegetables	1
Sesame seed	*0.1
Shallot	T2
Spring onion	T2
Strawberry	3
Sunflower seed	*0.1
Sweet corn (corn-on-the-cob)	0.1
Tree tomato (tamarillo)	T1

Agvet chemical: Methoprene*Permitted residue: Methoprene, sum of cis- and trans-isomers*

Cattle milk	0.1
Cereal grains	2
Edible offal (mammalian)	*0.01
Meat (mammalian) (in the fat)	0.3
Wheat bran, unprocessed	5
Wheat germ	10

Agvet chemical: Methoxyfenozide*Permitted residue: Methoxyfenozide*

Almonds	0.2
Avocado	0.5
Blueberries	2
Citrus fruits	3
Coffee beans	0.2
Coriander (leaves, roots, stems)	T20
Cotton seed	3
Cranberry	0.5
Cucumber	T2
Custard apple	0.3
Dried grapes	6
Edible offal (mammalian)	*0.01
Fruiting vegetables, other than cucurbits [except sweet corn (corn-on-the-cob)]	3
Grapes	2
Herbs	T20
Kiwifruit	2
Lettuce, head	T30
Lettuce, leaf	T30
Litchi	2
Longan	2
Macadamia nuts	0.05
Meat (mammalian) (in the fat)	*0.01
Mexican tarragon	T20
Milks	*0.01
Persimmon, American	1
Persimmon, Japanese	1
Plums (including prunes)	0.3

Podded pea (young pods) (snow and sugar snap)	T3
Pome fruits	0.5
Rucola (rocket)	T20
Stone fruits [except plums (including prunes)]	3
Sweet corn (corn-on-the-cob)	T0.02

Agvet chemical: Methyl benzoquate*Permitted residue: Methyl benzoquate*

Poultry, edible offal of	0.1
Poultry meat	0.1

Agvet chemical: Methyl bromide*Permitted residue: Methyl bromide*

Cereal grains	50
Cucumber	*0.05
Dried fruits	*0.05
Fruit [except jackfruit; litchi; mango; papaya]	T*0.05
Herbs	*0.05
Jackfruit	*0.05
Litchi	*0.05
Mango	*0.05
Papaya (pawpaw)	*0.05
Peppers, sweet	*0.05
Spices	*0.05
Vegetables [except cucumber; peppers, sweet]	T*0.05

Agvet chemical: Methyl isothiocyanate*Permitted residue: Methyl isothiocyanate*

Barley	T0.1
Rape seed (canola)	T0.1
Wheat	T0.1

Agvet chemical: Metiramsee *Dithiocarbamates***Agvet chemical: Metolachlor***Permitted residue: Metolachlor*

Adzuki bean (dry)	T*0.05
Bergamot	T*0.05
Brassica (cole or cabbage) vegetables, head cabbages, flowerhead brassicas	*0.02
Brassica leafy vegetables	*0.01
Burnet, salad	T*0.05
Celeriac	T*0.2
Celery	T0.05
Cereal grains [except maize; sorghum]	*0.02
Chard (silver beet)	T*0.01
Chervil	T*0.05
Coriander (leaves, stems)	T*0.05
Coriander, roots	T0.5
Coriander, seed	T*0.05
Cotton seed	*0.01
Dill, seed	T*0.05

Edible offal (mammalian)	*0.05
Eggs	*0.01
Fennel, seed	T*0.05
Fruiting vegetables, cucurbits	*0.05
Galangal, Greater	T0.5
Herbs	T*0.05
Kaffir lime leaves	T*0.05
Lemon grass	T*0.05
Lemon verbena (dry leaves)	T*0.05
Maize	0.1
Meat (mammalian)	*0.05
Milks	*0.05
Mizuna	T*0.05
Mung bean (dry)	T*0.05
Onion, Welsh	*0.01
Peanut	*0.05
Potato	*0.01
Poultry, edible offal of	*0.01
Poultry meat	*0.01
Pulses [except adzuki bean (dry); mung bean (dry); soya bean (dry)]	*0.01
Rape seed (canola)	*0.02
Rhubarb	*0.05
Rose and dianthus (edible flowers)	T*0.05
Rucola (rocket)	T*0.05
Safflower seed	*0.05
Shallot	*0.01
Sorghum	*0.05
Soya bean (dry)	*0.05
Spinach	T*0.01
Spring onion	*0.01
Sugar cane	*0.05
Sunflower seed	*0.05
Sweet corn (kernels)	0.1
Sweet potato	*0.2
Tomato	T*0.01
Turmeric, root	T0.5

Agvet chemical: Metosulam*Permitted residue: Metosulam*

Cereal grains	*0.02
Edible offal (mammalian)	*0.01
Eggs	*0.01
Lupin (dry)	*0.02
Meat (mammalian)	*0.01
Milks	*0.01
Poppy seed	*0.01
Poultry, edible offal of	*0.01
Poultry meat	*0.01

Agvet chemical: Metrafenone*Permitted residue: Metrafenone*

Dried grapes (currants, raisins and sultanas)	3
Edible offal (mammalian)	*0.05
Eggs	*0.05
Fruiting vegetables, cucurbits	0.2

Grapes	4.5
Meat (mammalian) (in the fat)	*0.05
Milks	*0.01
Poultry, edible offal of	*0.05
Poultry meat (in the fat)	*0.05

Agvet chemical: Metribuzin*Permitted residue: Metribuzin*

Asparagus	0.2
Cereal grains	*0.05
Edible offal (mammalian)	*0.05
Eggs	*0.05
Meat (mammalian)	*0.05
Milks	*0.05
Peas [except peas, shelled]	T*0.05
Peas, shelled	*0.05
Potato	*0.05
Poultry, edible offal of	*0.05
Poultry meat	*0.05
Pulses [except soya bean (dry)]	*0.01
Rape seed (canola)	*0.02
Root and tuber vegetables [except potato]	T*0.05
Soya bean (dry)	*0.05
Sugar cane	*0.02
Sugar cane molasses	0.1
Tomato	0.1

Agvet chemical: Metsulfuron-methyl*Permitted residue: Metsulfuron-methyl*

Cereal grains	*0.02
Chick-pea (dry)	T*0.05
Edible offal (mammalian)	*0.1
Linseed	*0.02
Meat (mammalian)	*0.1
Milks	*0.1
Poppy seed	*0.01
Safflower seed	*0.02

Agvet chemical: Mevinphos*Permitted residue: Mevinphos*

Brassica (cole or cabbage) vegetables, head cabbages, flowerhead brassicas	0.3
Edible offal (mammalian)	*0.05
Meat (mammalian)	*0.05
Milks	*0.05

Agvet chemical: Milbemectin*Permitted residue: Sum of milbemycin MA₃ and milbemycin MA₄ and their photoisomers, milbemycin (Z) 8,9-MA₃ and (Z) 8,9Z-MA₄*

Edible offal (mammalian)	*0.002
Fruiting vegetables, other than cucurbits	0.02
Meat (mammalian) (in the fat)	*0.002
Milk fats	*0.0005

Milks	*0.0005
Pome fruits	0.02
Stone fruits	0.1
Strawberry	0.2

Agvet chemical: Molinate*Permitted residue: Molinate*

Rice	*0.05
------	-------

Agvet chemical: Monensin*Permitted residue: Monensin*

Cattle, edible offal of	*0.05
Cattle meat	*0.05
Cattle milk	*0.01
Goat, edible offal of	*0.05
Goat meat	*0.05
Poultry, edible offal of	*0.5
Poultry meat (in the fat)	*0.5
Sheep fat	0.07
Sheep kidney	0.015
Sheep liver	0.2
Sheep muscle	0.005

Agvet chemical: Monepantel*Permitted residue: Monepantel*

Sheep fat	7
Sheep, kidney	2
Sheep muscle	0.7
Sheep, liver	5

Agvet chemical: Morantel*Permitted residue: Morantel*

Cattle, edible offal of	2
Goat, edible offal of	2
Meat (mammalian)	0.3
Milks	*0.1
Pig, edible offal of	5
Sheep, edible offal of	2

Agvet chemical: Moxidectin*Permitted residue: Moxidectin*

Cattle, edible offal of	0.5
Cattle meat (in the fat)	1
Cattle milk (in the fat)	2
Deer meat (in the fat)	1
Deer, edible offal of	0.2
Sheep, edible offal of	0.05
Sheep meat (in the fat)	0.5

Agvet chemical: MSMA*Permitted residue: Total arsenic, expressed as MSMA*

Sugar cane	0.3
------------	-----

Agvet chemical: Myclobutanil*Permitted residue: Myclobutanil*

Asparagus	T0.02
-----------	-------

Blackberries	2
Boysenberry	2
Cherries	5
Chervil	T2
Coriander (leaves, roots, stems)	T2
Grapes	1
Herbs	T2
Mizuna	T2
Pome fruits	0.5
Raspberries, red, black	2
Rucola (rocket)	T2
Stone fruits [except cherries]	2
Strawberry	2

Agvet chemical: Naled

Permitted residue: Sum of naled and dichlorvos, expressed as naled

Cotton seed	T*0.02
Edible offal (mammalian)	T*0.05
Meat (mammalian)	T*0.05
Milks	T*0.05

Agvet chemical: Naphthalene acetic acid

Permitted residue: 1-Naphthalene acetic acid

Apple	1
Pear	1
Pineapple	1
Rambutan	T*0.05

Agvet chemical: Naphthalophos

Permitted residue: Naphthalophos

Sheep, edible offal of	*0.01
Sheep meat	*0.01

Agvet chemical: Napropamide

Permitted residue: Napropamide

Almonds	*0.1
Berries and other small fruits	*0.1
Stone fruits	*0.1
Tomato	*0.1

Agvet chemical: Narasin

Permitted residue: Narasin

Cattle, edible offal of	0.05
Cattle meat	0.05
Poultry, edible offal of	0.1
Poultry meat	0.1

Agvet chemical: Neomycin

Permitted residue: Inhibitory substance, identified as neomycin

Eggs	T0.5
Fats (mammalian) [except milk fats]	T0.5
Kidney of cattle, goats, pigs and sheep	T10
Liver of cattle, goats, pigs and sheep	T0.5
Meat (mammalian)	T0.5

Milks	T1.5
Poultry kidney	T10
Poultry liver	T0.5
Poultry meat	T0.5

Agvet chemical: Netobiminsee *Albendazole***Agvet chemical: Nicarbazin***Permitted residue: 4,4'-dinitrocarbanilide (DNC)*

Chicken fat/skin	10
Chicken kidney	20
Chicken liver	35
Chicken muscle	5

Agvet chemical: Nitrothal-isopropyl*Permitted residue: Nitrothal-isopropyl*

Apple	1
-------	---

Agvet chemical: Nitroxynil*Permitted residue: Nitroxynil*

Cattle, edible offal of	1
Cattle meat	1
Cattle milk	T0.5
Goat, edible offal of	1
Goat meat	1
Sheep, edible offal of	1
Sheep meat	1

Agvet chemical: Norflurazon*Permitted residue: Norflurazon*

Asparagus	0.05
Citrus fruits	0.2
Cotton seed	0.1
Grapes	0.1
Pome fruits	*0.2
Stone fruits	*0.2
Tree nuts	*0.2

Agvet chemical: Norgestomet*Permitted residue: Norgestomet*

Edible offal (mammalian)	*0.0001
Meat (mammalian)	*0.0001

Agvet chemical: Novaluron*Permitted residue: Novaluron*

Cranberry	0.45
Cotton seed	T1
Cotton seed oil, crude	T2
Pome fruits	T1

Agvet chemical: Novobiocin*Permitted residue: Novobiocin*

Cattle, edible offal of	*0.1
Cattle meat	*0.1
Cattle milk	*0.1

Agvet chemical: ODB*Permitted residue: 1,2-dichlorobenzene*

Sheep, edible offal of	*0.01
Sheep meat (in the fat)	*0.01

Agvet chemical: Olaquinox*Permitted residue: Sum of olaquinox and all metabolites which reduce to 2-(N-2-hydroxyethylcarbamoyl)-3-methyl quinoxalone, expressed as olaquinox*

Pig, edible offal of	0.3
Pig meat	0.3
Poultry, edible offal of	0.3
Poultry meat	0.3

Agvet chemical: Oleandomycin*Permitted residue: Oleandomycin*

Edible offal (mammalian)	*0.1
Meat (mammalian)	*0.1

Agvet chemical: Omethoate*Permitted residue: Omethoate*see also *Dimethoate*

Cereal grains	*0.05
Edible offal (mammalian)	*0.05
Eggs	*0.05
Fruit	2
Lupin (dry)	0.1
Meat (mammalian)	*0.05
Milks	*0.05
Oilseed	0.05
Peppers, sweet	1
Poultry, edible offal of	*0.05
Poultry meat	*0.05
Tomato	1
Vegetables [except as otherwise listed under this chemical]	2

Agvet chemical: OPPsee *2-phenylphenol***Agvet chemical: Oryzalin***Permitted residue: Oryzalin*

Cereal grains	*0.01
Coffee beans	T0.1
Fruit	0.1
Garlic	T*0.05
Ginger, root	T*0.05
Rape seed (canola)	*0.05
Tree nuts	0.1

Agvet chemical: Oxabetrinil*Permitted residue: Oxabetrinil*

Edible offal (mammalian)	*0.1
--------------------------	------

Eggs	*0.1
Meat (mammalian)	*0.1
Milks	*0.05
Poultry, edible offal of	*0.1
Poultry meat	*0.1

Agvet chemical: Oxadixyl*Permitted residue: Oxadixyl*

Fruiting vegetables, cucurbits	0.5
Grapes	2
Lettuce, head	1
Lettuce, leaf	1
Onion, bulb	0.5

Agvet chemical: Oxamyl*Permitted residue: Sum of oxamyl and 2-hydroxyimino-N,N-dimethyl-2-(methylthio)-acetamide, expressed as oxamyl*

Banana	0.2
Cereal grains	*0.02
Edible offal (mammalian)	*0.02
Eggs	*0.02
Meat (mammalian)	*0.02
Milks	*0.02
Onion, Welsh	T0.5
Peppers, sweet	1
Poultry, edible offal of	*0.02
Poultry fats	*0.02
Poultry meat	*0.02
Shallot	T0.5
Spring onion	T0.5
Sweet potato	T0.5
Tomato	*0.05

Agvet chemical: Oxfendazole*Permitted residue: Oxfendazole*

Edible offal (mammalian)	3
Meat (mammalian)	*0.1
Milks	0.1

Agvet chemical: Oxycarboxin*Permitted residue: Oxycarboxin*

Beans [except broad bean; soya bean]	5
Blueberries	T10
Broad bean (green pods and immature seeds)	5

Agvet chemical: Oxyclozanide*Permitted residue: Oxyclozanide*

Cattle, edible offal of	2
Cattle meat	0.5
Goat, edible offal of	2
Goat meat	0.5
Milks	0.05
Sheep, edible offal of	2
Sheep meat	0.5

Agvet chemical: Oxydemeton-methyl*Permitted residue: Sum of oxydemeton-methyl and demeton-S-methyl sulphone, expressed as oxydemeton-methyl*

Brassica (cole or cabbage) vegetables, head cabbages, flowerhead brassicas	0.5
Cotton seed	*0.01
Cotton seed oil, crude	*0.01
Edible offal (mammalian)	*0.01
Eggs	*0.01
Lupin (dry)	*0.01
Meat (mammalian)	*0.01
Milks	*0.01
Poultry, edible offal of	*0.01
Poultry meat	*0.01

Agvet chemical: Oxyfluorfen*Permitted residue: Oxyfluorfen*

Assorted tropical and sub-tropical fruits - inedible peel	*0.01
Brassica (cole or cabbage) vegetables, head cabbages, flowerhead brassicas	*0.05
Bulb vegetables	*0.05
Cereal grains	*0.05
Coffee beans	T0.05
Cotton seed	*0.05
Edible offal (mammalian)	*0.01
Eggs	0.05
Grapes	0.05
Meat (mammalian) (in the fat)	*0.01
Milks	*0.01
Olives	1
Pome fruits	0.05
Poultry, edible offal of	*0.01
Poultry meat (in the fat)	0.2
Stone fruits	0.05
Tree nuts	0.05

Agvet chemical: Oxytetracycline*Permitted residue: Inhibitory substance, identified as oxytetracycline*

Fish	T0.2
Honey	0.3
Kidney of cattle, goats, pigs and sheep	0.6
Liver of cattle, goats, pigs and sheep	0.3
Meat (mammalian)	0.1
Milks	0.1
Poultry, edible offal of	0.6
Poultry meat	0.1

Agvet chemical: Oxythioquinox*Permitted residue: Oxythioquinox*

Fruiting vegetables, cucurbits	0.5
Pome fruits	0.5
Stone fruits	0.5

Agvet chemical: Paclobutrazol

Permitted residue: Paclobutrazol

Assorted tropical and sub-tropical fruits - inedible peel [except avocado; mango]	*0.01
Avocado	0.1
Barley	T0.1
Broccoli	T*0.01
Mango	T1
Pome fruits	1
Potato	T*0.01
Stone fruits	*0.01
Tomato	T*0.01
Wheat	T0.1

Agvet chemical: Paraquat*Permitted residue: Paraquat cation*

Anise myrtle leaves	T0.5
Cassava	T*0.05
Cereal grains [except as otherwise listed under this chemical]	*0.05
Cotton seed	0.2
Cotton seed oil, edible	0.05
Edible offal (mammalian)	0.5
Eggs	*0.01
Fruit [except olives]	*0.05
Hops, dry	0.2
Lemon myrtle leaves	T0.5
Maize	0.1
Meat (mammalian)	*0.05
Milks	*0.01
Native pepper (<i>Tasmannia lanceolata</i>) leaves	T0.5
Olives	1
Peanut	*0.01
Peanut, whole	*0.01
Potato	0.2
Poultry, edible offal of	*0.05
Poultry meat	*0.05
Pulses	1
Rice	10
Rice, polished	0.5
Sugar cane	*0.05
Tea, green, black	T0.5
Tree nuts	*0.05
Vegetables [except as otherwise listed under this chemical]	*0.05

Agvet chemical: Pebulate*Permitted residue: Pebulate*

Fruiting vegetables, other than cucurbits	*0.1
---	------

Agvet chemical: Penconazole*Permitted residue: Penconazole*

Brussels sprouts	0.05
Grapes	0.1
Herbs	0.05

Pome fruits	0.1
Spices	0.1
Tea, green, black	0.1

Agvet chemical: Pencycuron*Permitted residue: Pencycuron*

Potato	0.05
--------	------

Agvet chemical: Pendimethalin*Permitted residue: Pendimethalin*

Artichoke, globe	0.05
Asparagus	0.15
Assorted tropical and sub-tropical fruits - inedible peel	*0.05
Barley	*0.05
Berries and other small fruits	*0.05
Brassica leafy vegetables	0.2
Brassica (cole or cabbage) vegetables, head cabbages, flowerhead brassicas	*0.05
Bulb vegetables	*0.05
Citrus fruits	*0.05
Coffee beans	T*0.01
Date	T*0.05
Edible offal (mammalian)	*0.01
Eggs	*0.01
Herbs	*0.05
Hops, dry	*0.1
Leafy vegetables [except brassica leafy vegetables; lettuce, leaf]	*0.05
Legume vegetables	*0.05
Lettuce, leaf	4
Maize	*0.05
Meat (mammalian)	*0.01
Melons, including watermelon	0.1
Milk	*0.01
Oilseed	*0.05
Olives	*0.05
Pome fruits	*0.05
Poultry, edible offal of	*0.01
Poultry meat	*0.01
Pulses	*0.05
Rice	*0.05
Root and tuber vegetables	*0.05
Sorghum	0.1
Stone fruits	*0.05
Sugar cane	*0.05
Sweet corn (corn-on-the-cob)	*0.05
Tomato	*0.05
Tree nuts	*0.05
Wheat	*0.05

Agvet chemical: Penflufen*Permitted residue: Penflufen*

Cereal grains	*0.01
Cotton seed	T*0.01
Edible offal (mammalian)	*0.01
Eggs	*0.01

Meat (mammalian) (in the fat)	*0.01
Milks	*0.01
Milk fats	*0.01
Potato	*0.01
Poultry, edible offal of	*0.01
Poultry meat (in the fat)	*0.01
Rape seed (canola)	*0.01

Agvet chemical: Penthioopyrad*Permitted residue—commodities of plant origin:**Penthioopyrad**Permitted residue—commodities of animal origin: Sum of penthiopyrad and 1-methyl-3-(trifluoromethyl)-1H-pyrazol-4-ylcarboxamide, expressed as penthiopyrad*

Brassica leafy vegetables	70
Brassica (cole or cabbage) vegetables, head cabbages, flowerhead brassicas	7
Cranberry	3
Edible offal (mammalian)	*0.01
Eggs	*0.01
Fruiting vegetables, cucurbits	1
Fruiting vegetables, other than cucurbits	5
Leafy vegetables [except brassica leafy vegetables; lettuce, head]	50
Lettuce, head	10
Meat (mammalian)	*0.01
Milks	*0.01
Onion, bulb	1
Onion, Welsh	5
Pome fruits	0.5
Potato	0.1
Poultry, edible offal of	*0.01
Poultry meat	*0.01
Root and tuber vegetables [except potato]	2
Shallot	5
Spring onion	5
Stone fruits	5
Strawberry	5
Tree nuts	0.1

Agvet chemical: Permethrin*Permitted residue: Permethrin, sum of isomers*

Brassica (cole or cabbage) vegetables, head cabbages, flowerhead brassicas [except Brussels sprouts]	1
Brussels sprouts	2
Celery	5
Cereal grains	2
Cherries	4
Common bean (dry) (navy bean)	0.1
Common bean (pods and/or immature seeds)	0.5
Coriander (leaves, roots, stems)	30
Cotton seed	0.2
Edible offal (mammalian)	0.5
Eggs	0.1

Fruiting vegetables, cucurbits	0.2
Galangal, rhizomes	T5
Herbs	30
Kaffir lime leaves	30
Kiwifruit	2
Leafy vegetables [except lettuce, head; lettuce, leaf]	T5
Lemon balm	30
Lemon grass	30
Lemon verbena	T5
Lettuce, head	5
Lettuce, leaf	5
Linseed	0.1
Lupin (dry)	0.1
Meat (mammalian) (in the fat)	1
Milks	0.05
Mung bean (dry)	0.1
Mushrooms	2
Nectarine	2
Peach	1
Peas	1
Peppers, chili (dry)	10
Potato	0.05
Poultry meat (in the fat)	0.1
Rape seed (canola)	0.2
Rhubarb	1
Soya bean (dry)	0.1
Sugar cane	*0.1
Sunflower seed	0.2
Sweet corn (corn-on-the-cob)	*0.05
Tea, green, black	0.1
Tomato	0.4
Turmeric, root	T5
Wheat bran, unprocessed	5
Wheat germ	2

Agvet chemical: Phenmedipham*Permitted residue—commodities of plant origin:**Phenmedipham**Permitted residue—commodities of animal origin: 3-methyl-N-(3-hydroxyphenyl)carbamate*

Beetroot	0.5
Chard (silver beet)	2
Edible offal (mammalian)	*0.1
Leafy vegetables [except chard (silver beet)]	T1
Meat (mammalian)	*0.1
Milks	*0.1
Radicchio	T1

Agvet chemical: Phenothrin*Permitted residue: Sum of phenothrin (+)cis- and
(+)trans-isomers*

Edible offal (mammalian)	*0.5
Eggs	*0.5
Meat (mammalian)	*0.5
Milks	*0.05
Wheat	2

Wheat bran, unprocessed	5
Wheat germ	5

Agvet chemical: 2-Phenylphenol

Permitted residue: Sum of 2-phenylphenol and 2-phenylphenate, expressed as 2-phenylphenol

Carrot	20
Cherries	3
Citrus fruits	10
Cucumber	10
Melons, except watermelon	10
Nectarine	3
Peach	20
Pear	25
Peppers, sweet	10
Pineapple	10
Plums (including prunes)	15
Sweet potato	15
Tomato	10

Agvet chemical: Phorate

Permitted residue: Sum of phorate, its oxygen analogue, and their sulfoxides and sulfones, expressed as phorate

Cotton seed	0.5
Edible offal (mammalian)	*0.05
Eggs	*0.05
Meat (mammalian)	*0.05
Milks	*0.05
Poultry, edible offal of	*0.05
Poultry meat	*0.05
Vegetables	0.5

Agvet chemical: Phosmet

Permitted residue: Sum of phosmet and its oxygen analogue, expressed as phosmet

Blueberries	10
Cattle, edible offal of	1
Cattle meat (in the fat)	1
Cereal grains	*0.05
Cranberry	10
Goat, edible offal of	*0.05
Goat meat	*0.05
Grapes	10
Kiwifruit	15
Lemon	5
Mandarins	5
Milks (in the fat)	0.2
Pig, edible offal of	0.1
Pig meat	0.1
Pome fruits	1
Sheep, edible offal of	*0.05
Sheep meat	*0.05
Stone fruits	1

Agvet chemical: Phosphine

Permitted residue: All phosphides, expressed as hydrogen phosphide (phosphine)

Assorted tropical and sub-tropical fruits - edible peel	T*0.01
Cereal grains	*0.1
Dried foods [except as otherwise listed under this chemical]	*0.01
Dried fruits	*0.01
Dried vegetables	*0.01
Honey	*0.01
Melons, except watermelon	T*0.01
Oilseed	*0.01
Peanut	*0.01
Pome fruits	T*0.01
Pulses	*0.01
Seed for beverages	T*0.01
Spices	*0.01
Stone fruits	T*0.01
Sugar cane	*0.01
Tree nuts	*0.01

Agvet chemical: Phosphorous acid

Permitted residue: Phosphorous acid

Anise myrtle leaves	T1000
Assorted tropical and sub-tropical fruits - inedible peel [except avocado]	T100
Avocado	T500
Berries and other small fruit [except ribberries; strawberry]	T50
Brassica (cole or cabbage) vegetables, head cabbages, flowerhead brassicas [except flowerhead brassicas]	T1
Bulb vegetables	T10
Citrus fruits	100
Coriander (leaves, roots, stems)	T150
Edible offal (mammalian)	5
Flowerhead brassicas	50
Fruiting vegetables, cucurbits	T100
Fruiting vegetables, other than cucurbits	T100
Galangal, rhizomes	T100
Ginger, root	T100
Herbs	T150
Kaffir lime leaves	T150
Leafy vegetables	T150
Lemon balm	T150
Lemon grass	T150
Lemon myrtle leaves	T1000
Lemon verbena	T150
Meat (mammalian)	1
Peach	100
Peas, shelled	T100
Poppy seed	1
Rhubarb	T100
Riberry	T1000
Root and tuber vegetables	T100
Rose and dianthus (edible flowers)	T150
Stone fruits [except cherries; peach]	T100

Strawberry	T500
Tree nuts	T1000
Turmeric, root	T100

Agvet chemical: Picloram*Permitted residue: Picloram*

Cereal grains	0.2
Edible offal (mammalian)	5
Meat (mammalian)	*0.05
Milks	*0.05
Sugar cane	*0.01

Agvet chemical: Picolinafen*Permitted residue—commodities of plant origin:**Picolinafen**Permitted residue—commodities of animal origin: Sum of picolinafen and 6-[3-trifluoromethyl phenoxy]-2-pyridine carboxylic acid*

Cereal grains	*0.02
Edible offal (mammalian)	0.05
Eggs	*0.01
Field pea (dry)	*0.02
Lupin (dry)	*0.02
Meat (mammalian) (in the fat)	*0.02
Milks	*0.01
Poultry, edible offal of	*0.02
Poultry meat (in the fat)	*0.02

Agvet chemical: Pinoxaden*Permitted residue: Sum of free and conjugated M4 metabolite, 8-(2,6-diethyl-4-hydroxymethylphenyl)-tetrahydro-pyrazolo [1,2-d] [1,4,5] oxadiazepine-7,9-dione, expressed as Pinoxaden*

Barley	0.1
Edible offal (mammalian)	*0.02
Eggs	*0.02
Meat (mammalian)	*0.02
Milks	*0.01
Poultry, edible offal of	*0.02
Poultry meat	*0.02
Wheat	0.1
Wheat bran, unprocessed	0.5

Agvet chemical: Piperonyl butoxide*Permitted residue: Piperonyl butoxide*

Cattle milk	0.05
Cereal bran, unprocessed	40
Cereal grains	20
Dried fruits	8
Dried vegetables	8
Edible offal (mammalian)	0.1
Eggs	*0.1
Fruit	8
Meat (mammalian)	0.1
Oilseed	8
Poultry, edible offal of	*0.5
Poultry meat (in the fat)	*0.5

Tree nuts	8
Vegetables	8
Wheat germ	50

Agvet chemical: Pirimicarb

Permitted residue: Sum of pirimicarb, demethyl-pirimicarb and the N-formyl-(methylamino) analogue (demethylformamido-pirimicarb), expressed as pirimicarb

Adzuki bean (dry)	T0.5
Celeriac	0.1
Celery	T15
Cereal grains	*0.02
Coriander (leaves, roots, stems)	T20
Cotton seed	0.05
Cotton seed oil, crude	T0.1
Edible offal (mammalian)	*0.1
Eggs	*0.1
Fruit [except strawberry]	0.5
Herbs	T20
Hops, dry	0.5
Leafy vegetables [except mizuna]	T30
Lemon balm	T20
Meat (mammalian)	*0.1
Milks	*0.1
Mizuna	T30
Mung bean (dry)	T0.5
Onion, Welsh	T7
Peppers	1
Poultry, edible offal of	*0.1
Poultry meat	*0.1
Pulses [except adzuki bean (dry), mung bean (dry); soya bean (dry)]	T*0.01
Rape seed (canola)	0.2
Shallot	T7
Soya bean (dry)	T0.5
Spices	*0.05
Spring onion	T7
Strawberry	3
Sweet corn (corn-on-the-cob)	T0.1
Tree nuts	T*0.05
Vegetables [except adzuki bean (dry); celeriac; celery; leafy vegetables; lupin (dry); mung bean (dry); onion, Welsh; shallot; soya bean (dry); spring onion; sweet corn (corn-on-the-cob)]	1

Agvet chemical: Pirimiphos-methyl

Permitted residue: Pirimiphos-methyl

Barley	7
Cereal bran, unprocessed	20
Edible offal (mammalian)	*0.05
Eggs	*0.05
Maize	7
Meat (mammalian)	*0.05
Milks	*0.05
Millet	10
Oats	7

Peanut	5
Peanut oil, edible	15
Poultry, edible offal of	*0.05
Poultry meat	*0.05
Rice	10
Rice, husked	2
Rice, polished	1
Rye	10
Sorghum	10
Triticale	10
Wheat	10
Wheat germ	30

Agvet chemical: Praziquantel*Permitted residue: Praziquantel*

Sheep, edible offal of	*0.05
Sheep meat	*0.05

Agvet chemical: Procaine penicillin*Permitted residue: Inhibitory substance, identified as procaine penicillin*

Edible offal (mammalian)	*0.1
Meat (mammalian)	*0.1
Milks	*0.0025

Agvet chemical: Prochloraz*Permitted residue: Sum of prochloraz and its metabolites containing the 2,4,6-trichlorophenol moiety, expressed as prochloraz*

Avocado	5
Banana	5
Custard apple	T2
Lettuce, head	2
Litchi	T1
Mandarins	T10
Mango	5
Mushrooms	3
Papaya (pawpaw)	5
Pineapple	2
Pistachio nut	T0.5
Sugar cane	*0.05

Agvet chemical: Procymidone*Permitted residue: Procymidone*

Adzuki bean (dry)	T0.2
Bergamot	T3
Broad bean (dry)	T10
Broad bean (green pods and immature seeds)	T10
Burnet, salad	T3
Chervil	T2
Chick-pea (dry)	T0.5
Common bean (dry) (navy bean)	T10
Common bean (pods and/or immature seeds)	T3
Coriander (leaves, roots, stems)	T3
Coriander, seed	T3

Dill, seed	T3
Edible offal (mammalian)	T0.05
Eggs	T*0.01
Fennel, bulb	T1
Fennel, seed	T3
Galangal, Greater	T0.5
Garlic	T5
Herbs	T3
Kaffir lime leaves	T3
Lemon grass	T3
Lemon verbena (fresh weight)	T3
Lentil (dry)	0.5
Lupin (dry)	T*0.01
Meat (mammalian) (in the fat)	T0.2
Milks	T0.02
Mizuna	T2
Onion, bulb	T0.2
Peppers	T2
Pome fruits	T1
Potato	T0.1
Poultry, edible offal of	T*0.01
Poultry meat (in the fat)	T0.1
Rape seed (canola)	T1
Rape seed oil, crude	T2
Root and tuber vegetables [except potato]	T1
Rose and dianthus (edible flowers)	T3
Rucola (rocket)	T2
Snow pea	T5
Spinach	T2
Strawberry	*0.02
Stone fruits	T10
Turmeric, root (fresh)	T0.5
Wine grapes	T2

Agvet chemical: Profenofos*Permitted residue: Profenofos*

Cattle milk	*0.01
Cotton seed	1
Cotton seed oil, edible	0.3
Edible offal (mammalian)	*0.05
Eggs	*0.02
Mangosteen	5
Meat (mammalian)	*0.05
Poultry, edible offal of	*0.05
Poultry meat	*0.05

Agvet chemical: Profoxydim*Permitted residue: Sum of profoxydim and all metabolites converted to dimethyl-3-(3-thianyl)glutarate-S-dioxide after oxidation and treatment with acidic methanol, expressed as profoxydim*

Edible offal (mammalian)	0.5
Eggs	*0.05
Meat (mammalian)	*0.05
Milks	*0.01
Poultry, edible offal of	*0.05

Poultry meat	*0.05
Rice	0.05

Agvet chemical: Prohexadione-calcium

Permitted residue: Sum of the free and conjugated forms of prohexadione expressed as prohexadione

Apple	*0.02
Cherries	0.4
Edible offal (mammalian)	*0.05
Meat (mammalian)	*0.05
Milks	*0.01

Agvet chemical: Prometryn

Permitted residue: Prometryn

Adzuki bean (dry)	T*0.1
Cattle milk	*0.05
Cereal grains	*0.1
Coriander (leaves, roots, stems)	T1
Coriander, seed	T1
Cotton seed	*0.1
Edible offal (mammalian)	*0.05
Meat (mammalian)	*0.05
Peanut	*0.1
Sunflower seed	*0.1
Turmeric, root	T*0.01
Vegetables	*0.1

Agvet chemical: Propachlor

Permitted residue: Sum of propachlor and metabolites hydrolysable to N-isopropylaniline, expressed as propachlor

Beetroot	*0.05
Brassica (cole or cabbage) vegetables, head cabbages, flowerhead brassicas	0.6
Brassica leafy vegetables	T*0.05
Cereal grains [except sorghum]	0.05
Chard	T*0.02
Edible offal (mammalian)	0.1
Eggs	*0.02
Garlic	2.5
Leek	*0.02
Lettuce, head	*0.02
Lettuce, leaf	*0.02
Meat (mammalian) (in the fat)	*0.02
Milks	*0.02
Onion, bulb	2.5
Onion, Welsh	T1
Poultry, edible offal of	*0.02
Poultry meat (in the fat)	*0.02
Radish	*0.02
Rucola (rocket)	T*0.05
Shallot	T1
Spring onion	T1
Swede	*0.02
Sorghum	0.2
Spinach	T*0.02
Sweet corn (corn-on-the-cob)	0.05

Turnip, garden	*0.02
----------------	-------

Agvet chemical: Propamocarb*Permitted residue: Propamocarb (base)*

Brassica (cole or cabbage) vegetables, head cabbages, flowerhead brassicas	T0.1
Fruiting vegetables, other than cucurbits	T0.3
Leafy vegetables	T20

Agvet chemical: Propanil*Permitted residue: Propanil*

Cattle, edible offal of	*0.1
Cattle meat	*0.1
Eggs	*0.1
Milks	*0.01
Poultry, edible offal of	3
Poultry meat	*0.1
Rice	2
Sheep, edible offal of	*0.1
Sheep meat	*0.1

Agvet chemical: Propaquizafop*Permitted residue: Propaquizafop and acid and oxophenoxy metabolites, measured as 6-chloro-2-methoxyquinoxaline, expressed as propaquizafop*

Edible offal (mammalian)	*0.02
Meat (mammalian)	*0.02
Milks	*0.01
Oilseed	*0.05
Onion, bulb	*0.05
Peas	*0.05
Pulses	*0.05

Agvet chemical: Propargite*Permitted residue: Propargite*

Apple	3
Banana	3
Cotton seed	0.2
Currant, black	T3
Edible offal (mammalian)	*0.1
Eggs	*0.1
Hops, dry	3
Mangosteen	T3
Meat (mammalian) (in the fat)	*0.1
Milks	*0.1
Passionfruit	3
Pear	3
Poultry, edible offal of	*0.1
Poultry meat (in the fat)	*0.1
Rambutan	T3
Stone fruits	3
Strawberry	7
Vegetables	3

Agvet chemical: Propazine*Permitted residue: Propazine*

Vegetables	*0.1
<hr/>	
Agvet chemical: Propetamphos	
<i>Permitted residue: Propetamphos</i>	
Sheep, edible offal of	*0.01
Sheep meat (in the fat)	*0.01
<hr/>	
Agvet chemical: Propiconazole	
<i>Permitted residue: Propiconazole</i>	
Almonds	0.2
Anise myrtle leaves	T10
Asparagus	T*0.1
Avocado	*0.02
Banana	0.2
Beetroot	*0.02
Blackberries	1
Boysenberry	1
Blueberries	2
Celery	T5
Cereal grains	*0.05
Chard (silver beet)	T0.5
Chervil	T10
Chicory leaves	T1
Citrus fruits	T7
Coriander (leaves, roots, stems)	T10
Cranberry	0.3
Edible offal (mammalian)	1
Eggs	*0.05
Endive	T1
Gai lum	T1
Grapes	1
Herbs	T10
Lemon balm	T10
Lemon myrtle leaves	T10
Meat (mammalian)	0.1
Milks	*0.01
Mint oil	*0.02
Mizuna	T10
Mushrooms	*0.05
Peanut	*0.05
Persimmon, American	T0.2
Pineapple	0.05
Poppy seed	*0.01
Poultry, edible offal of	0.1
Poultry meat	0.1
Radicchio	T1
Radish	T0.2
Raspberries, red, black	1
Riberry	T5
Rucola (rocket)	T10
Spices	*0.1
Spinach	T0.7
Stone fruits	2
Sugar cane	*0.02
Sunflower seed	T2
Sweet corn (corn-on-the-cob)	*0.02
Tree nuts [except almonds]	T0.2

Agvet chemical: Propinebsee *Dithiocarbamates***Agvet chemical: Propoxur***Permitted residue: Propoxur*

Potato	10
--------	----

Agvet chemical: Propylene oxide*Permitted residue: Propylene oxide*

Almonds	100
---------	-----

Agvet chemical: Propyzamide*Permitted residue: Propyzamide*

Artichoke, globe	T*0.02
Chicory leaves	*0.2
Edible offal (mammalian)	*0.2
Eggs	*0.05
Endive	*0.2
Lettuce, head	1
Lettuce, leaf	1
Meat (mammalian)	*0.05
Milks	*0.01
Poppy seed	0.02
Poultry, edible offal of	*0.05
Poultry meat	*0.05
Rape seed (canola)	0.02

Agvet chemical: Proquinazid*Permitted residue—commodities of plant origin:**Proquinazid**Permitted residue—commodities of animal origin: Sum of proquinazid and 3-(6-iodo-4-oxo-3-propyl-3H-quinazolin-2-ylloxy)propionic acid, expressed as proquinazid*

Dried grapes (currants, raisins and sultanas)	2
Edible offal (mammalian)	0.05
Eggs	*0.01
Fruiting vegetables, cucurbits	0.2
Grapes	0.5
Meat (mammalian)	*0.01
Milks	*0.01
Peppers, sweet	0.2
Poultry, edible offal of	*0.01
Poultry meat	*0.01
Tomato	0.3

Agvet chemical: Prosulfocarb*Permitted residue: Prosulfocarb*

Barley	*0.01
Edible offal (mammalian)	*0.02
Eggs	*0.02
Meat (mammalian)	*0.02
Milks	*0.02
Potato	*0.01
Poultry, edible offal of	*0.02

Poultry meat	*0.02
Pulses	*0.01
Wheat	*0.01

Agvet chemical: Prothioconazole

Permitted residue—commodities of plant origin: Sum of prothioconazole and prothioconazole desthio (2-(1-chlorocyclopropyl)-1-(2-chlorophenyl)-3-(1H-1,2,4-triazol-1-yl)-propan-2-ol), expressed as prothioconazole

Permitted residue—commodities of animal origin: Sum of prothioconazole, prothioconazole desthio (2-(1-chlorocyclopropyl)-1-(2-chlorophenyl)-3-(1H-1,2,4-triazol-1-yl)-propan-2-ol), prothioconazole-3-hydroxy-desthio (2-(1-chlorocyclopropyl)-1-(2-chloro-3-hydroxyphenyl)-3-(1H-1,2,4-triazol-1-yl)-propan-2-ol) and prothioconazole-4-hydroxy-desthio (2-(1-chlorocyclopropyl)-1-(2-chloro-4-hydroxyphenyl)-3-(1H-1,2,4-triazol-1-yl)-propan-2-ol), expressed as prothioconazole

Cereal bran, unprocessed	0.5
Cereal grains	0.3
Cranberry	0.2
Edible offal (mammalian)	0.2
Eggs	*0.01
Meat (mammalian) (in the fat)	0.02
Milks	*0.004
Peanut	*0.02
Poultry, edible offal of	*0.05
Poultry meat (in the fat)	*0.05
Pulses	T0.1
Rape seed (canola)	*0.02
Wheat germ	0.5

Agvet chemical: Prothiofos

Permitted residue: Prothiofos

Banana	*0.01
Brassica (cole or cabbage) vegetables, head cabbages, flowerhead brassicas	0.2
Grapes	2
Pome fruits	0.05

Agvet chemical: Pymetrozine

Permitted residue: Pymetrozine

Almonds	T*0.01
Beetroot	*0.02
Brassica (cole or cabbage) vegetables, head cabbages, flowerhead brassicas	*0.02
Celery	T*0.1
Cotton seed	*0.02
Cotton seed oil, edible	*0.02
Edible offal (mammalian)	*0.01
Egg plant	T0.05
Eggs	*0.01
Fruiting vegetables, cucurbits	T1
Leafy herbs	T10
Leafy vegetables	T5
Meat (mammalian)	*0.01
Milks	*0.01
Peppers, sweet	T0.3

Pistachio nut	T*0.02
Podded pea (young pods) (snow and sugar snap)	0.3
Potato	*0.02
Poultry, edible offal of	*0.01
Poultry meat	*0.01
Stone fruits	*0.05
Sweet corn (corn-on-the-cob)	T*0.01
Tomato	T0.2

Agvet chemical: Pyraclofos*Permitted residue: Pyraclofos*

Sheep fat	0.5
Sheep kidney	*0.01
Sheep liver	*0.01
Sheep muscle	*0.01

Agvet chemical: Pyraclostrobin*Permitted residue—commodities of plant origin:**Pyraclostrobin**Permitted residue—commodities of animal origin: Sum of pyraclostrobin and metabolites hydrolysed to 1-(4-chlorophenyl)-1H-pyrazol-3-ol, expressed as pyraclostrobin*

Banana	*0.02
Blackberries	4
Blueberries	T5
Boysenberry	4
Brassica leafy vegetables	T3
Broccoli, Chinese	T1
Cereal grains	*0.01
Cherries	2.5
Chick-pea (dry)	T0.5
Cloudberry	T3
Custard apple	T3
Dewberries (including boysenberry and loganberry and youngberry) [except boysenberry]	T3
Dried grapes	5
Edible offal (mammalian)	0.1
Eggs	*0.05
Fruiting vegetables, other than cucurbits	0.3
Grapes	2
Herbs	2
Hops, dry	23
Lentil (dry)	T0.5
Litchi	T2
Mango	0.1
Meat (mammalian) (in the fat)	*0.05
Milks	*0.01
Mung bean (dry)	T0.2
Olives	T1
Papaya (pawpaw)	T0.5
Passionfruit	T1
Pistachio nut	T1
Pome fruits	1
Poppy seed	*0.05
Potato	*0.02

Poultry, edible offal of	*0.05
Poultry meat (in the fat)	*0.05
Raspberries, red, black	4
Silvanberries	T3
Spices	0.1
Stone fruits	2.5
Strawberry	1
Sunflower seed	T0.3
Tree nuts [except pistachio nut]	*0.01

Agvet chemical: Pyraflufen-ethyl

Permitted residue: Sum of pyraflufen-ethyl and its acid metabolite (2-chloro-5-(4-chloro-5-difluoromethoxy-1-methylpyrazol-3-yl)-4-fluorophenoxyacetic acid)

Cereal grains	*0.02
Cotton seed	*0.05
Edible offal (mammalian)	*0.02
Eggs	*0.02
Meat (mammalian)	*0.02
Milks	*0.02
Poultry, edible offal of	*0.02
Poultry meat	*0.02

Agvet chemical: Pyrasulfotole

Permitted residue: Sum of pyrasulfotole and (5-hydroxy-3-methyl-1H-pyrazol-4-yl)[2-mesyl-4-(trifluoromethyl)phenyl]methanone, expressed as pyrasulfotole

Cereal bran, unprocessed	0.03
Cereal grains	*0.02
Edible offal (mammalian)	0.5
Eggs	*0.01
Meat (mammalian)	*0.01
Milks	*0.01
Poultry, edible offal of	*0.01
Poultry meat	*0.01

Agvet chemical: Pyrethrins

Permitted residue: Sum of pyrethrins i and ii, Cinerinsi i and ii and jasmolins i and ii, determined after calibration by means of the International Pyrethrum Standard

Cereal grains	3
Cucumber	T2
Dried fruits	1
Dried vegetables	1
Fruit	1
Fruiting vegetables, cucurbits [except cucumber]	0.2
Oilseed	1
Tree nuts	1
Vegetables	1

Agvet chemical: Pyridaben

Permitted residue: Pyridaben

Banana	0.5
Cranberry	0.5
Citrus fruits	0.5

Grapes	5
Pome fruits	0.5
Stone fruits	0.5
Strawberry	1
Tree nuts	T*0.05

Agvet chemical: Pyridate

Permitted residue: sum of pyridate and metabolites containing 6-chloro-4-hydroxyl-3-phenyl pyridazine, expressed as pyridate

Chick-pea (dry)	*0.1
Edible offal (mammalian)	*0.2
Eggs	*0.2
Meat (mammalian)	*0.2
Milks	*0.2
Peanut	*0.1
Poultry, edible offal of	*0.2
Poultry meat	*0.2

Agvet chemical: Pyrimethanil

Permitted residue: Pyrimethanil

Banana	2
Berries and other small fruits [except grapes; strawberry]	T5
Citrus fruits [except lemon]	10
Coriander (leaves)	3
Cucumber	5
Edible offal (mammalian)	*0.05
Grapes	5
Herbs	3
Leafy vegetables [except lettuce, head; lettuce, leaf]	T5
Lemon	11
Lettuce, head	20
Lettuce, leaf	20
Meat (mammalian)	*0.05
Milks	*0.01
Onion, bulb	0.1
Peppers, sweet	1
Podded pea (young pods) (snow and sugar snap)	T10
Pome fruits	7
Potato	*0.01
Spices	0.1
Stone fruits	10
Strawberry	5
Tomato	1

Agvet chemical: Pyriproxyfen

Permitted residue: Pyriproxyfen

Beans [except broad bean; soya bean]	T0.5
Brassica (cole or cabbage) vegetables, head cabbages, flowerhead brassicas	T0.7
Citrus fruits	0.5
Coffee beans	0.1
Cotton seed	*0.01
Cotton seed oil, crude	*0.02

Cranberry	1
Edible offal (mammalian)	*0.02
Eggs	0.05
Fruiting vegetables, cucurbits	0.2
Fruiting vegetables, other than cucurbits	1
Grapes	2.5
Herbs	T5
Lettuce, leaf	5
Mango	0.05
Meat (mammalian) (in the fat)	*0.02
Milks	*0.02
Olive oil, crude	3
Olives	1
Passionfruit	0.1
Poultry, edible offal of	0.1
Poultry meat (in the fat)	0.1
Stone fruits	1
Strawberry	T0.5
Sweet potato	*0.05
Yard-long bean (pods)	T0.5

Agvet chemical: Pyriithiobac sodium*Permitted residue: Pyriithiobac sodium*

Cotton seed	*0.02
Cotton seed oil, crude	*0.01
Cotton seed oil, edible	*0.01
Edible offal (mammalian)	*0.02
Eggs	*0.02
Meat (mammalian)	*0.02
Milks	*0.02
Poultry, edible offal of	*0.02
Poultry meat	*0.02

Agvet chemical: Pyroxasulfone*Permitted residue—commodities of plant origin: Sum of pyroxasulfone and (5-difluoromethoxy-1-methyl-3-trifluoromethyl-1H-pyrazol-4-yl)methanesulfonic acid, expressed as pyroxasulfone**Permitted residue—commodities of animal origin: 5-Difluoromethoxy-1-methyl-3-trifluoromethyl-1H-pyrazole-4-carboxylic acid, expressed as pyroxasulfone*

Cereal grains	*0.01
Edible offal (mammalian)	*0.02
Eggs	*0.02
Meat (mammalian)	*0.02
Milks	*0.002
Poultry, edible offal of	*0.02
Poultry meat	*0.02
Pulses	*0.01

Agvet chemical: Pyroxulam*Permitted residue: Pyroxulam*

Edible offal (mammalian)	*0.01
Eggs	*0.01
Meat (mammalian)	*0.01
Milks	*0.01

Poppy seed	T*0.01
Poultry, edible offal of	*0.01
Poultry meat	*0.01
Rye	*0.01
Triticale	*0.01
Wheat	*0.01

Agvet chemical: Quinclorac*Permitted residue: Quinclorac*

Barley	2
Cranberry	1.5
Rape seed (canola)	1.5
Rice	5
Wheat	0.5

Agvet chemical: Quinoxifen*Permitted residue: Quinoxifen*

Chard (silver beet)	T3
Cherries	0.7
Chervil	T5
Coriander (leaves, roots, stems)	T5
Dried grapes	2
Edible offal (mammalian)	*0.01
Grapes	2
Herbs	T5
Hops, dry	3
Meat (mammalian) (in the fat)	0.1
Milks	0.01
Mizuna	T5
Rucola (rocket)	T5
Stone fruits	0.7
Strawberry	T*0.01

Agvet chemical: Quintozene*Permitted residue: Sum of quintozene, pentachloroaniline and methyl pentachlorophenyl sulfide, expressed as quintozene*

Banana	1
Beans [except broad bean; soya bean]	0.01
Brassica (cole or cabbage) vegetables, head cabbages, flowerhead brassicas	0.02
Broad bean (green pods and immature seeds)	0.01
Celery	0.3
Common bean (dry) (navy bean)	0.2
Cotton seed	0.03
Lettuce, head	0.3
Lettuce, leaf	0.3
Mushrooms	10
Onion, bulb	0.2
Peanut	0.3
Peppers, sweet	0.01
Potato	0.2
Tomato	0.1

Agvet chemical: Quizalofop-ethyl

Permitted residue: Sum of quizalofop-ethyl and quizalofop acid and other esters, expressed as quizalofop-ethyl

Beetroot	0.02
Cabbages, head	*0.01
Carrot	*0.02
Cauliflower	*0.05
Common bean (pods and immature seeds)	*0.02
Cucumber	*0.02
Edible offal (mammalian)	0.2
Eggs	*0.02
Grapes	*0.02
Meat (mammalian)	*0.02
Melons, except watermelon	*0.02
Milks	0.1
Onion, bulb	*0.02
Peanut	*0.02
Pineapple	*0.05
Potato	*0.01
Poultry, edible offal of	*0.05
Poultry meat	*0.05
Pulses	0.2
Pumpkins	*0.02
Quinoa	T*0.02
Radish	*0.02
Rape seed (canola)	*0.02
Sunflower seed	*0.05
Tomato	*0.02

Agvet chemical: Quizalofop-p-tefuryl

Permitted residue: Sum of quizalofop-p-tefuryl and quizalofop acid, expressed as quizalofop-p-tefuryl

Beetroot	0.02
Cabbages, head	*0.01
Carrot	*0.02
Cauliflower	*0.05
Common bean (pods and/or immature seeds)	*0.02
Cucumber	*0.02
Edible offal (mammalian)	0.2
Eggs	*0.02
Grapes	*0.02
Meat (mammalian)	*0.02
Melons, except watermelon	*0.02
Milks	0.1
Onion, bulb	*0.02
Peanut	*0.02
Pineapple	*0.05
Potato	*0.01
Poultry, edible offal of	*0.05
Poultry meat	*0.05
Pulses	0.2
Pumpkins	*0.02
Radish	*0.02
Rape seed (canola)	*0.02
Sunflower seed	*0.05
Tomato	*0.02

Agvet chemical: Ractopamine*Permitted residue: Ractopamine*

Pig fat	0.05
Pig kidney	0.2
Pig liver	0.2
Pig meat	0.05

Agvet chemical: Rimosulfuron*Permitted residue: Rimosulfuron*

Tomato	*0.05
--------	-------

Agvet chemical: Robenidine*Permitted residue: Robenidine*

Poultry, edible offal of	*0.1
Poultry meat	*0.1

Agvet chemical: Saflufenacil

Permitted residue—commodities of plant origin: Sum of saflufenacil, N'-{2-chloro-4-fluoro-5-[1,2,3,6-tetrahydro-2,6-dioxo-4-(trifluoromethyl)pyrimidin-1-yl]benzoyl-N-isopropyl sulfamide and N-[4-chloro-2-fluoro-5-({[(isopropylamino)sulfonyl]amino}carbonyl)phenyl]urea, expressed as saflufenacil equivalents

*Permitted residue—commodities of animal origin:**Saflufenacil*

Cereal grains	*0.03
Citrus fruits	*0.03
Edible offal (mammalian)	*0.01
Eggs	*0.01
Grapes	*0.03
Legume vegetables	*0.03
Meat (mammalian)	*0.01
Milks	*0.01
Oilseed	*0.03
Pome fruits	*0.03
Poultry, edible offal of	*0.01
Poultry meat	*0.01
Pulses	*0.03
Stone fruits	*0.03
Tree nuts	*0.03

Agvet chemical: Salinomycin*Permitted residue: Salinomycin*

Cattle, edible offal of	0.5
Cattle meat	*0.05
Eggs	*0.02
Pig, edible offal of	*0.1
Pig meat	*0.1
Poultry, edible offal of	0.5
Poultry meat	0.1

Agvet chemical: Sedaxane*Permitted residue: Sedaxane, sum of isomers*

Cereal grains	*0.01
Edible offal (mammalian)	*0.01
Eggs	*0.01

Meat (mammalian)	*0.01
Milks	*0.01
Poppy seed	T*0.01
Poultry, edible offal of	*0.01
Poultry meat	*0.01

Agvet chemical: Semduramicin*Permitted residue: Semduramicin*

Chicken fat/skin	0.5
Chicken kidney	0.2
Chicken liver	0.5
Chicken meat	*0.05

Agvet chemical: Sethoxydim*Permitted residue: Sum of sethoxydim and metabolites containing the 5-(2-ethylthiopropyl)cyclohexene-3-one and 5-(2-ethylthiopropyl)-5-hydroxycyclohexene-3-one moieties and their sulfoxides and sulfones, expressed as sethoxydim*

Asparagus	1
Barley	*0.1
Beans [except broad bean; soya bean]	T0.5
Brassica (cole or cabbage) vegetables, head cabbages, flowerhead brassicas	0.5
Brassica leafy vegetables	T2
Broad bean (green pods and immature seeds)	*0.1
Celery	0.1
Chard (silver beet)	T*0.1
Chicory leaves	T2
Coriander (leaves, roots, stems)	*0.1
Coriander, seed	*0.1
Cotton seed	0.2
Cranberry	2.5
Edible offal (mammalian)	*0.05
Egg plant	T*0.1
Eggs	*0.05
Endive	T2
Fruiting vegetables, cucurbits	*0.1
Garlic	0.3
Hops, dry	0.5
Leek	0.7
Lettuce, head	0.2
Lettuce, leaf	0.2
Linseed	0.5
Lupin (dry)	0.2
Meat (mammalian)	*0.05
Milks	*0.05
Onion, bulb	0.3
Onion, Welsh	0.7
Peanut	3
Peas (pods and succulent, immature seeds)	T2
Peppers	T0.7
Poppy seed	0.2
Poultry, edible offal of	*0.05
Poultry meat	*0.05
Pulses [except lupin (dry)]	*0.1

Quinoa	T0.5
Radicchio	T2
Rape seed (canola)	0.5
Rhubarb	0.1
Root and tuber vegetables	1
Rucola (rocket)	T2
Shallot	0.7
Spinach	*0.1
Spring onion	0.7
Strawberry	10
Sunflower seed	*0.1
Tomato	0.1
Turmeric, root	1
Wheat	*0.1

Agvet chemical: Simazine*Permitted residue: Simazine*

Asparagus	*0.1
Broad bean (dry)	*0.01
Broad bean (green pods and immature seeds)	*0.01
Chick-pea (dry)	*0.05
Chick-pea (green pods)	*0.05
Citrus fruits	0.25
Edible offal (mammalian)	*0.05
Eggs	*0.01
Fruit [except citrus fruits]	*0.1
Ginger, root	T*0.05
Leek	*0.01
Lupin (dry)	*0.05
Meat (mammalian)	*0.05
Milks	*0.02
Poultry, edible offal of	*0.01
Poultry meat	*0.01
Rape seed (canola)	*0.02
Tree nuts	*0.1

Agvet chemical: Spectinomycin*Permitted residue: Inhibitory substance, identified as spectinomycin*

Edible offal (mammalian) [except sheep, edible offal of]	*1
Eggs	2
Meat (mammalian) [except sheep meat]	*1
Poultry, edible offal of	*1
Poultry meat	*1

Agvet chemical: Spinetoram*Permitted residue: Sum of Ethyl-spinosyn-J and Ethyl-spinosyn-L*

Assorted tropical and sub-tropical fruits - inedible peel	0.3
Berries and other small fruits	0.5
Brassica (cole or cabbage) vegetables, head cabbages, flowerhead brassicas	0.2
Citrus fruits	3
Coffee beans	*0.01

Coriander (leaves, roots, stems)	5
Coriander, seed	5
Dill, seed	5
Dried grapes (currants, raisins and sultanas)	1
Edible offal (mammalian)	0.2
Eggs	*0.01
Fennel, seed	5
Fruiting vegetables, cucurbits	0.05
Fruiting vegetables, other than cucurbits [except sweet corn (corn-on-the-cob)]	0.1
Ginger, root	T0.02
Ginger, Japanese	T1
Herbs	1
Kaffir lime leaves	5
Leafy vegetables	0.7
Leek	T0.2
Legume vegetables	0.2
Lemon grass	5
Lemon verbena (dry leaves)	5
Meat (mammalian) (in the fat)	2
Milk fats	0.03
Milks	*0.01
Mizuna	0.7
Onion, Welsh	T0.3
Poultry, edible offal of	*0.01
Poultry meat (in the fat)	*0.01
Pome fruits	0.1
Rape seed (canola)	*0.01
Root and tuber vegetables	0.02
Shallot	T0.3
Spring onion	T0.3
Stalk and stem vegetables	2
Stone fruits	0.2
Sweet corn (corn-on-the-cob)	*0.01
Tree nuts [except almonds]	0.02
Turmeric, root	0.02

Agvet chemical: Spinosad*Permitted residue: Sum of spinosyn A and spinosyn D*

Assorted tropical and sub-tropical fruits - inedible peel	0.3
Beans [except broad bean; soya bean]	0.5
Berries and other small fruits [except grapes]	0.7
Bergamot	5
Brassica (cole or cabbage) vegetables, head cabbages, flowerhead brassicas	0.5
Burnet, salad	5
Celery	2
Cereal grains	1
Chervil	5
Citrus fruits	0.3
Coffee beans	*0.01
Coriander (leaves, roots, stems)	5
Coriander, seed	5
Cotton seed	*0.01

Dill, seed	5
Edible offal (mammalian)	0.5
Eggs	0.05
Fennel, seed	5
Fruiting vegetables, cucurbits	0.2
Fruiting vegetables, other than cucurbits [except sweet corn (corn-on-the-cob)]	0.2
Galangal, Greater	0.02
Grapes	0.5
Herbs	5
Kaffir lime leaves	5
Japanese greens	5
Leafy vegetables	5
Lemon grass	5
Lemon verbena (dry leaves)	5
Meat (mammalian) (in the fat)	2
Milk fats	0.7
Milks	0.1
Onion, Welsh	0.3
Peas (pods and succulent, immature seeds)	0.5
Pome fruits	0.5
Poultry, edible offal of	0.05
Poultry meat (in the fat)	0.5
Pulses	0.01
Root and tuber vegetables	0.02
Rucola (rocket)	5
Safflower seed	T*0.01
Shallot	0.3
Spring onion	0.3
Stone fruits	1
Sweet corn (corn-on-the-cob)	0.02
Tree nuts	T*0.01
Turmeric, root	0.02
Wheat bran, unprocessed	2

Agvet chemical: Spirodiclofen*Permitted residue: Spirodiclofen*

Citrus fruits	0.5
Grapes	2
Hops, dry	30
Stone fruits	1

Agvet chemical: Spiromesifen*Permitted residue: Sum of spiromesifen and 4-hydroxy-3-(2,4,6-trimethylphenyl)-1-oxaspiro[4.4]non-3-en-2-one, expressed as spiromesifen*

Cranberry	2
Tea, green, black	50

Agvet chemical: Spirotetramat*Permitted residue: Sum of spirotetramat, and cis-3-(2,5-dimethylphenyl)-4-hydroxy-8-methoxy-1-azaspiro[4.5]dec-3-en-2-one, expressed as spirotetramat*

Banana	0.3
--------	-----

Brassica (cole or cabbage) vegetables, head cabbages, flowerhead brassicas [except Brussels sprouts]	7
Brassica leafy vegetables	10
Brussels sprouts	1
Bulb vegetables	0.5
Celery	5
Chia	T1
Citrus fruits	1
Cotton seed	0.7
Cranberry	0.3
Dried grapes	4
Edible offal (mammalian)	0.5
Eggs	*0.02
Fruiting vegetables, cucurbits [except melons]	2
Fruiting vegetables, other than cucurbits [except sweet corn (corn-on- the-cob)]	7
Grapes	2
Herbs	15
Hops, dry	10
Kiwifruit	T0.1
Leafy vegetables [except brassica leafy vegetables; lettuce, head; lettuce, leaf]	5
Legume vegetables	2
Lettuce, head	7
Lettuce, leaf	15
Mango	0.3
Meat (mammalian)	0.02
Melons, except watermelon	0.5
Milks	*0.005
Passionfruit	0.5
Pome fruits	0.5
Potato	5
Poultry, edible offal of	*0.02
Poultry meat	*0.02
Rhubarb	5
Soya bean (dry)	T5
Stone fruits	4.5
Sweet corn (corn-on-the-cob)	1
Sweet potato	5
Watermelon	0.5

Agvet chemical: Spiroxamine

Permitted residue—commodities of plant origin:

Spiroxamine

Permitted residue—commodities of animal origin:

Spiroxamine carboxylic acid, expressed as spiroxamine

Banana	T5
Barley	T*0.05
Dried grapes	3
Edible offal (mammalian)	0.5
Grapes	2
Hops, dry	50
Mammalian fats [except milk fats]	0.05
Meat (mammalian)	0.05
Milks	0.05

Podded pea (young pods) (snow and sugar snap)	T*0.02
---	--------

Agvet chemical: Streptomycin and Dihydrostreptomycin

Permitted residue: Inhibitory substance, identified as streptomycin or dihydrostreptomycin

Edible offal (mammalian)	*0.3
Meat (mammalian)	*0.3
Milks	*0.2

Agvet chemical: Sulfosulfuron

Permitted residue: Sum of sulfosulfuron and its metabolites which can be hydrolysed to 2-(ethylsulfonyl)imidazo[1,2-a]pyridine, expressed as sulfosulfuron

Edible offal (mammalian)	*0.005
Eggs	*0.005
Meat (mammalian)	*0.005
Milks	*0.005
Poultry, edible offal of	*0.005
Poultry meat	*0.005
Triticale	*0.01
Wheat	*0.01

Agvet chemical: Sulfoxaflor

Permitted residue: Sulfoxaflor

Brassica (cole or cabbage) vegetables, head cabbages, flowerhead brassicas [except cauliflower]	3
Cauliflower	0.1
Cereal grains	*0.01
Cherimoya	T1
Cherries	3
Citrus fruits	0.7
Cotton seed	0.3
Cranberry	0.7
Custard apple	T1
Dried grapes (currants, raisins and sultanas)	10
Edible offal (mammalian)	0.5
Eggs	*0.01
Fruiting vegetables, cucurbits	0.5
Fruiting vegetables, other than cucurbits	1
Grapes [except wine grapes]	3
Llama	T1
Leafy vegetables [except lettuce, head]	5
Lettuce, head	1
Meat (mammalian)	0.2
Milks	0.1
Persimmon, Japanese	T1
Pome fruits	0.5
Potato	0.01
Poultry, edible offal of	*0.01
Poultry meat	*0.01
Rape seed (canola)	*0.01

Root and tuber vegetables [except potato]	0.05
Soursop	T1
Soya bean (dry)	0.3
Stone fruits [except cherries]	1
Sugar apple	T1
Wine grapes	*0.01

Agvet chemical: Sulfuryl fluoride*Permitted residue: Sulfuryl fluoride*

Cereal grains	0.05
Dried fruits	0.07
Peanut	7
Tree nuts	7

Agvet chemical: Sulphadiazine*Permitted residue: Sulphadiazine*

Cattle milk	0.1
Edible offal (mammalian)	0.1
Eggs	T*0.02
Meat (mammalian)	0.1
Poultry, edible offal of	0.1
Poultry meat	0.1

Agvet chemical: Sulphadimidine*Permitted residue: Sulphadimidine*

Meat (mammalian)	0.1
Edible offal (mammalian)	0.1
Eggs	*0.005
Poultry, edible offal of [except turkey]	0.1
Poultry meat	0.1
Turkey, edible offal of	0.2

Agvet chemical: Sulphadoxine*Permitted residue: Sulphadoxine*

Cattle milk	*0.1
Edible offal (mammalian)	*0.1
Meat (mammalian)	*0.1

Agvet chemical: Sulphaquinoxaline*Permitted residue: Sulphaquinoxaline*

Eggs	T*0.01
Poultry, edible offal of	0.1
Poultry meat	0.1

Agvet chemical: Sulphatroxazole*Permitted residue: Sulphatroxazole*

Cattle milk	0.1
Edible offal (mammalian)	0.1
Meat (mammalian)	0.1

Agvet chemical: Sulphur dioxide*Permitted residue: Sulphur dioxide*

Blueberries	10
Longan, edible aril	10
Strawberry	T30

Table grapes	10
--------------	----

Agvet chemical: Sulprofos*Permitted residue: Sulprofos*

Cotton seed	0.2
Peppers, sweet	0.2
Tomato	1

Agvet chemical: Tebuconazole*Permitted residue: Tebuconazole*

Anise myrtle leaves (dried)	T5
Asparagus	T*0.02
Avocado	0.2
Banana	0.2
Beetroot	T0.3
Beetroot leaves	T2
Blackberries	1
Broad bean (dry)	T0.5
Bulb vegetables [except garlic]	*0.01
Carrot	T0.5
Cereal grains	0.2
Chard (silver beet)	T2
Cherries	5
Chervil	T0.5
Chick-pea (dry)	T0.2
Chicory leaves	T2
Coriander (leaves, roots, stems)	T0.5
Cotton seed	T1
Dried grapes (currants, raisins and sultanas)	7
Edible offal (mammalian)	0.5
Eggs	0.1
Endive	T2
Garlic	T0.2
Grapes	5
Herbs	T0.5
Legume vegetables	0.5
Lemon balm	T0.5
Lemon myrtle leaves (dried)	T5
Lentil (dry)	T0.2
Lettuce, head	0.1
Lettuce, leaf	0.1
Meat (mammalian)	0.1
Milks	0.05
Mizuna	T0.5
Mung bean (dry)	T0.2
Papaya (pawpaw)	0.2
Peanut	0.1
Peppers, chili (dry)	10
Pome fruits	*0.01
Poultry, edible offal of	0.5
Poultry meat	0.1
Radish	T0.3
Radish leaves	T2
Rape seed (canola)	0.3
Rucola (rocket)	T0.5
Soya bean (dry)	T0.1

Spices	1
Spinach	T2
Stone fruits [except cherries]	1
Sugar cane	0.1

Agvet chemical: Tebufenozide*Permitted residue: Tebufenozide*

Avocado	0.5
Blueberries	T2
Citrus fruits	1
Coffee beans	T0.05
Cranberry	0.5
Custard apple	0.3
Dried grapes	4
Edible offal (mammalian)	*0.02
Grapes	2
Kiwifruit	2
Litchi	2
Longan	2
Macadamia nuts	0.05
Meat (mammalian) (in the fat)	*0.02
Milks	*0.01
Nectarine	T1
Peach	T1
Persimmon, Japanese	0.1
Pistachio nut	T0.05
Pome fruits	1
Rambutan	T3

Agvet chemical: Tebufenpyrad*Permitted residue: Tebufenpyrad*

Cucumber	*0.02
Peach	1
Pome fruits	1
Tea, green, black	0.1

Agvet chemical: Tebuthiuron*Permitted residue: Sum of tebuthiuron, and hydroxydimethylethyl, N-dimethyl and hydroxy methylamine metabolites, expressed as tebuthiuron*

Edible offal (mammalian)	2
Meat (mammalian)	0.5
Milks	0.2
Sugar cane	T0.2

Agvet chemical: Temephos*Permitted residue: Sum of temephos and temephos sulfoxide, expressed as temephos*

Cattle, edible offal of	T2
Cattle meat (in the fat)	T5
Sheep, edible offal of	0.5
Sheep meat (in the fat)	3

Agvet chemical: Tepraloxym

Permitted residue: Sum of tepraloxydim and metabolites converted to 3-(tetrahydro-pyran-4-yl) glutaric and 3-hydroxy-3-(tetrahydro-pyran-4-yl)-glutaric acid, expressed as tepraloxydim

Edible offal (mammalian)	*0.1
Eggs	*0.1
Meat (mammalian)	*0.1
Milks	*0.02
Poultry, edible offal of	*0.1
Poultry meat	*0.1
Pulses	*0.1
Rape seed (canola)	*0.1

Agvet chemical: Terbacil

Permitted residue: Terbacil

Almonds	0.5
Peppermint oil	*0.1
Pome fruits	*0.04
Stone fruits	*0.04

Agvet chemical: Terbufos

Permitted residue: Sum of terbufos, its oxygen analogue and their sulfoxides and sulfones, expressed as terbufos

Banana	0.05
Cattle, edible offal of	*0.05
Cattle meat	*0.05
Cattle milk	*0.01
Cereal grains	*0.01
Eggs	*0.01
Peanut	*0.05
Poultry, edible offal of	*0.05
Poultry meat	*0.05
Sunflower seed	*0.05
Sweet corn (corn-on-the-cob)	*0.05

Agvet chemical: Terbutylazine

Permitted residue: Terbutylazine

Cereal grains [except maize]	*0.01
Cotton seed	0.01
Edible offal (mammalian)	*0.01
Eggs	*0.01
Maize	T*0.02
Meat (mammalian)	*0.01
Milks	*0.01
Poultry, edible offal of	*0.01
Poultry meat	*0.01
Pulses	*0.02
Rape seed (canola)	*0.02
Sweet corn (corn-on-the-cob)	T*0.02

Agvet chemical: Terbutryn

Permitted residue: Terbutryn

Cereal grains	*0.1
Edible offal (mammalian)	3
Eggs	*0.05
Meat (mammalian)	0.1
Milks	0.1

Peas	*0.1
Poultry, edible offal of	*0.05
Poultry meat	0.1
Sugar cane	*0.05

Agvet chemical: Tetrachlorvinphos*Permitted residue: Tetrachlorvinphos*

Edible offal (mammalian)	0.05
Meat (mammalian)	0.05
Milks (in the fat)	0.05

Agvet chemical: Tetraconazole*Permitted residue: Tetraconazole*

Edible offal (mammalian)	0.2
Grapes	0.5
Meat (mammalian) (in the fat)	*0.01
Milks	*0.01

Agvet chemical: Tetracycline*Permitted residue: Inhibitory substance, identified as tetracycline*

Milks	*0.1
-------	------

Agvet chemical: Tetradifon*Permitted residue: Tetradifon*

Cotton seed	5
Fruit	5
Hops, dry	5
Vegetables	5

Agvet chemical: Thiabendazole*Permitted residue—commodities of plant origin:**Thiabendazole**Permitted residue—commodities of animal origin: Sum of thiabendazole and 5-hydroxythiabendazole, expressed as thiabendazole*

Apple	10
Banana	3
Citrus fruits	10
Edible offal (mammalian)	0.2
Meat (mammalian)	0.2
Milks	0.05
Mushrooms	0.5
Onion, bulb	0.05
Peanut	T*0.01
Pear	10
Potato	5
Sweet potato	0.05

Agvet chemical: Thiacloprid*Permitted residue: Thiacloprid*

Coriander (leaves)	5
Cotton seed	0.1
Edible offal (mammalian)	*0.02
Eggs	*0.02
Herbs	5

Meat (mammalian)	*0.02
Milks	*0.01
Peppers, chili	1
Pome fruits	1
Poultry, edible offal of	*0.02
Poultry meat	*0.02
Spices	0.1
Stone fruits	2
Strawberry	1
Tea, green, black	10

Agvet chemical: Thiamethoxam*Permitted residue—commodities of plant origin:**Thiamethoxam**Permitted residue—commodities of animal origin: Sum of thiamethoxam and N-(2-chloro-thiazol-5-ylmethyl)-N-methyl-N-nitro-guanidine, expressed as thiamethoxam*

Beans [except broad bean; soya bean]	T0.2
Berries and other small fruits [except grapes]	0.5
Brassica (cole or cabbage) vegetables, head cabbages, flowerhead brassicas	3
Cereal grains [except maize; sorghum]	*0.01
Citrus fruits	1
Cotton seed	*0.02
Edible offal (mammalian)	*0.02
Eggs	*0.02
Fruiting vegetables, cucurbits	T1
Fruiting vegetables, other than cucurbits	T0.5
Grapes	0.2
Leafy vegetables	2
Maize	*0.02
Mango	0.07
Meat (mammalian)	*0.02
Milks	*0.005
Poultry, edible offal of	*0.02
Poultry meat	*0.02
Rape seed (canola)	*0.01
Root and tuber vegetables	T0.7
Sorghum	*0.02
Stone fruits	0.5
Sunflower seed	*0.02
Sweet corn (corn-on-the-cob)	*0.02
Tea, green, black	20

Agvet chemical: Thidiazuron*Permitted residue: Thidiazuron*

Cotton seed	*0.5
Edible offal (mammalian)	*0.05
Meat (mammalian)	*0.05
Milks	*0.01

Agvet chemical: Thifensulfuron*Permitted residue: Thifensulfuron*

Cereal grains [except maize; rice]	*0.02
Edible offal (mammalian)	*0.01

Eggs	*0.01
Meat (mammalian)	*0.01
Milks	0.01
Poultry, edible offal of	*0.01
Poultry meat	*0.01

Agvet chemical: Thiobencarb*Permitted residue: Thiobencarb*

Rice	*0.05
------	-------

Agvet chemical: Thiodicarb*Permitted residue: Sum of thiodicarb and methomyl, expressed as thiodicarb*

Brassica (cole or cabbage) vegetables, head cabbages, flowerhead brassicas	2
Chia	T1
Cotton seed	*0.1
Cotton seed oil, crude	*0.1
Edible offal (mammalian)	*0.05
Maize	*0.1
Meat (mammalian)	*0.05
Milks	*0.05
Peppers, sweet	T5
Potato	0.1
Pulses	*0.1
Sorghum	T0.5
Sweet corn (corn-on-the-cob)	*0.1
Tomato	2

Agvet chemical: Thiometon*Permitted residue: Sum of thiometon, its sulfoxide and sulfone, expressed as thiometon*

Cereal grains	1
Edible offal (mammalian)	*0.05
Eggs	*0.05
Fruit	1
Lupin (dry)	0.5
Meat (mammalian)	*0.05
Milks	*0.05
Oilseed	*0.05
Poultry, edible offal of	*0.05
Poultry meat	*0.05
Vegetables	1

Agvet chemical: Thiophanatesee *Carbendazim***Agvet chemical: Thiophanate-methyl***Permitted residue: Sum of thiophanate-methyl and 2-aminobenzimidazole, expressed as thiophanate-methyl*

Cherries	20
Grapes	5
Nectarine	3
Peach	3

Agvet chemical: Thiram

see *Dithiocarbamates*

Agvet chemical: Tiamulin

Permitted residue: Tiamulin

Pig, edible offal of	*0.1
Pig meat	*0.1
Poultry, edible offal of	*0.1
Poultry meat	*0.1

Agvet chemical: Tilmicosin

Permitted residue: Tilmicosin

Cattle, edible offal of	1
Cattle meat	*0.05
Pig, edible offal of	1
Pig meat	0.05

Agvet chemical: Tolclofos-methyl

Permitted residue: Tolclofos-methyl

Beetroot	*0.01
Cotton seed	*0.01
Lettuce, head	T*0.01
Lettuce, leaf	T*0.01
Potato	0.1

Agvet chemical: Tolfenamic acid

Permitted residue: Tolfenamic acid

Cattle kidney	*0.01
Cattle liver	*0.01
Cattle meat	0.05
Cattle milk	0.05
Pig kidney	*0.01
Pig liver	0.1
Pig meat	*0.01

Agvet chemical: Toltrazuril

Permitted residue: Sum of toltrazuril, its sulfoxide and sulfone, expressed as toltrazuril

Cattle fat	1
Cattle kidney	1
Cattle liver	2
Cattle muscle	0.25
Chicken, edible offal of	5
Chicken meat	2
Eggs	*0.03
Pig, edible offal of	2
Pig meat (in the fat)	1

Agvet chemical: Tolyfluanid

Permitted residue: Tolyfluanid

Berries and other small fruits [except grapes; strawberry]	T15
Cucumber	T2
Dried grapes	T0.2
Grapes	T*0.05
Strawberry	3

Agvet chemical: Tralkoxydim*Permitted residue: Tralkoxydim*

Cereal grains	*0.02
---------------	-------

Agvet chemical: Trenbolone acetate*Permitted residue: Sum of trenbolone acetate and 17**Alpha- and 17 Beta-trenbolone, both free and conjugated, expressed as trenbolone*

Cattle, edible offal of	0.01
Cattle meat	0.002

Agvet chemical: Triadimefon*Permitted residue: Sum of triadimefon and triadimenol, expressed as triadimefon*see also *Triadimenol*

Apple	1
Cereal grains	0.5
Edible offal (mammalian)	*0.05
Eggs	*0.1
Field pea (dry)	0.1
Fruiting vegetables, cucurbits	0.2
Fruiting vegetables, other than cucurbits	0.2
Garden pea, shelled (succulent seeds)	0.1
Garden pea (young pods, succulent seeds)	0.1
Grapes	1
Fats (mammalian)	*0.25
Meat (mammalian)	*0.05
Milks	*0.1
Poultry, edible offal of	*0.05
Poultry meat	*0.05
Sugar cane	*0.05
Tea, green, black	0.2

Agvet chemical: Triadimenol*Permitted residue: Triadimenol*see also *Triadimefon*

Berries and other small fruits [except grapes; riberry; strawberry]	T0.5
Brassica (cole or cabbage) vegetables, head cabbages, flowerhead brassicas	1
Cereal grains [except sorghum]	*0.01
Chives	T3
Cotton seed	T0.01
Cotton seed oil, crude	T0.05
Edible offal (mammalian)	*0.01
Eggs	*0.01
Fruiting vegetables, cucurbits	0.5
Fruiting vegetables, other than cucurbits	1
Grapes	0.5
Leek	T3
Lemon grass	T*0.05
Meat (mammalian)	*0.01
Milks	*0.01
Onion, bulb	0.05
Onion, Chinese	T3

Onion, Welsh	T3
Papaya (pawpaw)	0.2
Parsnip	T0.2
Poultry, edible offal of	*0.01
Poultry meat	*0.01
Radish	T0.2
Riberry	T0.3
Shallot	T3
Sorghum	0.5
Spring onion	T3
Sugar cane	*0.05
Swede	T0.2
Tea, green, black	0.2
Turnip, garden	T0.2

Agvet chemical: Triallate

Permitted residue: Sum of triallate and 2,3,3-trichloroprop-2-ene sulfonic acid (TCPSA), expressed as triallate

Cereal grains	*0.05
Edible offal (mammalian) [except kidney]	*0.1
Eggs	*0.01
Fats (mammalian)	0.2
Kidney of cattle, goats, pigs and sheep	0.2
Legume vegetables	*0.05
Meat (mammalian)	*0.1
Milks	*0.1
Oilseed	0.1
Poultry, edible offal of	0.2
Poultry fats	0.2
Poultry meat	*0.1
Pulses	0.1

Agvet chemical: Triasulfuron

Permitted residue: Triasulfuron

Cereal grains	*0.02
Edible offal (mammalian)	*0.05
Eggs	*0.05
Meat (mammalian)	*0.05
Milks	*0.01

Agvet chemical: Tribenuron-methyl

Permitted residue: Tribenuron-methyl

Barley	*0.01
Chick-pea (dry)	*0.01
Cotton seed	*0.05
Edible offal (mammalian)	*0.01
Maize	*0.05
Meat (mammalian)	*0.01
Milks	*0.01
Mung bean (dry)	*0.01
Oats	*0.01
Rape seed (canola)	*0.01
Sorghum	*0.01
Soya bean (dry)	*0.01

Sunflower seed	*0.01
Wheat	*0.01

Agvet chemical: Trichlorfon*Permitted residue: Trichlorfon*

Achachairu	T3
Assorted tropical and sub-tropical fruits - edible peel	T3
Assorted tropical and sub-tropical fruits - inedible peel	T3
Babaco	T3
Beetroot	0.2
Berries and other small fruits	T2
Brussels sprouts	0.2
Cape gooseberry (ground cherry)	T0.5
Cattle, edible offal of	0.1
Cattle fat	0.1
Cattle meat	0.1
Cauliflower	0.2
Celery	0.2
Cereal grains	0.1
Dried fruits	2
Egg plant	T0.5
Eggs	*0.05
Fruit [except achachairu; assorted tropical and sub-tropical fruits - edible peel; assorted tropical and sub-tropical fruits - inedible peel; babaco; berries and other small fruits; dried fruits; loquat; medlar; miracle fruit; quince; rollinia; shaddock (pomelo); stone fruits]	T0.1
Goat, edible offal of	0.1
Goat meat	0.1
Kale	0.2
Loquat	T3
Medlar	T3
Milks	*0.05
Miracle fruit	T3
Oilseed [except peanut]	0.1
Peanut	0.1
Pepino	T0.5
Peppers	0.2
Pig, edible offal of	0.1
Pig fat	0.1
Pig meat	0.1
Poultry, edible offal of	*0.05
Poultry meat	*0.05
Pulses [except soya bean (dry)]	0.2
Quince	T3
Rollinia	T3
Shaddock (pomelo)	T3
Soya bean (dry)	0.1
Stone fruits	T3
Sugar beet	0.05
Sugar cane	*0.05
Sweet corn (corn-on-the-cob)	0.2
Tree nuts	0.1

Thai egg plant	T0.5
Vegetables [except beetroot; Brussels sprouts; cape gooseberry (ground cherry); cauliflower; celery; egg plant; kale; pepino; peppers; pulses (dry); sugar beet; sweet corn (corn-on-the-cob); Thai egg plant]	0.1

Agvet chemical: Trichloroethylene*Permitted residue: Trichloroethylene*

Cereal grains	*0.1
---------------	------

Agvet chemical: Triclabendazole*Permitted residue: Sum of triclabendazole and metabolites oxidisable to keto-triclabendazole and expressed as keto-triclabendazole equivalents*

Fats (mammalian)	1
Kidney (mammalian)	1
Liver (mammalian)	2
Meat (mammalian)	0.5

Agvet chemical: Triclopyr*Permitted residue: Triclopyr*

Cattle, edible offal of	5
Cattle meat (in the fat)	0.2
Citrus fruits	0.2
Goat, edible offal of	5
Goat meat (in the fat)	0.2
Litchi	0.1
Milks (in the fat)	0.1
Poppy seed	*0.01
Sheep, edible offal of	5
Sheep meat (in the fat)	0.2

Agvet chemical: Tridemorph*Permitted residue: Tridemorph*

Banana	T*0.05
Barley	0.1
Fruiting vegetables, cucurbits	0.1
Tea, green, black	0.05

Agvet chemical: Trifloxystrobin*Permitted residue: Sum of trifloxystrobin and its acid metabolite ((E,E)-methoxyimino-[2-[1-(3-trifluoromethylphenyl)-ethylideneamino]oxy]methyl] phenyl] acetic acid), expressed as trifloxystrobin equivalents*

Almonds	0.05
Banana	0.5
Beetroot	T0.5
Beetroot leaves	T10
Celery	T5
Chard (silver beet)	T1
Chicory leaves	T1
Cotton seed	T*0.01
Cucumber	T*0.1
Dried grapes	2

Edible offal (mammalian)	*0.05
Endive	T1
Grapes	3
Hops, dry	11
Macadamia nuts	T*0.05
Meat (mammalian)	*0.05
Milks	*0.02
Peppers, sweet	T0.5
Pome fruits	0.3
Rape seed (canola)	*0.02
Spinach	T1
Stone fruits	5
Strawberry	2
Tomato	0.7

Agvet chemical: Trifloxysulfuron sodium*Permitted residue: Trifloxysulfuron*

Cotton seed	*0.01
Cotton seed oil, crude	*0.01
Cotton seed oil, edible	*0.01
Edible offal (mammalian)	*0.01
Eggs	*0.01
Meat (mammalian)	*0.01
Milks	*0.01
Poultry, edible offal of	*0.01
Poultry meat	*0.01
Sugar cane	*0.01

Agvet chemical: Triflumizole*Permitted residue: Sum of triflumizole and (E)-4-chloro-a,a,a-trifluoro-N-(1-amino-2-propoxyethylidene)-o-toluidine, expressed as triflumizole*

Cherries	1.5
Grapes	2.5
Hops, dry	50
Pome fruits	0.5

Agvet chemical: Triflumuron*Permitted residue: Triflumuron*

Cereal grains	*0.05
Edible offal (mammalian) [except sheep, edible offal of]	*0.05
Eggs	0.01
Hops, dry	50
Meat (mammalian) [except sheep meat (in the fat)]	*0.05
Milks	*0.05
Mushrooms	0.1
Poultry, edible offal of	0.01
Poultry meat (in the fat)	0.1
Sheep, edible offal of	0.1
Sheep meat (in the fat)	2

Agvet chemical: Trifluralin*Permitted residue: Trifluralin*

Adzuki bean (dry)	*0.05
Bergamot	T*0.05

Broad bean (dry)	*0.05
Burnet, salad	T*0.05
Carrot	0.5
Cereal grains	*0.05
Chia	T*0.01
Chick-pea (dry)	*0.05
Coriander (leaves, roots, stems)	T*0.05
Coriander, seed	T*0.05
Cowpea (dry)	*0.05
Dill, seed	T*0.05
Edible offal (mammalian)	*0.05
Eggs	*0.05
Fennel, bulb	T0.5
Fennel, seed	T*0.05
Fruit	*0.05
Galangal, Greater	T0.5
Herbs	T*0.05
Hyacinth bean (dry)	*0.05
Kaffir lime leaves	T*0.05
Lemon grass	T*0.05
Lemon verbena (fresh weight)	T*0.05
Lupin (dry)	*0.05
Meat (mammalian)	*0.05
Milks	*0.05
Mizuna	T*0.05
Mung bean (dry)	*0.05
Oilseed	*0.05
Parsnip	T0.5
Poultry meat	*0.05
Poultry, edible offal of	*0.05
Rose and dianthus (edible flowers)	T*0.05
Sugar cane	*0.05
Turmeric, root (fresh)	T0.5
Vegetables [except as otherwise listed under this chemical]	0.05

Agvet chemical: Triforine*Permitted residue: Triforine*

Pome fruits	1
Stone fruits	10

Agvet chemical: Trimethoprim*Permitted residue: Trimethoprim*

Cattle milk	0.05
Edible offal (mammalian)	0.05
Eggs	*0.01
Meat (mammalian)	0.05
Poultry, edible offal of	0.05
Poultry meat	0.05

Agvet chemical: Trinexapac-ethyl*Permitted residue: Trinexapac acid*

Bran, unprocessed of cereal grains	0.5
Cereal grains	0.2
Edible offal (mammalian)	0.05
Eggs	*0.01
Meat (mammalian)	*0.02

Milks	*0.005
Poppy seed	7
Poultry, edible offal of	*0.01
Poultry meat	*0.01
Sugar cane	T0.2

Agvet chemical: Triticonazole*Permitted residue: Triticonazole*

Cereal grains	*0.05
Edible offal (mammalian)	*0.05
Eggs	*0.05
Meat (mammalian)	*0.05
Milks	*0.01
Poultry, edible offal of	*0.05
Poultry meat	*0.05

Agvet chemical: Tulathromycin

Permitted residue: Sum of tulathromycin and its metabolites that are converted by acid hydrolysis to (2R,3S,4R,5R,8R,10R,11R,12S,13S,14R)-2-ethyl-3,4,10,13-tetrahydroxy-3,5,8,10,12,14-hexamethyl-11-[[3,4,6-trideoxy-3-(dimethylamino)-β-D-xylohexopyranosyl]oxy]-1-oxa-6-azacyclopentadecan-15-one, expressed as tulathromycin equivalents

Cattle fat	0.1
Cattle kidney	1
Cattle liver	3
Cattle muscle	0.1
Pig fat/skin	0.3
Pig kidney	3
Pig liver	2
Pig muscle	0.5

Agvet chemical: Tylosin*Permitted residue: Tylosin A*

Cattle, edible offal of	*0.1
Cattle meat	*0.1
Eggs	*0.2
Fish muscle	T*0.002
Milks	*0.05
Pig, edible offal of	*0.2
Pig fat	*0.1
Pig meat	*0.2
Poultry, edible offal of	*0.2
Poultry fats	*0.1
Poultry meat	*0.2

Agvet chemical: Uniconazole-p

Permitted residue: Sum of uniconazole-p and its Z-isomer expressed as uniconazole-p

Avocado	0.5
Custard apple	T*0.01
Poppy seed	*0.01

Agvet chemical: Virginiamycin

Permitted residue: Inhibitory substance, identified as virginiamycin

Cattle, edible offal of	0.2
Cattle fat	0.2
Cattle milk	0.1
Cattle meat	*0.1
Eggs	*0.1
Pig, edible offal of	0.2
Pig fat	0.2
Pig meat	*0.1
Poultry, edible offal of	0.2
Poultry fats	0.2
Poultry meat	0.1
Sheep, edible offal of	0.2
Sheep meat	0.1

Agvet chemical: Warfarin

Permitted residue: Warfarin

Pig, edible offal [except liver]	T0.007
Pig fat	T0.007
Pig liver	T0.04
Pig meat	T0.007

Agvet chemical: Zeranol

Permitted residue: Zeranol

Cattle, edible offal of	0.02
Cattle meat	0.005

Agvet chemical: Zeta-cypermethrin

see *Cypermethrin*

Agvet chemical: Zetacypermethrin

see *Cypermethrin*

2016-gs571