



New Zealand Gazette

CUSTOMS EDITION

WELLINGTON: TUESDAY, 25 NOVEMBER 2008

TARIFF CONCESSION NOTICES

(INCLUDING OTHER NOTICES UNDER THE
TARIFF ACT 1988, THE DUMPING AND COUNTERVAILING DUTIES ACT 1988
AND THE CUSTOMS AND EXCISE ACT 1996)

TARIFF CONCESSION (ADVERTISEMENT) NOTICE NO. 2008/45

Applications Advertised for Objection
Closing Date for Objections 16th December 2008

- 1 Notice is hereby given that the following applications have been made in respect of the goods advertised in the Schedule to this notice. Any person wishing to lodge an objection should do so in writing, to the Ministry of Economic Development, PO Box 1473, Wellington, Fax 04-499 8508, before 16th December 2008. All submissions should include:
- the Tariff Concession (Advertisement) Notice number; the Tariff item; and
 - Reference number.
- 2 All submissions from local manufacturers should include:
- the range of alternative goods made locally;
 - the grounds on which objection is made (including reasons why the local product is a suitable alternative);
 - present and potential output;
 - details of factory cost in terms of materials, labour, overheads, including the proportion of domestic and imported content.
- 3 Where further information is required in order to make a submission an objector should contact the applicant in writing and refer a copy of the enquiry to the Ministry of Economic Development quoting the details in paragraph 1 above.

Tariff Item	Description of Goods	Name and Address of Applicant	Part II Ref.	Appn. No.	*Category of Appn.
8504.40.19	Battery discharger/analyser	New Generation Ltd T/A BatteryLife PO Box 58935 Greenmount AUCKLAND 2141	99	302444L	A
8544.49.00	Communication cable, four pair type, shielded, capable of processing a ten gigajoule data transfer rate	Advance Electrical Wholesalers 100 Tory Street WELLINGTON	99	302443B	A
9503.00.09	Wooden laminated, pedalless, two-wheeled child's balance bike	Generation Marketing Ltd PO Box 7809 Sydenham CHRISTCHURCH	99	302445J	A

*	Category of Application:	CE	–	Capital Equipment
		IM	–	Inputs to Manufacturing – Inability to Supply
		MS	–	Manufacturers' Samples
		RUC	–	Revocation of Unused Concession
		S	–	Shortfall of Other Than Manufacturing Inputs
		SMI	–	Shortfall of Manufacturing Inputs
		SS	–	Special Situation
		V	–	Variation of Existing Concession
		W	–	Withdrawal of Concession
		+	–	Denotes amendment or addition

Dated at Wellington this 20th day of November 2008.

V.A. MANKS, Ministry of Economic Development.

Tariff Act 1988

TARIFF CONCESSION APPROVALS, WITHDRAWALS AND DECLINES NOTICE (NO. 45) 2008

I, Vincent Anthony Manks, Executive Officer, Ministry of Economic Development, acting pursuant to section 8 of the Tariff Act 1988 under delegated authority hereby:

- (a) In accordance with Part II of the Tariff approve in respect of the entry of goods listed in the First Schedule to this notice the rates of duty or exemptions from duty specified in that Schedule with effect from the first day of the month so specified; and
- (b) In accordance with Part II of the Tariff approve in respect of the entry of goods listed in the Second Schedule to this notice the exemptions from duty specified in that Schedule with effect from the first day of the month so specified subject however to such purposes and conditions which I prescribe
- (c) Withdraw with effect fourteen days from the date of this Gazette, or otherwise at the date so specified, the approvals granted in respect of the entry of goods listed in the Third Schedule to this notice.

FIRST SCHEDULE Concessions Approved								
	Tariff Item	Description of Goods	Rates of Duty		Part II Ref.	Ref. No.	Effective From To	
			Normal	Pref.				
V	3919.10.09) 39.20) 3921.90.19)	Acrylic or PVC clashing strip of a type used for edging furniture	Free	Free	99	302248L	7/08	..
A	3923.90.01	Collapsible laminated tubes with an aluminium layer, with or without cap, with open bottom end	Free	Free	99	302383E	9/08	..
A	3925.90.00) 7308.90.00)	Interior penning and housing equipment, of a kind used for dairy cattle	Free	Free	99	302381J	9/08	..
A	3926.90.69	Textured, synthetic, flexible, lightweight fibreglass panelling and profile shapes, being reproduction of stone, brick, concrete and wood detailing	Free	Free	99	302261H	6/08	..
A	3926.90.69	Wall mounted or free standing, colour coded plastic pods, being bag supports for waste recycling	Free	Free	99	302388F	9/08	..
A	4114.20.19	Chrome-tanned leather	Free	Free	99	302389D	9/08	..
A	5703.20.09	Nylon floor tiles with waterproof bio-based resin and non PVC thermoplastic backing	Free	Free	99	302390H	9/08	..
A	6307.90.28	Textile irrigation mat comprising polyethylene drip tubing enclosed in non-woven polypropylene geotextile	Free	Free	99	302384C	9/08	..
A	6406.20.00	Pre-made outer soles and heels of rubber or plastics, separate or combined	Free	Free	99	302382G	9/08	..
X	7311.00.00	Containers of iron or steel, for compressed or liquified gas	Free	Free	99	300512H	2/05	..
		Whole Item						
		<i>EXCLUDING:</i>						
		(a) Cylinders of pressed and brazed/welded construction having a nominal water capacity of not less than 5.25kg or not more than 125kg designed to contain anyof the following:						
		(1) Propane (C3H8)						
		(2) Propylene (C3H6)						
		(3) Butane (C4H10)						
		(4) Butylenes (C4H8)						
		(5) Mixtures of all, or any of the above hydrocarbons						
		(b) Containers of iron or steel for compressed or liquified gases, having a water capacity of 11,000 litres or greater, but not including;						
		(1) Pierced or drawn cylinders						
		(2) Vessels for operation below minus 50°C						
A	8476.89.00	U-turn bulk vending machines	Free	Free	99	302376B	9/08	..
X	85.07	Accumulator, lead acid, of the following types;	Free	Free	99	210180H	1/88	..
		(1) Having a capacity not exceeding 24 ampere hours (at the 10 hour rate of discharge)						
		(2) Exide series;						
		2 volt cells type						
		Prince;						
		12v Maganese batteries PSB-12V						
		12 volt battery type 6XVFA, 7AK						
		2 volt cells type NW9, NW11, NW13, NW15, WEF9A						
		(3) Exide diesel starting batteries, types:						
		6 volt, 3RSKB 118						
		8 volt, 4RSKA 92						
		8 volt, 8DK 216						
		4 volt, 2RSKB 158						
		8 volt, 4RK 240						
		8 volt, 4XVFR9						
		Exide 6 volt 713/3HMF617-KBL						
		Exide 6 volt 769/3FMX41-21						
		G.S. 6 volt CB2-6						
		Lucas 6 volt SC7E						
		Dunlop Oldham series MKM						
		Dunlop Oldham 6LCBQ3						
		2 volt, permanently sealed, rechargeable batteries, peculiar for use in underwater diving and lighting systems and underwater cameras						

Tariff Concession Approvals, Withdrawals and Declines Notice No. 2008/45 – continued

	Tariff Item	Description of Goods	Rates of Duty		Part II Ref.	Ref. No.	Effective	
			Normal	Pref.			From	To
X	85.35) 85.36)	Sockets, and plugs therefor, wire and cable connectors and the like <i>EXCLUDING:</i> 1. Aluminium compression fittings, peculiar for use in jointing and terminating aluminium wire and cable 2. Battery isolators, peculiar for use on all types of storage batteries including automotive and marine batteries 3. Co-axial plugs, car-radio type 4. Industrial and protected type plugs, sockets, cable couplers 5. Appliance inlets and switch sockets, rated 110 to 415 volts and up to 63 amps; <i>EXCLUDING:</i> Aluminium clad industrial plugs, sockets, cable couplers, appliances inlets and switch sockets, with maximum voltage rating of 500 V AC/DC, from 16-63 amps continuous rated current, flat formation (i.e. round pins in a straight line) pin/socket configuration 6. Plugs, sockets, tap-ons, cord extension sockets, 250 volts, 15 amp maximum rating 7. Sockets and plugs therefor, wire and cable connectors and the like: of a kind commonly used with: (A) tractors for articulated vehicles, being tractors that are designed for operation solely or principally on the highway; or (B) vehicles of 87.02 other than air-cushioned vehicles or assembled convertible road/rail motor coaches 8. Split bolt, bolt on type overhead line tap connectors suitable for tap connections on copper lines, having overall diameters from 2.74mm to 14.76mm(0.108in. to 0.58in.) and split bolt, bolt on type overhead line tap connectors suitable for tap connections on aluminium lines having overall diameters from 6.35mm to 14.61mm (0.250in. to 0.575in.) 9. Wire connectors in strips 10. Single telephones jack points and blocks, including single jack point boxes	Free	Free	99	992982H	12/95	..
X	8535.90) 8536.69.00) 8536.90)	Connectors and receptacles, for radio, television communication and other electronic equipment <i>EXCLUDING:</i> 1. Aluminium compression fittings, peculiar for use in jointing and terminating aluminium wire and cable 2. Battery isolators, peculiar for use on all types of storage batteries including automotive and marine batteries 3. Co-axial plugs, car-radio type 4. Industrial and protected type plugs, sockets, cable couplers 5. Appliance inlets and switch sockets, rated 110 to 415 volts and up to 63 amps; <i>EXCLUDING:</i> Aluminium clad industrial plugs, sockets, cable couplers appliances inlets and switch sockets, with maximum voltage rating of 500 V AC/DC, from 16-63 amps continuous rated current, flat formation (i.e. round pins in a straight line) pin/socket configuration 6. Plugs, sockets, tap-ons, cord extension sockets, 250 volts, 15 amp maximum rating 7. Sockets and plugs therefor, wire and cable connectors and the like of a kind commonly used with: (a) tractors for articulated vehicles, being tractors that are designed for operation solely or principally on the highway; or (b) vehicles of 87.02 other than air-cushioned vehicles or assembled convertible road/rail motor coaches 8. Split bolt, bolt on type overhead line tap connectors suitable for tap connections on copper lines, having overall diameters from 2.74mm to 14.76mm(0.108in. to 0.58in.) and split bolt, bolt on type overhead line tap connectors suitable for tap connections on aluminium lines having overall diameters from 6.35mm to 14.61mm (0.250in. to 0.575in.) 9. Uninsulated connectors, lugs and links, of copper construction for conductors up to 185mm ² square cross sectional area 10. Wire connectors in strips 11. Single telephones jack points and blocks, including single jack point boxes	Free	Free	99	991496L	12/94	..
A	9401.71.00) 9401.90.19)	Mobile reclining chair complete with wheel locking device, of a type suitable for use in aged care, nursing home and hospital environments, and parts thereof	Free	Free	99	302380L	9/08	..
A	9403.70.00	Childrens stackable cots of plastic and portable room dividers of plastic, whether or not imported as complete sets or individual items, regardless of tariff classification	Free	Free	99	302301L	7/08	..

Tariff Concession Approvals, Withdrawals and Declines Notice No. 2008/45 – continued

SECOND SCHEDULE
Concession Approvals Subject to Prescribed Purposes and Conditions

	Tariff Item	Description of Goods	Rates of Duty		Part II Ref.	Ref. No.	Effective	
			Normal	Pref.			From	To
IM	5112.11.08	85% wool, 15% polyester – 900m ²	Free	Free	99	302438F	10/08	6/09
	5112.11.08	100% wool – 400m ²						
	5112.11.08	100% wool – 400m ²						
	5112.11.08	100% wool – 900m ²						
	5112.11.08	100% wool – 1200m ²						
	5112.11.08	100% wool – 1500m ²						
	5112.11.08	100% wool – 2400m ²						
	5112.19.00	75% wool, 15% cashmere, 10% polyamide – 300m ²						
IM	5515.13.29	50% wool, 50% polyester – 210m ²						
	7210.61.30	Prepainted, drawing quality steel coil, 0.6mm x 776mm wide. Interior diameter 508mm. Coil coating AZ150, front polyester top coat 20 microns, back coat epoxy 8 microns, to Union Steel Korea specification KSD3770: CAZCD-20. 750 tonnes available only for B and D Doors (NZ) Ltd in manufacturing	Free	Free	99	302379G	11/08	10/09
CE	Chapters 84 to 90 inclusive	Component items for the construction of a 130MW geothermal power plant at Rotokawa, on production of invoices confirming end-use and presented by Sumitomo Corporation, the major items of plant being: Valves Cooling tower Platform and stage Steam turbines Condensers Transformers Generators Gas extracting system Water cooling pump Hotwell pump Transformers Distribution board Gas extraction system Cyclone separators Diesel generator Excluding mechanical workshop equipment and construction machinery of Tariff Chapters 84 and 87	Free	Free	99	302378J	9/08	7/10

THIRD SCHEDULE
Concession Approvals Withdrawn

	Tariff Item	Description of Goods	Rates of Duty		Part II Ref.	Ref. No.	Effective	
			Normal	Pref.			From	To
	3919.10.09) 39.20)	PVC ... furniture	984417B
	3921.90.19)							
	7311.00.00	Containers ... minus 50°C	300512H
	85.07	Accumulator, ... cameras	210180H
	85.35)	Sockets, ... boxes	992982H
	85.36)							
	8535.90)	Connectors ... boxes	991496L
	8536.69.00)							
	8536.90)							

Category of Approval:	A	–	General Approval
	CE	–	Capital Equipment
	GT	–	Goods in Transit
	IM	–	Inputs to Manufacturing – Inability to Supply
	MS	–	Manufacturers' Samples
	RUC	–	Revocation of Unused Concession
	S	–	Shortfall of Other Than Manufacturing Inputs
	SMI	–	Shortfall of Manufacturing Inputs
	SS	–	Special Situation
	V	–	Variation of Existing Concession
	X	–	Administrative Amendment

The concessions approved subject to prescribed purposes and conditions as listed in the Second Schedule to this notice will not be published in the Consolidated List of Approvals.

Dated at Wellington this 20th day of November 2008.

V.A. MANKS, Ministry of Economic Development