

Schedule 20 - Maximum Residue Limits - Food Standards (Proposal P1025 - Code Revision) Variation—Australia New Zealand Food Standards Code - Amendment No. 154 - Part One

The Board of Food Standards Australia New Zealand gives notice of the making of this standard under section 92 of the *Food Standards Australia New Zealand Act 1991*.

The Standard commences on 1 March 2016.

Dated 25 March 2015

Standards Management Officer, Delegate of the Board of Food Standards Australia New Zealand.

Note:

This Standard will be published in the Commonwealth of Australia Gazette No. FSC 96 on 10 April 2015.

Note 1 This instrument is a standard under the *Food Standards Australia New Zealand Act 1991* (Cth). The standards together make up the *Australia New Zealand Food Standards Code*. See also section 1.1.1–3.

Maximum residue limits are regulated by subsection 1.1.1–10(5) and Standard 1.4.2. This Standard identifies agvet chemicals, and their permitted residues, for the purpose of section 1.4.2–4.

2.4.1–1 Name

This Standard is *Australia New Zealand Food Standards Code - Schedule 20 - Maximum residue limits*.

Note Commencement: This Standard commences on 1 March 2016, being the date specified as the commencement date in notices in the *Gazette* and the *New Zealand Gazette* under section 92 of the *Food Standards Australia New Zealand Act 1991* (Cth). See also section 93 of that Act.

Note 2 This Standard applies in Australia only. In New Zealand, maximum residue limits for agricultural compounds are set out in a Maximum Residue Limits Standard.

S20–2 Interpretation

In this Schedule:

- (a) an asterisk (*) indicates that the maximum residue limit is set at the limit of determination; and
- (b) the symbol ‘T’ indicates that the maximum residue limit is a temporary maximum residue limit.

S20–3 Maximum residue limits

For section 1.4.2–4, the *agvet chemicals, permitted residues, and amounts are as follows, expressed in mg per kg:

Maximum residue limits

Agvet chemical: Abamectin

Permitted residue: Sum of avermectin B1a, avermectin B1b and (Z)-8,9 avermectin B1a, and (Z)-8,9 avermectin B1b

Adzuki bean (dry)	T*0.002
Almonds	T*0.01
Apple	0.01
Blackberries	T0.1
Blueberries	T*0.02
Cattle, edible offal of	0.1
Cattle fat	0.1
Cattle meat	0.005
Cattle milk	0.02
Chervil	T0.5
Citrus fruits	0.02
Common bean (dry) (navy bean)	T*0.002
Coriander (leaves, stem, roots)	T0.5
Cotton seed	*0.01
Cucumber	0.02
Currant, black	0.02
Egg plant	0.02
Goat fat	0.1

Goat kidney	0.01
Goat liver	0.05
Goat milk	0.005
Goat muscle	0.01
Grapes	0.02
Herbs	T0.5
Hops, dry	0.1
Kaffir lime leaves	T0.5
Lemon grass	T0.5
Lettuce, head	0.05
Lettuce, leaf	T1
Maize	T*0.01
Melons, except watermelon	T0.02
Mung bean (dry)	T*0.002
Mushrooms	T0.05
Onion, Welsh	T0.05
Papaya (pawpaw)	T0.1
Peanut	T*0.002
Pear	0.01
Peas	T0.5
Peppers	T0.1
Pig kidney	0.01
Pig liver	0.02
Pig meat (in the fat)	0.02
Popcorn	T*0.01
Raspberries, red, black	T0.1
Rhubarb	T0.05
Shallot	T0.05
Sheep, edible offal of	0.05
Sheep meat (in the fat)	0.05
Soya bean (dry)	*0.002
Spring onion	T0.05
Squash, Summer	0.02
Strawberry	0.1
Sweet corn (corn-on-the-cob)	T0.05
Tomato	0.05
Watercress	T0.5
Watermelon	T0.02

Agvet chemical: Acephate

Permitted residue: Acephate (Note: the metabolite methamidophos has separate MRLs)

Banana	1
Brassica (cole or cabbage) vegetables, Head cabbages, Flowerhead brassicas	5
Citrus fruits	5
Cotton seed	2
Edible offal (mammalian)	0.2
Eggs	0.2
Lettuce, head	10
Lettuce, leaf	10
Macadamia nuts	*0.1
Meat (mammalian) [except sheep meat]	0.2
Peppers, Sweet	5
Potato	0.5
Sheep meat	*0.01
Soya bean (dry)	1
Sugar beet	0.1

Tomato	5
Tree tomato (tamarillo)	0.5

Agvet chemical: Acequinocyl

Permitted residue: Sum of acequinocyl and its metabolite 2-dodecyl-3-hydroxy-1,4-naphthoquinone, expressed as acequinocyl

Citrus fruits	0.2
Grapes	1.6

Agvet chemical: Acetamiprid

Permitted residue—commodities of plant origin:

Acetamiprid

Permitted residue—commodities of animal origin: Sum of acetamiprid and N-demethyl acetamiprid ((E)-N¹-[6-chloro-3-pyridyl)methyl]-N²-cyanoacetamidine), expressed as acetamiprid

Citrus fruits	0.5
Cotton seed	*0.05
Cranberry	0.6
Cucumber	T0.2
Date	T5
Edible offal (mammalian)	*0.05
Eggs	*0.01
Grapes	0.35
Meat (mammalian)	*0.01
Milks	*0.01
Potato	*0.05
Poultry, edible offal of	*0.05
Poultry meat	*0.01
Stone fruits [except plums]	1
Tomato	T0.1

Agvet chemical: Acibenzolar-S-methyl

Permitted residue: Acibenzolar-S-methyl and all metabolites containing the benzo[1,2,3]thiadiazole-7-carboxyl moiety hydrolysed to benzo[1,2,3]thiadiazole-7-carboxylic acid, expressed as acibenzolar-S-methyl

Cotton seed	*0.02
Edible offal (mammalian)	*0.02
Eggs	*0.02
Meat (mammalian)	*0.02
Milks	*0.005
Poultry, edible offal of	*0.02
Poultry meat	*0.02

Agvet chemical: Acifluorfen

Permitted residue: Acifluorfen

Edible offal (mammalian)	0.1
Eggs	*0.01
Legume vegetables	0.1
Meat (mammalian)	*0.01
Milks	*0.01
Peanut	0.05
Poultry, edible offal of	0.1
Poultry meat	*0.01
Pulses	0.1

Agvet chemical: Albendazole*Permitted residue: Sum of albendazole, its sulfoxide, sulfone and sulfone amine, expressed as albendazole*

Cattle, edible offal of	*0.1
Cattle meat	*0.1
Goat, edible offal of	*0.1
Goat meat	*0.1
Sheep, edible offal of	3
Sheep meat	0.2

Agvet chemical: Albendazole sulphoxidesee *Albendazole***Agvet chemical: Aldicarb***Permitted residue: Sum of aldicarb, its sulfoxide and its sulfone, expressed as aldicarb*

Citrus fruits	0.05
Cotton seed	*0.05
Edible offal (mammalian)	*0.01
Meat (mammalian)	*0.01
Milks	*0.01
Sugar cane	*0.02

Agvet chemical: Aldoxycarb*Permitted residue: Sum of aldoxycarb and its sulfone, expressed as aldoxycarb*

Cattle, edible offal of	0.2
Cattle meat	*0.02
Eggs	0.1
Milks	*0.02
Poultry, edible offal of	0.2
Poultry meat	*0.02
Wheat	*0.02

Agvet chemical: Aliphatic alcohol ethoxylates*Permitted residue: Aliphatic alcohol ethoxylates*

Cattle, edible offal of	*0.1
Cattle meat	*0.1
Cattle milk	1

Agvet chemical: Altrenogest*Permitted residue: Altrenogest*

Pig meat	*0.005
Pig, edible offal of	0.005

Agvet chemical: Aluminium phosphidesee *Phosphine***Agvet chemical: Ametoctradin***Permitted residue—commodities of plant origin:**Ametoctradin**Permitted residue—commodities of animal origin: Sum of ametoctradin and 6-(7-amino-5-ethyl [1,2,4] triazolo [1,5-a]pyrimidin-6-yl) hexanoic acid*

Edible offal (mammalian)	*0.02
--------------------------	-------

Eggs	*0.02
Grapes	3
Meat (mammalian)	*0.02
Milks	*0.02
Poultry, edible offal of	*0.02
Poultry meat	*0.02

Agvet chemical: Ametryn*Permitted residue: Ametryn*

Cotton seed	0.05
Edible offal (mammalian)	*0.05
Meat (mammalian)	*0.05
Milks	*0.05
Pineapple	*0.05
Pome fruits	0.1
Sugar cane	0.05

Agvet chemical: Aminoethoxyvinyl-glycine*Permitted residue: Aminoethoxyvinylglycine*

Apple	0.1
Stone fruits [except cherries]	0.2
Walnuts	*0.05

Agvet chemical: Aminopyralid*Permitted residue—commodities of plant origin: Sum of aminopyralid and conjugates, expressed as aminopyralid**Permitted residue—commodities of animal origin:**Aminopyralid*

Cereal grains	0.1
Edible offal (mammalian) [except kidney]	0.02
Eggs	*0.01
Kidney (mammalian)	0.3
Meat (mammalian)	*0.01
Milks	*0.01
Poultry, edible offal of	*0.01
Poultry meat	*0.01
Wheat bran, unprocessed	0.3

Agvet chemical: Amitraz*Permitted residue: Sum of amitraz and N-(2,4-dimethylphenyl)-N'-methylformamidine, expressed as N-(2,4-dimethylphenyl)-N'-methylformamidine*

Apple	0.5
Cotton seed	*0.1
Cotton seed oil, crude	1
Edible offal (mammalian)	0.5
Meat (mammalian)	0.1
Milks	0.1
Stone fruits [except cherries]	0.5

Agvet chemical: Amitrole*Permitted residue: Amitrole*

Avocado	*0.01
Banana	*0.01
Blueberries	T*0.01
Cereal grains	*0.01

Citrus fruits	*0.01
Edible offal (mammalian)	*0.01
Grapes	*0.01
Hops, dry	*0.01
Meat (mammalian)	*0.01
Milks	*0.01
Oilseed	*0.01
Papaya (pawpaw)	*0.01
Passionfruit	*0.01
Pecan	*0.01
Pineapple	*0.01
Pome fruits	*0.01
Potato	*0.05
Pulses	*0.01
Stone fruits	*0.02
Sugar cane	*0.01

Agvet chemical: Amoxicillin

Permitted residue: Inhibitory substance, identified as amoxicillin

Cattle milk	*0.01
Edible offal (mammalian)	*0.01
Eggs	T*0.01
Meat (mammalian)	*0.01
Poultry, edible offal of	*0.01
Poultry meat	*0.01
Sheep milk	*0.01

Agvet chemical: Ampicillin

Permitted residue: Inhibitory substance, identified as ampicillin

Cattle milk	*0.01
Horse, edible offal of	*0.01
Horse meat	*0.01

Agvet chemical: Amprolium

Permitted residue: Amprolium

Eggs	4
Poultry, edible offal of	1
Poultry meat	0.5

Agvet chemical: Apramycin

Permitted residue: Apramycin

Edible offal (mammalian)	2
Meat (mammalian)	*0.05
Poultry, edible offal of	1
Poultry meat	*0.05

Agvet chemical: Asulam

Permitted residue: Asulam

Apple	*0.1
Edible offal (mammalian)	*0.1
Hops, dry	*0.1
Meat (mammalian)	*0.1
Milks	*0.1
Poppy seed	*0.1
Potato	0.4

Sugar cane	*0.1
------------	------

Agvet chemical: Atrazine*Permitted residue: Atrazine*

Edible offal (mammalian)	T*0.1
Lupin (dry)	*0.02
Maize	*0.1
Meat (mammalian)	T*0.01
Milks	T*0.01
Potato	*0.01
Rape seed (canola)	*0.02
Sorghum	*0.1
Sugar cane	*0.1
Sweet corn (corn-on-the-cob)	*0.1

Agvet chemical: Avermectin B1see *Abamectin***Agvet chemical: Avilamycin***Permitted residue: Inhibitory substance, identified as avilamycin*

Poultry, edible offal of	*0.05
Poultry meat	*0.05

Agvet chemical: Azaconazole*Permitted residue: Azaconazole*

Mushrooms	0.1
-----------	-----

Agvet chemical: Azamethiphos*Permitted residue: Azamethiphos*

Cereal grains	0.1
Eggs	*0.05
Poultry, edible offal of	*0.05
Poultry meat	*0.05
Wheat bran, unprocessed	0.5

Agvet chemical: Azaperone*Permitted residue: Azaperone*

Pig, edible offal of	0.2
Pig meat	0.2

Agvet chemical: Azimsulfuron*Permitted residue: Azimsulfuron*

Edible offal (mammalian)	*0.02
Eggs	*0.02
Meat (mammalian)	*0.02
Milks	*0.02
Poultry, edible offal of	*0.02
Poultry meat	*0.02
Rice	*0.02

Agvet chemical: Azinphos-methyl*Permitted residue: Azinphos-methyl*

Blueberries	1
Citrus fruits	2
Edible offal (mammalian)	*0.05

Grapes	2
Kiwifruit	2
Litchi	2
Macadamia nuts	*0.01
Meat (mammalian)	*0.05
Milks	*0.05
Oilseed	*0.05
Pome fruits	2
Raspberries, red, black	1
Stone fruits	2
Strawberry	1

Agvet chemical: Azoxystrobin*Permitted residue: Azoxystrobin*

Almonds	*0.01
Anise myrtle leaves	T100
Avocado	1
Banana	T0.5
Barley	*0.02
Beans [except broad and soya bean]	2
Bergamot	T50
Blackberries	5
Blueberries	5
Boysenberry	5
Brassica leafy vegetables [except mizuna]	2
Brassica (cole or cabbage) vegetables, Head cabbages, Flowerhead brassicas	0.7
Bulb vegetables [except fennel, bulb; onion, bulb]	2
Burnet, Salad	T50
Carrot	0.2
Chervil	T50
Chick-pea (dry)	T0.5
Citrus fruits	10
Cloudberry	T5
Coriander (leaves, stem, roots)	T50
Coriander, seed	T50
Cotton seed	*0.01
Cranberry	0.5
Dewberries (including loganberry)	T3
Dill, seed	T50
Dried grapes	5
Edible offal (mammalian)	*0.01
Eggs	*0.01
Fennel, seed	T50
Fennel, bulb	T0.1
Fruiting vegetables, cucurbits	1
Galangal, Greater	T0.1
Gooseberry	T3
Grapes	2
Herbs [except as otherwise listed under this chemical]	T50
Horseradish	0.5
Kaffir lime leaves	T50
Lemon grass	T50
Lemon myrtle leaves	T100
Lemon verbena (dry leaves)	T50

Lentil (dry)	T0.5
Lettuce, head	15
Lettuce, leaf	15
Maize	T*0.01
Mango	0.5
Meat (mammalian)	*0.01
Mexican tarragon	T50
Milks	0.005
Mizuna	T50
Olives	T2
Passionfruit	0.5
Peanut	0.05
Peanut oil, crude	0.1
Peppers	3
Poppy seed	*0.02
Potato	0.05
Poultry, edible offal of	*0.01
Poultry meat	*0.01
Radish	0.5
Raspberries, red, black	5
Ribberries	T10
Rice	T7
Rose and dianthus (edible flowers)	T50
Spices	*0.1
Stone fruits	1.5
Strawberry	10
Tea, green, black	T20
Tomato	T1
Tree nuts [except almonds]	2
Turmeric, root	T0.1
Wheat	*0.02

Agvet chemical: Bacitracin*Permitted residue: Inhibitory substance, identified as bacitracin*

Chicken, edible offal of	*0.5
Chicken fat	*0.5
Chicken meat	*0.5
Eggs	*0.5
Milks	*0.5

Agvet chemical: Benalaxyl*Permitted residue: Benalaxyl*

Fruiting vegetables, cucurbits	0.2
Garlic	0.1
Grapes	0.5
Lettuce, head	*0.01
Lettuce, leaf	*0.01
Onion, bulb	0.1
Shallot	T0.5
Spring onion	T0.1

Agvet chemical: Bendiocarb*Permitted residue—commodities of plant origin:
Unconjugated bendiocarb*

Permitted residue—commodities of animal origin: Sum of conjugated and unconjugated Bendiocarb, 2,2-dimethyl-1,3-benzodioxol-4-ol and N-hydroxymethylbendiocarb, expressed as Bendiocarb

Banana	*0.02
Cattle, edible offal of	0.2
Cattle meat	0.1
Eggs	0.05
Milks	0.1
Poultry, edible offal of	0.1
Poultry meat	0.05

Agvet chemical: Benfluralin

Permitted residue: Benfluralin

Lettuce, head	T*0.05
Lettuce, leaf	T*0.05

Agvet chemical: Benomyl

see *Carbendazim*

Agvet chemical: Bensulfuron-methyl

Permitted residue: Bensulfuron-methyl

Rice	*0.02
Rice bran, processed	*0.05

Agvet chemical: Bensulide

Permitted residue: Bensulide

Fruiting vegetables, cucurbits	*0.1
--------------------------------	------

Agvet chemical: Bentazone

Permitted residue: Bentazone

Beans [except broad bean and soya bean]	*0.1
Broad bean (green pods and immature seeds)	*0.1
Edible offal (mammalian)	*0.05
Eggs	*0.05
Garden pea (shelled)	T*0.05
Meat (mammalian)	*0.05
Milks	*0.05
Onion, bulb	T0.1
Peanut	*0.1
Podded pea (young pods) (snow and sugar snap)	T0.05
Poultry, edible offal of	*0.05
Poultry meat	*0.05
Pulses	*0.01
Rice	*0.03
Sweet corn (corn-on-the-cob)	*0.1

Agvet chemical: Benzocaine

Permitted residue: Benzocaine

Abalone	*0.05
Finfish	*0.05

Agvet chemical: Benzofenap

Permitted residue: Sum of benzofenap, benzofenap-OH and Benzofenap-red, expressed as benzofenap

Rice	*0.01
------	-------

Agvet chemical: Benzyladenine

Permitted residue: Benzyladenine

Apple	0.2
Pear	T0.2
Pistachio nut	T*0.05

Agvet chemical: Benzyl G penicillin

Permitted residue: Inhibitory substance, identified as benzyl G penicillin

Edible offal (mammalian)	*0.06
Meat (mammalian)	*0.06
Milks	*0.0015

Agvet chemical: Betacyfluthrin

see *Cyfluthrin*

Agvet chemical: Bifenazate

Permitted residue: Sum of bifenazate and bifenazate diazene (diazene-carboxylic acid, 2-(4-methoxy-[1,1'-biphenyl-3-yl] 1-methylethyl ester), expressed as bifenazate

Almonds	0.1
Apricot	0.5
Bitter melon	T0.5
Blackberries	T7
Cherries	2.5
Cloudberry	T7
Cranberry	1.5
Cucumber	T0.5
Dewberries (including boysenberry and loganberry)	T7
Dried grapes	T2
Edible offal (mammalian)	*0.01
Egg plant	T0.1
Grapes [except wine grapes]	T1
Hops, dry	T3
Lettuce, head	T20
Lettuce, leaf	T20
Meat (mammalian) (in the fat)	*0.01
Milks	*0.01
Nectarine	0.5
Papaya (pawpaw)	T0.5
Peach	2
Peas	T0.5
Peppers	T0.5
Plums (including prunes)	0.5
Pome fruits	2
Raspberries, red, black	T7
Sinkwa or Sinkwa towel gourd	T0.5
Squash, Summer	T0.5
Strawberry	T2
Tomato	T1
Yard-long bean (pods)	T1

Agvet chemical: Bifenthrin*Permitted residue: Bifenthrin*

Apple	*0.05
Avocado	T0.1
Banana	0.1
Blackberries	T3
Blueberries	T3
Brassica (cole or cabbage) vegetables, Head cabbages, Flower head brassicas [except Cabbages, Head]	T1
Cabbages, Head	T7
Cereal grains	*0.02
Cherries	T1
Chervil	T10
Citrus fruits	*0.05
Cloudberry	T3
Common bean (pods and/or immature seeds)	T1
Cotton seed	0.1
Cucumber	T0.5
Dewberries (including boysenberry and loganberry)	T3
Edible offal (mammalian)	0.5
Eggs	*0.05
Field pea (dry)	T*0.01
Fruiting vegetables, cucurbits [except cucumber]	0.1
Fruiting vegetables, other than cucurbits	0.5
Galangal, rhizomes	T10
Ginger, root	T*0.01
Gooseberry	T3
Grapes	*0.01
Herbs	T10
Kaffir lime leaves	T10
Leafy vegetables [except chervil; mizuna; rucola (rocket)]	T2
Lemon balm	T10
Lemon grass	T10
Lemon verbena	T10
Lupin (dry)	T*0.02
Meat (mammalian) (in the fat)	2
Milks	0.5
Mizuna	T10
Olives	T0.5
Pear	0.5
Peas (pods and succulent, immature seeds)	*0.01
Pineapple	T*0.01
Poppy seed	*0.02
Poultry, edible offal of	*0.05
Poultry meat (in the fat)	*0.05
Pulses [except field pea (dry) and lupin (dry)]	*0.02
Rape seed (canola)	*0.02
Raspberries, red, black	T3
Rucola (rocket)	T10
Stone fruits [except cherries]	1
Strawberry	1

Sugar cane	*0.01
Sweet potato	*0.05
Taro	T*0.05
Tea, green, black	5
Turmeric, root	T10

Agvet chemical: Bioresmethrin*Permitted residue: Bioresmethrin*

Mango	T0.5
-------	------

Agvet chemical: Bitertanol*Permitted residue: Bitertanol*

Beans [except broad bean and soya bean]	0.5
Edible offal (mammalian)	3
Eggs	*0.01
Meat (mammalian) (in the fat)	0.3
Milks	0.2
Poultry, edible offal of	*0.01
Poultry meat	*0.01
Strawberry	*0.05

Agvet chemical: Boscalid*Permitted residue—commodities of plant origin: Boscalid**Permitted residue—commodities of animal origin: Sum of boscalid, 2-chloro-N-(4'-chloro-5-hydroxybiphenyl-2-yl) nicotinamide and the glucuronide conjugate of 2-chloro-N-(4'-chloro-5-hydroxybiphenyl-2-yl) nicotinamide, expressed as boscalid equivalents*

All other foods	0.5
Blackberries	T10
Blueberries	T15
Boysenberry	T10
Brassica (cole or cabbage) vegetables, Head cabbages, Flowerhead brassicas	2
Bulb vegetables [except onion, bulb]	T3
Cherries	T3
Cloudberry	T10
Dewberries (including loganberry and youngberry) [except boysenberry]	T10
Dried grapes	15
Fruiting vegetables, cucurbits	0.5
Fruiting vegetables, other than cucurbits	1
Edible offal (mammalian)	0.3
Grapes	4
Leafy vegetables	30
Legume vegetables	3
Meat (mammalian) (in the fat)	0.3
Milk fats	0.7
Milks	0.1
Onion, bulb	T1
Pistachio nut	T2
Pome fruits	2
Raspberries, red, black	T10
Root and tuber vegetables	1
Silvanberries	T10
Stone fruits [except cherries]	1.7

Strawberry	10
------------	----

Agvet chemical: Brodifacoum*Permitted residue: Brodifacoum*

Cereal grains	T*0.00002
Edible offal (mammalian)	T*0.00005
Meat (mammalian)	T*0.00005
Pulses	T*0.00002
Sugar cane	*0.0005

Agvet chemical: Bromacil*Permitted residue: Bromacil*

Asparagus	*0.04
Citrus fruits	*0.04
Edible offal (mammalian)	*0.04
Meat (mammalian)	*0.04
Milks	*0.04
Pineapple	*0.04

Agvet chemical: Bromoxynil*Permitted residue: Bromoxynil*

Cereal grains	*0.2
Edible offal (mammalian)	T3
Eggs	*0.02
Garlic	T0.1
Grapes	*0.01
Linseed	*0.02
Meat (mammalian) (in the fat)	T1
Milks	T0.1
Poultry, edible offal of	*0.02
Poultry meat	*0.02
Sugar cane	*0.02

Agvet chemical: Bupirimate*Permitted residue: Bupirimate*

Apple	1
Egg plant	T1
Fruiting vegetables, cucurbits	1
Peppers	0.7
Strawberry	1

Agvet chemical: Buprofezin*Permitted residue: Buprofezin*

Celery	T5
Chervil	T50
Citrus fruits	2
Coriander (leaves, stem, roots)	T50
Cotton seed	T1
Cotton seed oil, crude	T0.3
Custard apple	0.1
Dried grapes (currants, raisins and sultanas)	1
Edible offal (mammalian)	*0.05
Fruiting vegetables, cucurbits	T2
Fruiting vegetables, other than cucurbits	T2
Grapes	0.3

Herbs	T50
Lettuce, leaf	T10
Mango	0.2
Meat (mammalian) (in the fat)	*0.05
Milks	*0.01
Mizuna	T50
Olives	T0.5
Olive oil, crude	T2
Passionfruit	2
Pear	0.2
Persimmon, Japanese	1
Rucola (rocket)	T50
Stone fruits [except apricot; peach]	1.9
Tree tomato	T1

Agvet chemical: Butafenacil*Permitted residue: Butafenacil*

Cereal grains [except rice]	*0.02
Edible offal (mammalian)	*0.02
Eggs	*0.01
Grapes	T*0.02
Meat (mammalian)	*0.01
Milks	*0.01
Pome fruits	T*0.02
Poultry, edible offal of	*0.02
Poultry meat	*0.01
Stone fruits	T*0.02

Agvet chemical: Butroxydim*Permitted residue: Butroxydim*

Edible offal (mammalian)	*0.01
Eggs	*0.01
Legume vegetables	*0.01
Meat (mammalian)	*0.01
Milks	*0.01
Oilseed	*0.01
Poultry, edible offal of	*0.01
Poultry meat	*0.01
Pulses	*0.0

Agvet chemical: Cadusafos*Permitted residue: Cadusafos*

Banana	*0.01
Citrus fruits	*0.01
Ginger, root	0.1
Sugar cane	*0.01
Tomato	*0.01

Agvet chemical: Captan*Permitted residue: Captan*

Almonds	0.3
Berries and other small fruits [except blueberries; grapes; strawberry]	T30
Blueberries	20
Chick-pea (dry)	T0.1
Cucumber	T5
Dried grapes	15

Edible offal (mammalian)	*0.05
Eggs	*0.02
Grapes	10
Lentil (dry)	T0.1
Lettuce, leaf	T7
Meat (mammalian)	*0.05
Milks	*0.01
Peppers, Chili	T7
Peppers, Sweet	T7
Pitaya (dragon fruit)	T20
Pome fruits	10
Poultry, edible offal of	*0.02
Poultry meat	*0.02
Stone fruits	15
Strawberry	10
Tree nuts [except almonds]	3

Agvet chemical: Carbaryl*Permitted residue: Carbaryl*

Apricot	10
Asparagus	10
Avocado	10
Banana (in the pulp)	5
Barley	15
Blackberries	10
Blueberries	7
Brazilian cherry (grumichama)	5
Carambola	5
Cassava	T1
Cereal grains [except barley; sorghum]	5
Cherries	5
Citrus fruits	7
Cotton seed	3
Cranberry	3
Custard apple	5
Dewberries (including boysenberry and loganberry)	10
Edible offal (mammalian)	T0.2
Eggs	T0.2
Elephant apple	5
Feijoa	5
Fruiting vegetables, cucurbits	3
Galangal, rhizomes (fresh)	T5
Granadilla	5
Grapes	5
Guava	5
Jaboticaba	5
Jackfruit	5
Jambu	5
Kiwifruit	10
Leafy vegetables	10
Litchi	5
Longan	5
Mango	5
Meat (mammalian)	T0.2
Milks	T*0.05
Nectarine	10
Okra	10

Olives	10
Olives, processed	1
Papaya (pawpaw)	5
Passionfruit	5
Peach	10
Plums (including prunes)	5
Pome fruits	5
Potato	0.2
Poultry, edible offal of	T5
Poultry meat	T0.5
Rambutan	5
Raspberries, red, black	10
Sapodilla	5
Sapote, black	5
Sapote, green	5
Sapote, mammey	5
Sapote, white	5
Sorghum	10
Strawberry	7
Sugar cane	T*0.05
Sunflower seed	1
Sweet corn (corn-on-the-cob)	1
Tree nuts	1
Tree nuts (whole in shell)	10
Turmeric, root (fresh)	T5
Vegetables [except as otherwise listed under this chemical]	5
Wheat bran, unprocessed	T20

Agvet chemical: Carbendazim

Permitted residue: Sum of carbendazim and 2-aminobenzimidazole, expressed as carbendazim

Apple	0.2
Apricot	2
Banana	T1
Berries and other small fruits [except grapes]	T5
Cherries	20
Chives	*0.1
Citron	0.7
Edible offal (mammalian)	0.2
Eggs	*0.1
Garlic	T0.2
Ginger, root	T10
Grapefruit	0.2
Grapes	0.3
Lemon	0.7
Lime	0.7
Macadamia nuts	0.1
Mandarins	0.7
Meat (mammalian)	0.2
Milks	*0.1
Mineola	0.7
Mushrooms	T5
Nectarine	0.2
Onion, bulb	T*0.2
Oranges	0.2
Peach	0.2

Pear	0.2
Peppers	*0.1
Peppers, Chili (dry)	20
Poultry, edible offal of	*0.1
Poultry meat	*0.1
Pulses	0.5
Shaddock (pomelo)	0.2
Spices	*0.1
Sugar cane	T0.1
Tangelo [except mineola]	0.2
Tangors	0.7
Tomato	0.5

Agvet chemical: Carbofuran

Permitted residue: Sum of carbofuran and 3-hydroxycarbofuran, expressed as carbofuran

Barley	0.2
Cotton seed	0.1
Edible offal (mammalian)	*0.05
Eggs	*0.05
Garlic	T0.1
Meat (mammalian)	*0.05
Milks	*0.05
Poultry, edible offal of	*0.05
Poultry meat	*0.05
Rice	0.2
Sugar cane	*0.1
Sunflower seed	0.1
Wheat	0.2

Agvet chemical: Carbon disulphide

Permitted residue: Carbon disulfide

Cereal grains	10
Pulses	T10

Agvet chemical: Carbonyl sulphide

Permitted residue: Carbonyl sulphide

Cereal grains	T0.2
Pulses	T0.2
Rape seed (canola)	T0.2

Agvet chemical: Carbosulfan

see *Carbofuran*

Agvet chemical: Carboxin

Permitted residue: Carboxin

Cereal grains	0.1
---------------	-----

Agvet chemical: Carfentrazone-ethyl

Permitted residue: Carfentrazone-ethyl

Assorted tropical and sub-tropical fruits - edible peel	*0.05
Assorted tropical and sub-tropical fruits - inedible peel	*0.05
Berries and other small fruits [except grapes]	T*0.05
Cereal grains	*0.05

Citrus fruits	*0.05
Cotton seed	T*0.05
Edible offal (mammalian)	*0.05
Eggs	*0.05
Grapes	*0.05
Hops, dry	*0.05
Meat (mammalian)	*0.05
Milks	*0.025
Pome fruits	*0.05
Potato	*0.05
Poultry, edible offal of	*0.05
Poultry meat	*0.05
Stone fruits	*0.05
Tree nuts	*0.05

Agvet chemical: Ceftiofur*Permitted residue: Desfuroylceftiofur*

Cattle, edible offal of	2
Cattle fat	0.5
Cattle meat	0.1
Cattle milk	0.1

Agvet chemical: Cefuroxime*Permitted residue: Inhibitory substance, identified as cefuroxime*

Cattle, edible offal of	*0.1
Cattle meat	*0.1
Cattle milk	*0.1

Agvet chemical: Cephalonium*Permitted residue: Inhibitory substance, identified as cephalonium*

Cattle, edible offal of	*0.1
Cattle meat	*0.1
Cattle milk	*0.02

Agvet chemical: Cephapirin*Permitted residue: Cephapirin and des-acetylcephapirin, expressed as cephapirin*

Cattle, edible offal of	*0.02
Cattle meat	*0.02
Cattle milk	*0.01

Agvet chemical: Chinomethionatsee *Oxythioquinox***Agvet chemical: Chlorantraniliprole***Permitted residue: Plant commodities and animal commodities other than milk: Chlorantraniliprole**Milk: Sum of chlorantraniliprole, 3-bromo-N-[4-chloro-2-(hydroxymethyl)-6-[(methylamino)carbonyl]phenyl]-1-(3-chloro-2-pyridinyl)-1H-pyrazole-5-carboxamide, and 3-bromo-N-[4-chloro-2-(hydroxymethyl)-6-[[[(hydroxymethyl)amino)carbonyl]phenyl]-1-(3-chloro-2-pyridinyl)-1H-pyrazole-5-carboxamide, expressed as chlorantraniliprole*

Adzuki bean (dry)	T0.5
-------------------	------

All other foods	*0.01
Almonds	T0.05
Brassica (cole or cabbage) vegetables, Head cabbages, Flowerhead brassicas	0.5
Celery	5
Cotton seed	0.3
Coriander (leaves, stem, roots)	T20
Cranberry	1
Dried fruits	2
Edible offal (mammalian) [except liver]	*0.01
Eggs	0.03
Fruiting vegetables, cucurbits	0.2
Fruiting vegetables, other than cucurbits [except peppers, chili and sweet corn (corn-on-the-cob)]	0.3
Grapes [except table grapes]	0.3
Herbs	T20
Leafy vegetables [except lettuce, head; rucola]	15
Legume vegetables	1
Lettuce, head	3
Liver (mammalian)	0.02
Meat (mammalian) (in the fat)	0.02
Mexican tarragon	T20
Milk fats	0.1
Milks	*0.01
Mung bean (dry)	T0.5
Peppers, Chili	1
Pistachio nut	T0.05
Pome fruits	0.3
Potato	*0.01
Poultry, edible offal of	*0.01
Poultry meat (in the fat)	*0.01
Radish	T0.05
Rhubarb	5
Rucola (rocket)	T20
Soya bean (dry)	T0.05
Stone fruits	1
Strawberry	T0.5
Swede	T0.05
Sweet corn (corn-on-the-cob)	*0.01
Table grapes	1.2
Turnip, Garden	T0.05

Agvet chemical: Chlorfenapyr*Permitted residue: Chlorfenapyr*

Brassica (cole or cabbage) vegetables, Head cabbages, Flowerhead brassicas	0.5
Brassica leafy vegetables [except chinese cabbage]	T3
Chinese cabbage	3
Cotton seed	0.5
Edible offal (mammalian)	*0.05
Eggs	*0.01
Meat (mammalian) (in the fat)	0.05
Milks	*0.01
Mizuna	T3
Onion, Welsh	T1

Peach	1
Pome fruits	0.5
Poultry, edible of	*0.01
Poultry meat (in the fat)	*0.01
Rucola (rocket)	T5
Shallot	T1
Spring onion	T1

Agvet chemical: Chlorfenvinphos*Permitted residue: Chlorfenvinphos, sum of E and Z isomers*

Broccoli	T0.05
Brussels sprouts	T0.05
Cabbages, head	T0.05
Carrot	T0.4
Cattle, edible offal of	T*0.1
Cattle meat (in the fat)	T0.2
Cattle milk (in the fat)	T0.2
Cauliflower	T0.1
Celery	T0.4
Cotton seed	T0.05
Deer meat (in the fat)	0.2
Egg plant	T0.05
Goat, edible offal of	T*0.1
Goat meat (in the fat)	T0.2
Horseradish	T0.1
Leek	T0.05
Maize	T0.05
Mushrooms	T0.05
Onion, bulb	T0.05
Peanut	T0.05
Potato	T0.05
Radish	T0.1
Rice	T0.05
Sheep, edible offal of	T*0.1
Sheep meat (in the fat)	T0.2
Swede	T0.05
Sweet potato	T0.05
Tomato	T0.1
Turnip, garden	T0.05
Wheat	T0.05

Agvet chemical: Chlorfluazuron*Permitted residue: Chlorfluazuron*

Cattle, edible offal of	0.1
Cattle meat (in the fat)	1
Cattle milk	0.1
Cotton seed	0.1
Cotton seed oil, crude	0.1
Cotton seed oil, edible	*0.05
Eggs	0.2
Poultry, edible offal of	0.1
Poultry meat (in the fat)	1

Agvet chemical: Chlorhexidine*Permitted residue: Chlorhexidine*

Milks	0.05
-------	------

Sheep, edible offal of	*0.5
Sheep fat	*0.5
Sheep meat	*0.5

Agvet chemical: Chloridazon*Permitted residue: Chloridazon*

Beetroot	*0.05
----------	-------

Agvet chemical: Chlormequat*Permitted residue: Chlormequat cation*

Barley	T2
Dried grapes	0.75
Edible offal (mammalian)	0.5
Eggs	0.1
Grapes	0.75
Meat (mammalian)	0.2
Milks	0.5
Poultry, edible offal of	0.1
Poultry meat	*0.05
Wheat	5

Agvet chemical: Chloropicrin*Permitted residue: Chloropicrin*

Cereal grains	*0.1
---------------	------

Agvet chemical: Chlorothalonil*Permitted residue—commodities of plant origin:**Chlorothalonil**Permitted residue—commodities of animal origin: 4-hydroxy-2,5,6-trichloroisophthalonitrile metabolite, expressed as chlorothalonil*

Almonds	T0.1
Apricot	7
Asparagus	T*0.1
Banana	3
Berries and other small fruits [except blackcurrant and grapes]	T10
Brussels sprouts	7
Carrot	7
Celery	10
Cherries	10
Coriander (leaves, stem, roots)	T20
Currant, black	10
Edible offal (mammalian)	7
Egg plant	T10
Fennel, bulb	5
Fennel, leaf	5
Fennel, seed	5
Fruiting vegetables, cucurbits	5
Galangal, Greater	T7
Galangal, Lesser	T7
Garlic	10
Grapes	10
Herbs [except fennel, leaf]	T20
Leafy vegetables [except lettuce]	T100
Leek	T10
Meat (mammalian) (in the fat)	2

Milks	0.05
Nectarine	7
Onion, bulb	10
Papaya (pawpaw)	10
Peach	30
Peanut	0.2
Peas (pods and succulent, immature seeds)	10
Persimmon, Japanese	T5
Plums (including prunes)	10
Potato	0.1
Poultry, edible offal of	*0.05
Poultry meat	*0.05
Pulses	3
Rice	T*0.1
Spring onion	T10
Sunflower seed	T*0.01
Tomato	10
Tree tomato	T10
Turmeric root	T7
Vegetables [except asparagus; Brussels sprouts; carrot; celery; egg plant; fennel bulb; fruiting vegetables, cucurbits; garlic; leafy vegetables; leek; onion, bulb; peas (pods and succulent, immature seeds); potato; pulses; spring onion; tomato]	T7
Wasabi	T7

Agvet chemical: Chlorpropham*Permitted residue: Chlorpropham*

Garlic	*0.05
Onion, bulb	*0.05
Potato	30

Agvet chemical: Chlorpyrifos*Permitted residue: Chlorpyrifos*

Asparagus	T0.5
Avocado	0.5
Banana	T0.5
Blackberries	0.5
Blueberries	*0.01
Brassica (cole or cabbage) vegetables, Head cabbages, Flowerhead brassicas	T0.5
Cassava	T*0.02
Celery	T5
Cereal grains [except sorghum]	T0.1
Cherries	1
Citrus fruits	T0.5
Coffee beans	T0.5
Cotton seed	0.05
Cotton seed oil, crude	0.2
Cranberry	1
Dried fruits	T2
Edible offal (mammalian)	T0.1
Eggs	T*0.01
Ginger, root	*0.02
Grapes	T1

Kiwifruit	2
Leek	T5
Mango	*0.05
Meat (mammalian) (in the fat)	T0.5
Milks (in the fat)	T0.2
Oilseed [except cotton seed and peanut]	T*0.05
Olives	T*0.05
Parsley	0.05
Passionfruit	*0.05
Peanut	0.05
Peppers, Chili (dry)	20
Peppers, Sweet	T1
Persimmon, Japanese	0.5
Pineapple	T0.5
Pitaya (dragon fruit)	T*0.05
Pome fruits	T0.5
Potato	0.05
Poultry, edible offal of	T0.1
Poultry meat (in the fat)	T0.1
Sorghum	T3
Spices	5
Star apple	T*0.05
Stone fruits [except cherries]	T1
Strawberry	0.3
Sugar cane	T0.1
Swede	T0.3
Sweet potato	T0.05
Taro	0.05
Tea, green, black	2
Tomato	T0.5
Tree nuts	T0.05
Vegetables [except asparagus; brassica vegetables; cassava; celery; leek; peppers, chili (dry); Peppers, Sweet; potato; swede; sweet potato; taro and tomato]	T*0.01

Agvet chemical: Chlorpyrifos-methyl*Permitted residue: Chlorpyrifos-methyl*

Cereal grains [except rice]	10
Cotton seed	*0.01
Edible offal (mammalian)	*0.05
Eggs	*0.05
Lupin (dry)	10
Meat (mammalian) (in the fat)	*0.05
Milks (in the fat)	*0.05
Poultry, edible offal of	*0.05
Poultry meat (in the fat)	*0.05
Rice	0.1
Wheat bran, unprocessed	20
Wheat germ	30

Agvet chemical: Chlorsulfuron*Permitted residue: Chlorsulfuron*

Cereal grains	*0.05
Edible offal (mammalian)	*0.05
Meat (mammalian)	*0.05

Milks	*0.05
-------	-------

Agvet chemical: Chlortetracycline

Permitted residue: Inhibitory substance, identified as chlortetracycline

Cattle kidney	0.6
Cattle liver	0.3
Cattle meat	0.1
Eggs	0.2
Pig kidney	0.6
Pig liver	0.3
Pig meat	0.1
Poultry, edible offal of	0.6
Poultry meat	0.1

Agvet chemical: Chlorthal-dimethyl

Permitted residue: Chlorthal-dimethyl

Eggs	*0.05
Edible offal (mammalian)	*0.05
Meat (mammalian)	*0.05
Lettuce, head	2
Lettuce, leaf	2
Milks	*0.05
Parsley	T2
Poultry, edible offal of	*0.05
Poultry meat	*0.05
Vegetables [except as otherwise listed under this chemical]	5

Agvet chemical: Clavulanic acid

Permitted residue: Clavulanic acid

Cattle, edible offal of	*0.01
Cattle meat	*0.01
Cattle milk	*0.01

Agvet chemical: Clethodim

see *Sethoxydim*

Agvet chemical: Clodinafop-propargyl

Permitted residue: Clodinafop-propargyl

Barley	T*0.02
Edible offal (mammalian)	*0.05
Eggs	*0.05
Meat (mammalian)	*0.05
Milks	*0.05
Poultry, edible offal of	*0.05
Poultry meat	*0.05
Wheat	*0.05

Agvet chemical: Clodinafop acid

Permitted residue: (R)-2-[4-(5-chloro-3-fluoro-2-pyridinyloxy) phenoxy] propanoic acid

Barley	T*0.02
Edible offal (mammalian)	*0.1
Eggs	*0.1
Meat (mammalian)	*0.1
Milks	*0.1

Poultry, edible offal of	*0.1
Poultry meat	*0.1
Wheat	*0.1

Agvet chemical: Clofentezine*Permitted residue: Clofentezine*

Almonds	T0.5
Banana	*0.01
Edible offal (mammalian)	T*0.05
Grapes	1
Hops, dry	*0.2
Meat (mammalian)	T*0.05
Milks	T*0.05
Pome fruits	0.1
Stone fruits	0.1
Tomato	T1

Agvet chemical: Clomazone*Permitted residue: Clomazone*

Beans [except broad bean and soya beans]	*0.05
Common beans (pod and/or immature seeds)	T*0.05
Fruiting vegetables, cucurbits	*0.05
Poppy seed	*0.05
Potato	*0.05
Rice	*0.01

Agvet chemical: Clopyralid*Permitted residue: Clopyralid*

Cauliflower	T0.2
Cereal grains	2
Edible offal (mammalian) [except kidney]	0.5
Hops, dry	2
Kidney of cattle, goats, pigs and sheep	5
Meat (mammalian)	0.1
Milks	0.05
Rape seed (canola)	0.5

Agvet chemical: Cloquintocet-mexyl*Permitted residue: Sum of cloquintocet mexyl and 5-chloro-8-quinolinoxyacetic acid, expressed as cloquintocet mexyl*

Barley	*0.1
Edible offal (mammalian)	*0.1
Eggs	*0.1
Meat (mammalian)	*0.1
Milks	*0.1
Poppy seed	T*0.02
Poultry, edible offal of	*0.1
Poultry meat	*0.1
Rye	*0.1
Triticale	*0.1
Wheat	*0.1

Agvet chemical: Clorsulon

Permitted residue: Clorsulon

Cattle, edible offal of	*0.1
Cattle meat	*0.1
Cattle milk	1.5

Agvet chemical: Closantel*Permitted residue: Closantel*

Sheep, edible offal of	5
Sheep meat	2

Agvet chemical: Clothianidin*Permitted residue: Clothianidin*

Apricot	T2
Banana	*0.02
Cherries	T5
Cotton seed	*0.02
Cranberry	0.01
Dried grapes	10
Edible offal (mammalian)	*0.02
Eggs	*0.02
Grapes [except wine grapes]	3
Maize	T*0.01
Meat (mammalian)	*0.02
Milks	*0.01
Persimmon, American	T2
Persimmon, Japanese	T2
Pome fruits	T2
Poultry, edible offal of	*0.02
Poultry meat	*0.02
Rape seed (canola)	T*0.01
Sorghum	T*0.01
Soya bean (dry)	T0.02
Stone fruits [except cherries]	T3
Sugar cane	0.1
Sunflower seed	T*0.01
Sweet corn (corn-on-the-cob)	T0.02
Wine grapes	*0.02

Agvet chemical: Cloxacillin*Permitted residue: Inhibitory substance, identified as Cloxacillin*

Cattle milk	*0.01
-------------	-------

Agvet chemical: Coumaphos*Permitted residue: Sum of coumaphos and its oxygen analogue, expressed as coumaphos*

Cattle fat	*0.02
Cattle kidney	*0.02
Cattle liver	*0.02
Cattle milk	*0.01
Cattle milk fat	0.1
Cattle muscle	*0.02

Agvet chemical: Cyanamide*Permitted residue: Cyanamide*

Apple	*0.02
Blueberries	*0.05

Grapes	*0.05
Kiwifruit	*0.1
Pear, Oriental (nashi)	*0.1
Stone fruits	T*0.05

Agvet chemical: Cyanazine*Permitted residue: Cyanazine*

Bulb vegetables	*0.02
Cereal grains	*0.01
Leek	0.05
Peas	0.02
Podded pea (young pods) (snow and sugar snap)	0.05
Potato	0.02
Pulses	*0.01
Sweet corn (corn-on-the-cob)	*0.02

Agvet chemical: Cyantraniliprole*Permitted residue—commodities of plant origin:**Cyantraniliprole**Permitted residue—commodities of animal origin for enforcement: Cyantraniliprole**Permitted residue—commodities of animal origin for dietary exposure assessment: Sum of cyantraniliprole and 2-[3-bromo-1-(3-chloropyridin-2-yl)-1H-pyrazol-5-yl]-3,8-dimethyl-4-oxo-3,4-dihydroquinazoline-6-carbonitrile (IN-J9Z38), 2-[3-bromo-1-(3-chloropyridin-2-yl)-1H-pyrazol-5-yl]-8-methyl-4-oxo-3,4-dihydroquinazoline-6-carbonitrile (IN-MLA84), 3-bromo-1-(3-chloropyridin-2-yl)-N-[4-cyano-2-[(hydroxymethyl)carbamoyl]-6-methylphenyl]-1H-pyrazole-5-carboxamide (IN-MYX98) and 3-bromo-1-(3-chloropyridin-2-yl)-N-[4-cyano-2-(hydroxymethyl)-6-(methylcarbamoyl)phenyl]-1H-pyrazole-5-carboxamide (IN-N7B69), expressed as cyantraniliprole*

All other foods	0.05
Cotton seed	*0.01
Edible offal (mammalian)	*0.01
Eggs	*0.01
Meat (mammalian) (in the fat)	*0.01
Milk fats	*0.01
Milks	*0.01
Poultry, edible offal of	*0.01
Poultry meat (in the fat)	*0.01

Agvet chemical: Cyclanilide*Permitted residue: Sum of cyclanilide and its methyl ester, expressed as cyclanilide*

Cotton seed	0.2
Cotton seed oil, crude	*0.01
Edible offal (mammalian)	2
Eggs	*0.01
Meat (mammalian)	0.05
Milks	0.05
Poultry, edible offal of	*0.01
Poultry meat	*0.01

Agvet chemical: Cyflufenamid*Permitted residue: Cyflufenamid*

Dried grapes (currants, raisins and sultanas)	0.5
Edible offal (mammalian)	*0.01
Eggs	*0.01
Fruiting vegetables, cucurbits	0.1
Grapes	0.15
Meat (mammalian) (in the fat)	*0.01
Milks	*0.01
Poultry, edible offal of	*0.01
Poultry meat (in the fat)	*0.01

Agvet chemical: Cyfluthrin*Permitted residue: Cyfluthrin, sum of isomers*

Avocado	0.1
Brassica (cole or cabbage) vegetables, Head cabbages, Flowerhead brassicas	0.5
Carambola	T0.1
Cereal grains	2
Chia	T0.5
Citrus fruits	0.2
Cotton seed	0.01
Cotton seed oil, crude	0.02
Custard apple	T0.1
Edible offal (mammalian)	*0.01
Egg plant	T0.2
Eggs	*0.01
Grapes	1
Legume vegetables	0.5
Lemon aspen	T1
Litchi	T0.1
Macadamia nuts	0.05
Mango	T0.1
Mammalian fats [except milk fats]	0.5
Meat (mammalian)	0.02
Milks	0.1
Okra	T0.2
Papaya (pawpaw)	T0.2
Pecan	T0.05
Peppers, Sweet	T0.2
Persimmon, American	T0.1
Persimmon, Japanese	T0.1
Poultry, edible offal of	*0.01
Poultry meat (in the fat)	*0.01
Pulses	0.5
Rape seed (canola)	*0.05
Stone fruits	0.3
Tomato	0.2
Wheat bran, unprocessed	5

Agvet chemical: Cyhalofop-butyl*Permitted residue: Sum of cyhalofop-butyl, cyhalofop and metabolites expressed as cyhalofop-butyl*

Edible offal (mammalian)	*0.05
Eggs	*0.05
Meat (mammalian) (in the fat)	*0.05
Milks	*0.05
Poultry, edible offal of	*0.05
Poultry meat	*0.05

Rice	*0.01
------	-------

Agvet chemical: Cyhalothrin*Permitted residue: Cyhalothrin, sum of isomers*

Barley	0.2
Beetroot	*0.01
Berries and other small fruits	0.2
Brassica (cole or cabbage) vegetables, Head cabbages, Flowerhead brassicas	0.1
Cereal grains [except barley; sorghum; wheat]	*0.01
Chard	T0.5
Citrus fruits	*0.01
Coriander (leaves, stem, roots)	T1
Cotton seed	*0.02
Cucumber	T0.05
Edible offal (mammalian)	*0.02
Eggs	*0.02
Garlic	*0.05
Legume vegetables	0.1
Meat (mammalian) (in the fat)	0.5
Milks (in the fat)	0.5
Onion, bulb	*0.05
Onion, Welsh	T0.05
Parsley	T1
Potato	*0.01
Poultry, edible offal of	*0.02
Poultry meat	*0.02
Pulses [except soya bean (dry)]	0.2
Radish	*0.01
Rape seed (canola)	0.02
Shallot	T0.05
Sorghum	0.5
Soya bean (dry)	*0.02
Spring onion	T0.05
Stone fruits	0.5
Sunflower seed	*0.01
Tea, green, black	1
Tomato	0.02
Wheat	*0.05

Agvet chemical: Cypermethrin*Permitted residue: Cypermethrin, sum of isomers*

Adzuki bean (dry)	T0.05
All other foods	*0.01
Asparagus	0.5
Avocado	T0.2
Beetroot	T0.1
Berries and other small fruits [except grapes]	0.5
Brassica (cole or cabbage) vegetables, Head cabbages, Flowerhead brassicas	1
Broad bean (dry) (fava bean)	0.05
Cattle, edible offal of	0.05
Cattle meat (in the fat)	0.5
Celery	T1
Cereal grains [except wheat]	1
Chick-pea (dry)	0.2

Common bean (dry) (navy bean)	0.05
Coriander (leaves, stem, roots)	T5
Coriander, seed	T1
Cotton seed	0.2
Cotton seed oil, crude	*0.02
Cucumber	T0.3
Deer meat (in the fat)	T0.5
Durian	1
Eggs	0.05
Field pea (dry)	0.05
Goat, edible offal of	0.05
Goat meat (in the fat)	0.5
Grapes	T0.05
Herbs	T5
Horse, edible offal of	*0.05
Horse meat (in the fat)	*0.05
Leafy vegetables [except lettuce head]	T5
Leek	T0.5
Lemon balm	T5
Lettuce, head	2
Linola oil, edible	0.1
Linola seed	0.1
Linseed	0.5
Longan	1
Lupin (dry)	*0.01
Milks (in the fat)	1
Mung bean (dry)	0.05
Olives	T*0.05
Onion, bulb	*0.01
Onion, Welsh	T0.5
Peas	1
Peppers, Chili	1
Pig, edible offal of	*0.05
Pig meat (in the fat)	*0.05
Pome fruits	1
Poppy seed	T*0.01
Potato	*0.01
Poultry, edible offal of	*0.05
Poultry meat (in the fat)	*0.05
Radish	T0.05
Rape seed (canola)	0.2
Rape seed oil, edible	0.2
Shallot	T0.5
Sheep, edible offal of	0.05
Sheep meat (in the fat)	0.5
Soya bean (dry)	0.05
Soya bean oil, crude	0.1
Spring onion	T0.5
Stone fruits	1
Sunflower seed	0.1
Sunflower seed oil, crude	0.1
Sweet corn (corn-on-the-cob)	0.05
Tea, green, black	0.5
Tomato	0.5
Wheat	0.2

Agvet chemical: Cyproconazole*Permitted residue: Cyproconazole, sum of isomers*

Barley	*0.02
Chick-pea (dry)	T*0.01
Edible offal (mammalian)	1
Eggs	*0.01
Lentil (dry)	T*0.01
Meat (mammalian)	0.03
Milks	*0.01
Peanut	0.02
Potato	*0.02
Poultry, edible offal of	*0.01
Poultry meat	*0.01
Wheat	*0.02

Agvet chemical: Cyprodinil*Permitted residue: Cyprodinil*

Blackberries	10
Blueberries	3
Boysenberry	10
Cloudberry	T5
Common bean (pods and/or immature seeds)	0.7
Cucumber	0.5
Dewberries (including boysenberry and loganberry)	T5
Dried grapes (currants, raisins and sultanas)	5
Dried stone fruits	0.05
Edible offal (mammalian)	*0.01
Egg plant	T0.2
Grapes	2
Leafy vegetables	10
Meat (mammalian)	*0.01
Melons, except watermelon	T0.2
Milks	*0.01
Onion, bulb	0.2
Peas (pods and succulent, immature seeds)	0.5
Peppers, Sweet	0.7
Pistachio nut	T0.1
Pome fruits	0.05
Raspberries, red, black	10
Stone fruits	2
Strawberry	5
Tomato	T1

Agvet chemical: Cyromazine*Permitted residue: Cyromazine*

Cattle, edible offal of	0.05
Cattle meat	0.05
Eggs	0.2
Goat, edible offal of	0.2
Goat meat	0.2
Milks	*0.01
Pig, edible offal of	0.05
Pig meat	0.05
Poultry, edible offal of	0.1
Poultry meat	0.05
Sheep, edible offal of	0.2

Sheep meat	0.2
Agvet chemical:	2,4-D
Permitted residue:	2,4-D
Cereal grains	0.2
Citrus fruits	5
Edible offal (mammalian)	2
Eggs	*0.05
Grapes	T*0.05
Legume vegetables	*0.05
Lupin (dry)	*0.05
Meat (mammalian)	0.2
Milks	*0.05
Oilseed	*0.05
Pear	*0.05
Potato	0.1
Poultry, edible offal of	*0.05
Poultry meat	*0.05
Pulses	*0.05
Sugar cane	5

Agvet chemical: Daminozide*Permitted residue: Daminozide*

Edible offal (mammalian)	0.2
Eggs	0.2
Meat (mammalian)	0.2
Milks	*0.05
Peach	30
Peanut	20
Pome fruits	30
Poultry, edible offal of	0.2
Poultry meat	0.2

Agvet chemical: 2,4-DB*Permitted residue: 2,4-DB*

Cereal grains	*0.02
Edible offal (mammalian)	0.2
Eggs	*0.05
Meat (mammalian)	0.2
Milks	*0.05
Poultry, edible offal of	*0.05
Poultry meat	*0.05

Agvet chemical: Deltamethrin*Permitted residue: Deltamethrin*

Brassica (cole or cabbage) vegetables, Head cabbages, Flowerhead brassicas	*0.05
Cattle, edible offal of	0.1
Cattle meat (in the fat)	0.5
Cereal grains	2
Eggs	*0.01
Fruiting vegetables, other than cucurbits	0.1
Goat, edible offal of	0.1
Goat meat (in the fat)	0.2
Legume vegetables	0.1
Milks	0.05
Oilseed	0.1

Pig, edible offal of	*0.01
Pig meat (in the fat)	0.1
Poultry, edible offal of	*0.01
Poultry meat (in the fat)	*0.01
Pulses	0.1
Sheep, edible offal of	0.1
Sheep meat (in the fat)	0.2
Sweet corn (kernels)	0.1
Tea, green, black	5
Wheat bran, unprocessed	5
Wheat germ	3

Agvet chemical: Dexamethasone and Dexamethasone trimethylacetate

Permitted residue: Dexamethasone

Cattle, edible offal of	0.1
Cattle meat	0.1
Cattle milk	*0.05
Horse, edible offal of	0.1
Horse meat	0.1
Pig, edible offal of	0.1
Pig meat	0.1

Agvet chemical: Diafenthiuron

Permitted residue: Sum of diafenthiuron; N-[2,6-bis(1-methylethyl)-4-phenoxyphenyl]-N'-(1,1-dimethylethyl)urea; and N-[2,6-bis(1-methylethyl)-4-phenoxyphenyl]-N'-(1,1-dimethylethyl)carbodiimide, expressed as diafenthiuron

Cotton seed	0.2
Edible offal (mammalian)	*0.02
Eggs	*0.02
Meat (mammalian) (in the fat)	*0.02
Milks	*0.02
Peanut	T0.1
Poultry, edible offal of	*0.02
Poultry meat (in the fat)	*0.02

Agvet chemical: Diazinon

Permitted residue: Diazinon

Cereal grains	0.1
Citrus fruits	0.7
Coriander (leaves, stem, roots)	*0.05
Coriander, seed	*0.05
Edible offal (mammalian)	0.7
Eggs	*0.05
Fruit [except as otherwise listed under this chemical]	0.5
Kiwifruit	0.5
Meat (mammalian) (in the fat)	0.7
Milks (in the fat)	0.5
Olive oil, crude	2
Parsley	*0.05
Peach	0.7
Poultry, edible offal of	*0.05
Poultry meat	*0.05
Shallot	T0.5
Spring onion	T0.5

Sugar cane	0.5
Sweet corn (corn-on-the-cob)	0.7
Tree nuts	0.1
Vegetable oils, crude [except olive oil, virgin]	0.1
Vegetables	0.7

Agvet chemical: Dicamba*Permitted residue: Dicamba*

Cereal grains	*0.05
Edible offal (mammalian)	0.05
Eggs	*0.05
Meat (mammalian)	0.05
Milks	0.1
Poultry, edible offal of	*0.05
Poultry meat	*0.05
Sugar cane	0.1
Sugar cane molasses	2

Agvet chemical: Dicamba*Permitted residue: Sum of dicamba, 3,6-dichloro-5-hydroxy-2-methoxybenzoic acid and 3,6-dichloro-2-hydroxybenzoic acid, expressed as dicamba*

Soya bean	10
-----------	----

Agvet chemical: Dichlobenil*Permitted residue: Dichlobenil*

Blueberries	T1
Citrus fruits	0.1
Currants, black, red, white	T1
Gooseberry	T1
Grapes	0.1
Pome fruits	0.1
Raspberries, red, black	T1
Stone fruits	0.1
Tomato	0.1

Agvet chemical: Dichlofluanid*Permitted residue: Dichlofluanid*

Berries and other small fruits [except grapes and strawberry]	T50
Grapes	0.5
Peanut	*0.02
Strawberry	10
Tomato	1

Agvet chemical: 1,3-dichloropropene*Permitted residue: 1,3-dichloropropene*

Grapes	0.018
--------	-------

Agvet chemical: Dichlorprop-P*Permitted residue: Sum of dichlorprop acid, its esters and conjugates, hydrolysed to dichlorprop acid, and expressed as dichlorprop acid*

Citrus fruits	0.2
Edible offal (mammalian)	*0.05
Eggs	*0.02

Meat (mammalian)	*0.02
Milks	*0.01
Poultry, edible offal of	*0.05
Poultry meat	*0.02

Agvet chemical: Dichlorvos*Permitted residue: Dichlorvos*

Cacao beans	5
Cereal grains	5
Coffee beans	2
Edible offal (mammalian)	0.05
Eggs	0.05
Fruit	0.1
Lentil (dry)	2
Lettuce, head	1
Lettuce, leaf	1
Meat (mammalian)	0.05
Milks	0.02
Mushrooms	0.5
Peanut	2
Poultry, edible offal of	0.05
Poultry meat	0.05
Rape seed (canola)	T0.1
Rice bran, unprocessed	10
Soya bean (dry)	2
Tomato	0.5
Tree nuts	2
Vegetables [except as otherwise listed under this chemical]	0.5
Wheat bran, unprocessed	10
Wheat germ	10

Agvet chemical: Diclofop-methyl*Permitted residue: Diclofop-methyl*

Cereal grains	0.1
Edible offal (mammalian)	*0.05
Eggs	*0.05
Lupin (dry)	0.1
Meat (mammalian)	*0.05
Milks	*0.05
Oilseed	0.1
Peas	0.1
Poppy seed	0.1
Poultry, edible offal of	*0.05
Poultry meat	*0.05

Agvet chemical: Dicloran*Permitted residue: Dicloran*

Beans [except broad bean and soya bean]	20
Berries and other small fruits [except grapes]	20
Broad bean (green pods and immature seeds)	20
Carrot	15
Grapes	10
Lettuce, head	20
Lettuce, leaf	20

Onion, bulb	20
Stone fruits	15
Sweet potato	20
Tomato	20

Agvet chemical: Dicofol

Permitted residue: Sum of dicofol and 2,2,2-trichloro-1-(4-chlorophenyl)-1-(2-chlorophenyl)ethanol, expressed as dicofol

Almonds	5
Cotton seed	0.1
Cucumber	2
Fruit [except strawberry]	5
Gherkin	2
Hops, dry	5
Strawberry	1
Tea, green, black	5
Tomato	1
Vegetables [except as otherwise listed under this chemical]	5

Agvet chemical: Dicyclanil

Permitted residue: Sum of dicyclanil and its triaminopyridyl metabolite expressed as dicyclanil

Sheep fat	0.3
Sheep kidney	0.3
Sheep liver	0.3
Sheep meat	0.3

Agvet chemical: Dieldrin

see Aldrin and Dieldrin

Agvet chemical: Difenoconazole

Permitted residue: Difenoconazole

Asparagus	*0.05
Avocado	0.5
Banana	*0.02
Beetroot	T0.5
Carrot	0.2
Cereal grains	*0.01
Celeriac	T0.5
Celery	T5
Chives	2
Dried grapes	6
Edible offal (mammalian)	*0.05
Eggs	*0.05
Grapes	4
Macadamia nuts	*0.01
Meat (mammalian)	*0.05
Milks	*0.01
Papaya (pawpaw)	1
Parsley	T15
Pome fruits	0.3
Potato	*0.02
Poultry meat	*0.05
Poultry, edible offal of	*0.05
Tomato	0.5

Agvet chemical: Diflubenzuron*Permitted residue: Diflubenzuron*

Cattle, edible offal of	*0.02
Cattle milk	0.05
Cereal grains	T2
Mushrooms	0.1
Sheep kidney	0.05
Sheep liver	0.05
Sheep meat (in the fat)	0.05
Sheep milk	0.05
Wheat bran, unprocessed	T5

Agvet chemical: Diflufenican*Permitted residue: Diflufenican*

Barley	0.05
Edible offal (mammalian)	0.1
Eggs	*0.02
Grapes	*0.002
Meat (mammalian)	0.01
Milks	0.01
Oats	0.05
Peas	0.05
Poultry, edible offal of	*0.02
Poultry meat	*0.02
Pulses	0.05
Rye	0.05
Triticale	0.05
Wheat	0.02

Agvet chemical: Dimethenamid-P*Permitted residue: Sum of dimethenamid-P and its (R)-isomer*

Common bean (pods and/or immature seeds)	*0.02
Edible offal (mammalian)	*0.01
Eggs	*0.01
Maize	*0.02
Meat (mammalian)	*0.01
Milks	*0.01
Peas	*0.02
Poppy seed	*0.01
Poultry, edible offal of	*0.01
Poultry meat	*0.01
Pulses	*0.02
Pumpkins	*0.02
Rape seed (canola)	T*0.01
Sweet corn (corn-on-the-cob)	*0.02

Agvet chemical: Dimethipin*Permitted residue: Dimethipin*

Cotton seed	0.5
Cotton seed oil, crude	*0.1
Cotton seed oil, refined	*0.1
Edible offal (mammalian)	*0.01
Eggs	*0.02
Meat (mammalian)	*0.01

Milks	*0.01
Poultry, edible offal of	*0.01
Poultry meat	*0.01

Agvet chemical: Dimethirimol*Permitted residue: Dimethirimol*

Fruiting vegetables, cucurbits	1
--------------------------------	---

Agvet chemical: Dimethoate*Permitted residue: Sum of dimethoate and omethoate, expressed as dimethoate*see also *Omethoate*

Abiu	5
Artichoke, globe	T1
Asparagus	0.02
Assorted tropical and sub-tropical fruits - inedible peel [except avocado; mango]	5
Avocado	3
Banana passionfruit	5
Bearberry	T5
Beetroot	T*0.1
Bilberry	T5
Bilberry, bog	T5
Bilberry, red	T5
Blackberries	T5
Blueberries	T5
Boysenberry	0.02
Broccoli	T0.3
Cabbages, head	T0.2
Cactus fruit	5
Carrot	T0.3
Cauliflower	T0.3
Celery	T0.5
Cereal grains	T0.05
Cherries	T0.2
Citrus fruits	5
Cranberry	T5
Edible offal (mammalian)	0.1
Egg plant	T0.02
Eggs	*0.05
Elderberries	0.02
Grapes	T*0.1
Legume vegetables	T2
Mango	1
Meat (mammalian)	*0.05
Melons, except watermelon	T5
Milks	*0.05
Oilseed [except peanut]	T0.1
Olive oil, refined	T0.1
Onion, bulb	0.7
Parsnip	T0.3
Peanut	T*0.05
Peppers, Chili	T5
Peppers, Sweet	0.7
Potato	0.1
Poultry, edible offal of	*0.05
Poultry meat	*0.05

Pulses	T0.5
Radish	T3
Raspberries, red, black	T5
Rhubarb	0.7
Rollinia	5
Santols	5
Squash, summer (including zucchini)	0.7
Stone fruits [except cherries]	T*0.02
Strawberry	0.02
Sweet corn (corn-on-the-cob)	T0.3
Sweet potato	0.1
Tomato	0.02
Turnip, garden	*0.2
Watermelon	T5
Wheat bran, processed	T1

Agvet chemical: Dimethomorph

Permitted residue: Sum of E and Z isomers of dimethomorph

Brassica leafy vegetables	T2
Edible offal (mammalian)	*0.01
Fruiting vegetables, cucurbits	0.5
Grapes	2
Leafy vegetables [except lettuce head]	T2
Leek	0.5
Lettuce, head	0.3
Meat (mammalian)	*0.01
Milks	*0.01
Onion, bulb	0.05
Onion, Welsh	2
Peas	1
Poppy seed	*0.02
Potato	*0.02
Shallot	T0.5
Spring onion	2

Agvet chemical: Dinitolmide

Permitted residue: Sum of dinitolmide and its metabolite 3-amino-5-nitro-o-toluamide, expressed as dinitolmide equivalents

Poultry, edible offal of	6
Poultry fats	2
Poultry meat	3

Agvet chemical: Dinitro-o-toluamide

see *Dinitolmide*

Agvet chemical: Dinotefuran

Permitted residue: Sum of dinotefuran and its metabolites DN, 1-methyl-3-(tetrahydro-3-furylmethyl)guanidine and UF, 1-methyl-3-(tetrahydro-3-furylmethyl)urea expressed as dinotefuran

Grapes	0.9
--------	-----

Agvet chemical: Diphenylamine

Permitted residue: Diphenylamine

Apple	10
-------	----

Edible offal (mammalian) [except liver]	*0.01
Eggs	0.05
Liver of cattle, goats, pigs and sheep	0.05
Meat (mammalian) (in the fat)	*0.01
Milks (in the fat)	*0.01
Pear	7
Poultry, edible offal of	*0.01
Poultry meat (in the fat)	*0.01

Agvet chemical: Diquat*Permitted residue: Diquat cation*

Anise myrtle leaves	T0.5
Barley	5
Beans [except broad bean and soya bean]	1
Broad bean (green pods and immature seeds)	1
Edible offal (mammalian)	*0.05
Eggs	*0.01
Fruit	*0.05
Hops, dry	T0.2
Lemon myrtle leaves	T0.5
Linseed	*0.01
Maize	0.1
Meat (mammalian)	*0.05
Milks	*0.01
Native pepper (<i>Tasmannia lanceolata</i>) leaves	T0.5
Oats	5
Oilseed [except linseed and poppy seed]	5
Onion, bulb	0.1
Peas	0.1
Poppy seed	0.5
Potato	0.2
Poultry, edible offal of	*0.05
Poultry meat	*0.05
Pulses	1
Rice	5
Rice, polished	1
Rye	2
Sorghum	2
Sugar beet	0.1
Sugar cane	*0.05
Tea, green, black	T0.5
Tree nuts	*0.05
Triticale	2
Vegetable oils, crude	1
Vegetables [except beans; broad bean; onion, bulb; peas; potato; pulses; sugar beet]	*0.05
Wheat	2

Agvet chemical: Disulfoton*Permitted residue: Sum of disulfoton and demeton-S and their sulfoxides and sulfones, expressed as disulfoton*

Cotton seed	0.5
Edible offal (mammalian)	0.02

Eggs	*0.02
Hops, dry	0.5
Meat (mammalian)	0.02
Milks	0.01
Potato	0.5
Poultry, edible offal of	*0.02
Poultry meat	*0.02
Vegetables	0.5

Agvet chemical: Dithianon*Permitted residue: Dithianon*

Fruit	2
-------	---

Agvet chemical: Dithiocarbamates

Permitted residue: Total dithiocarbamates, determined as carbon disulphide evolved during acid digestion and expressed as milligrams of carbon disulphide per kilogram of food

Almonds	3
Asparagus	T1
Avocado	7
Banana	2
Beans [except broad bean and soya bean]	2
Beetroot	1
Berries and other small fruits [except strawberry]	T10
Brassica (cole or cabbage) vegetables, Head cabbages, Flowerhead brassicas	2
Broad bean (green pods and immature seeds)	2
Bulb vegetables [except garlic and onion, bulb]	T10
Carrot	1
Celery	5
Cereal grains	0.5
Citrus fruits	0.2
Coconut	5
Coffee beans	5
Common bean (pods and/or immature seeds)	2
Cotton seed	10
Custard apple	5
Edible offal (mammalian)	2
Eggs	*0.5
Fig	3
Fruiting vegetables, cucurbits	2
Fruiting vegetables, other than cucurbits [except roselle]	3
Garlic	4
Herbs [except parsley]	T5
Hops	T10
Leafy vegetables	5
Litchi	5
Macadamia nuts	*0.2
Mango	7
Meat (mammalian)	*0.5
Milks	*0.2

Onion, bulb	4
Papaya (pawpaw)	5
Parsley	5
Parsnip	T1
Passionfruit (including Granadilla)	3
Peanut	0.2
Peas (pods and succulent, immature seeds)	2
Persimmon, Japanese	3
Pistachio nut	T3
Pome fruits	3
Pomegranate	3
Poppy seed	*0.2
Potato	1
Poultry meat	*0.5
Poultry, edible offal of	*0.5
Pulses	0.5
Radish	T1
Rhubarb	2
Roselle (rosella)	5
Stone fruits	3
Strawberry	3
Sunflower seed	T*0.05
Swede	T1
Tree tomato	T5
Turnip, garden	T1
Walnuts	T*0.2
Wasabi	T2

Agvet chemical: Diuron*Permitted residue: Sum of diuron and 3,4-dichloroaniline, expressed as diuron*

Asparagus	2
Cereal grains	0.1
Cotton seed oil, crude	0.5
Edible offal (mammalian)	3
Fruit	0.5
Meat (mammalian)	0.1
Milks	0.1
Oilseed	0.5
Pulses	*0.05
Sugar cane	0.2

Agvet chemical: Dodine*Permitted residue: Dodine*

Pome fruits	5
Stone fruits	*0.05

Agvet chemical: Doramectin*Permitted residue: Doramectin*

Cattle, edible offal of	0.1
Cattle fat	0.1
Cattle meat	0.01
Cattle milk	0.05
Pig kidney	0.03
Pig liver	0.05
Pig meat (in the fat)	0.1

Sheep, edible offal of	0.05
Sheep fat	0.1
Sheep meat	0.02

Agvet chemical: 2,2-DPA*Permitted residue: 2,2-dichloropropionic acid*

Avocado	*0.1
Banana	*0.1
Cereal grains	*0.1
Citrus fruits	*0.1
Cotton seed	*0.1
Currants, black, red, white	15
Edible offal (mammalian)	0.2
Grapes	3
Meat (mammalian)	0.2
Milks	*0.1
Papaya (pawpaw)	*0.1
Pecan	*0.1
Pineapple	*0.1
Pome fruits	*0.1
Stone fruits	1
Sugar cane	*0.1
Sunflower seed	*0.1
Vegetables	*0.1

Agvet chemical: EDCsee *Ethylene dichloride***Agvet chemical: Emamectin***Permitted residue: Sum of emamectin B1a and emamectin B1b*

Bergamot	T0.05
Brassica (cole or cabbage) vegetables, Head cabbages, Flowerhead brassicas	0.02
Brassica leafy vegetables	T0.3
Burnet, salad	T0.05
Celery	T0.2
Chervil	T0.05
Coriander (leaves, stem, roots)	T0.05
Coriander, seed	T0.05
Cotton seed	0.005
Dill, seed	T0.05
Edible offal (mammalian)	0.02
Egg plant	T0.1
Fennel, seed	T0.05
Grapes	*0.002
Herbs	T0.05
Kaffir lime leaves	T0.05
Lemon grass	T0.05
Lemon verbena (fresh weight)	T0.05
Lettuce, head	0.2
Lettuce, leaf	0.2
Meat (mammalian) (in the fat)	0.01
Milks	*0.001
Milk fats	0.01
Mizuna	T0.05
Peppers, Sweet	0.01

Pulses	*0.01
Rape seed (canola)	*0.01
Rucola (rocket)	T0.05
Strawberry	T0.1
Sweet corn (corn-on-the-cob)	*0.002
Tomato	0.01

Agvet chemical: Endosulfan*Permitted residue: Sum of A- and B- endosulfan and endosulfan sulphate*

Assorted tropical and sub-tropical fruits - inedible peel	2
Broccoli	1
Cabbages, head	1
Cauliflower	1
Cereal grains	0.1
Citrus fruits	0.3
Edible offal (mammalian)	0.2
Eggs	0.02
Fruiting vegetables, cucurbits	1
Fruiting vegetables, other than cucurbits	1
Meat (mammalian) (in the fat)	0.2
Milks	0.02
Oilseed	1
Pome fruits	1
Poultry, edible offal of	*0.01
Poultry meat (in the fat)	0.05
Pulses	*0.1
Root and tuber vegetables	0.5
Stalk and stem vegetables	1
Strawberry	T0.5
Tea, green, black	T30
Tree nuts	0.05

Agvet chemical: Endothal*Permitted residue: Endothal*

Cotton seed	0.1
Potato	0.1

Agvet chemical: Enilconazolesee *Imazalil***Agvet chemical: Epoxiconazole***Permitted residue: Epoxiconazole*

Avocado	0.5
Banana	1
Cereal grains	0.05
Edible offal (mammalian)	0.05
Eggs	*0.01
Meat (mammalian)	*0.01
Milks	*0.005
Poultry, edible offal of	*0.01
Poultry meat (in the fat)	*0.01
Wheat bran, unprocessed	0.3
Wheat germ	0.2

Agvet chemical: Eprinomectin*Permitted residue: Eprinomectin B1a*

Cattle, edible offal of	2
Cattle fat	0.5
Cattle milk	0.03
Cattle meat	0.1
Deer, edible offal of	2
Deer meat	0.1

Agvet chemical: EPTC*Permitted residue: EPTC*

Cereal grains	*0.04
Edible offal (mammalian)	*0.1
Eggs	*0.01
Meat (mammalian)	*0.1
Milks	*0.1
Oilseed	0.1
Poultry, edible offal of	*0.05
Poultry meat	*0.05
Vegetables	*0.04

Agvet chemical: Erythromycin*Permitted residue: Inhibitory substance, identified as erythromycin*

Edible offal (mammalian)	*0.3
Meat (mammalian)	*0.3
Milks	*0.04
Poultry, edible offal of	*0.3
Poultry meat	*0.3

Agvet chemical: Esfenvalerate*see Fenvalerate***Agvet chemical: Ethephon***Permitted residue: Ethephon*

Apple	1
Barley	1
Cherries	15
Cotton seed	2
Cotton seed oil, crude	*0.1
Currant, black	1
Edible offal (mammalian)	0.2
Eggs	*0.2
Grapes	10
Kiwifruit	0.1
Macadamia nuts	*0.1
Mandarins	2
Mango	T*0.02
Meat (mammalian)	0.1
Milks	0.1
Nectarine	0.01
Oranges, sweet, sour	2
Peach	0.5
Pineapple	2
Poultry, edible offal of	*0.2
Poultry meat	*0.1
Sugar cane	0.5

Sugar cane molasses	7
Tomato	2
Walnuts	T5
Wheat	T1

Agvet chemical: Ethion*Permitted residue: Ethion*

Cattle, edible offal of	2.5
Cattle meat (in the fat)	2.5
Citrus fruits	1
Cotton seed	0.1
Cotton seed oil, crude	0.05
Grapes	2
Milks (in the fat)	0.5
Pome fruits	1
Stone fruits	1
Tea, green, black	5

Agvet chemical: Ethofumesate*Permitted residue: Ethofumesate*

Beetroot	0.1
Bulb vegetables	*0.1
Chard (silver beet)	1
Edible offal (mammalian)	0.5
Meat (mammalian) (in the fat)	0.5
Milks (in the fat)	0.2
Poppy seed	*0.02
Spinach	T1
Sugar beet	0.1

Agvet chemical: Ethopabate*Permitted residue: Ethopabate*

Poultry, edible offal of	15
Poultry meat	5

Agvet chemical: Ethoprophos*Permitted residue: Ethoprophos*

Banana	*0.05
Cereal grains	*0.005
Custard apple	*0.02
Litchi	*0.02
Potato	*0.02
Sugar cane	*0.1
Sweet potato	*0.02
Tomato	*0.01

Agvet chemical: Ethoxyquin*Permitted residue: Ethoxyquin*

Apple	3
Pear	3

Agvet chemical: Ethoxysulfuron*Permitted residue—commodities of plant origin:**Ethoxysulfuron**Permitted residue—commodities of animal origin: 2-amino-4, 6-dimethoxypyrimidine, expressed as ethoxysulfuron*

Edible offal (mammalian)	*0.05
Meat (mammalian)	*0.05
Milks	*0.01
Sugar cane	*0.01

Agvet chemical: Ethyl formate*Permitted residue: Ethyl formate*

Dried fruits	1
--------------	---

Agvet chemical: Ethylene dichloride (EDC)*Permitted residue: 1,2-dichloroethane*

Cereal grains	*0.1
---------------	------

Agvet chemical: Etoxazole*Permitted residue: Etoxazole*

Banana	0.2
Cherries	1
Chervil	T1
Citrus fruits	0.2
Coriander (leaves, stem, roots)	T1
Cotton seed	0.2
Custard apple	T0.1
Dried grapes	1.5
Edible offal (mammalian)	*0.01
Eggs	*0.01
Fruiting vegetables, other than cucurbits	0.05
Fruiting vegetables, cucurbits	T0.1
Grapes	0.5
Herbs	T1
Ivy gourd	T0.1
Meat (mammalian) (in the fat)	*0.02
Milks	*0.01
Mizuna	T1
Papaya	T0.1
Podded pea (young pods) (snow and sugar snap)	T*0.02
Pointed gourd	T0.1
Pome fruits	0.2
Poultry, edible offal of	*0.01
Poultry meat (in the fat)	*0.02
Rucola (Rocket)	T1
Stone fruits [except cherries]	0.3

Agvet chemical: Etridiazole*Permitted residue: Etridiazole*

Beetroot	*0.02
Cotton seed	*0.02
Peanut	*0.02
Vegetables [except as otherwise listed under this chemical]	0.2

Agvet chemical: Fenamiphos*Permitted residue: Sum of fenamiphos, its sulfoxide and sulfone, expressed as fenamiphos*

Aloe vera	1
Banana	*0.05

Brassica (cole or cabbage) vegetables, Head cabbages, Flowerhead brassicas	*0.05
Celery	*0.05
Citrus fruits	*0.05
Edible offal (mammalian)	*0.05
Eggs	*0.05
Fruiting vegetables, cucurbits	*0.05
Ginger, root	*0.05
Grapes	*0.05
Leafy vegetables [except lettuce, head; lettuce, leaf]	*0.05
Lettuce, head	0.2
Lettuce, leaf	0.2
Meat (mammalian)	*0.05
Milks	*0.005
Mushrooms	0.1
Onion, bulb	*0.05
Peanut	*0.05
Pineapple	*0.05
Poultry, edible offal of	*0.05
Poultry meat	*0.05
Root and tuber vegetables	0.2
Strawberry	0.2
Sugar cane	*0.05
Tomato	0.5

Agvet chemical: Fenarimol*Permitted residue: Fenarimol*

Berries and other small fruits [except grapes]	T0.1
Cherries	1
Fruiting vegetables, cucurbits	0.2
Grapes	0.1
Pome fruits	0.2

Agvet chemical: Fenbendazole*Permitted residue: Fenbendazole*

Cattle, edible offal of	*0.1
Cattle meat	*0.1
Goat, edible offal of	0.5
Goat meat	0.5
Milks	0.1
Sheep, edible offal of	0.5
Sheep meat	0.5

Agvet chemical: Fenbuconazole*Permitted residue: Fenbuconazole*

Banana	0.5
Blueberries	0.3
Edible offal (mammalian)	0.05
Eggs	*0.01
Meat (mammalian)	*0.01
Milks	*0.01
Nectarine	0.5
Poultry, edible offal of	*0.01
Poultry meat	*0.01
Stone fruits [except nectarine]	1

Wheat	*0.01
-------	-------

Agvet chemical: Fenbutatin oxide*Permitted residue: Bis[tris(2-methyl-2-phenylpropyl)tin]-oxide*

Assorted tropical and sub-tropical fruits - inedible peel	5
Berries and other small fruits [except table grapes]	1
Cherries	6
Citrus fruits	5
Citrus peel	30
Dried grapes	T10
Fig	T10
Grapes [except wine grapes]	T3
Hops, dry	20
Nectarine	3
Peach	3
Pome fruits	3
Tomato	T2

Agvet chemical: Fenhexamid*Permitted residue: Fenhexamid*

Blackberries	T20
Blueberries	5
Chervil	T15
Cloudberry	T20
Coriander (leaves, stem, roots)	T15
Cucumber	T10
Dewberries (including boysenberry, loganberry and youngberry)	T20
Dried grapes	20
Edible offal (mammalian)	2
Grapes	10
Herbs	T15
Kiwifruit	15
Lettuce, head	T50
Lettuce, leaf	T50
Meat (mammalian) (in the fat)	*0.05
Milks	*0.01
Mizuna	T15
Peas (pods and succulent, immature seeds)	T5
Peppers	T30
Raspberries, red, black	T20
Rucola (rocket)	T15
Stone fruits [except plums]	10
Strawberry	10
Tomato	T2

Agvet chemical: Fenitrothion*Permitted residue: Fenitrothion*

Apple	0.5
Cabbages, head	0.5
Cacao beans	0.1
Cereal grains	10
Cherries	0.5
Edible offal (mammalian)	*0.05

Eggs	*0.05
Fruit [except as otherwise listed under this chemical]	0.1
Grapes	0.5
Lettuce, head	0.5
Lettuce, leaf	0.5
Meat (mammalian)	T*0.05
Milks (in the fat)	T*0.05
Oilseeds	T0.1
Poultry, edible offal of	*0.05
Poultry meat	*0.05
Pulses [except soya bean (dry)]	T0.1
Rice, polished	0.1
Soya bean (dry)	0.3
Sugar cane	0.02
Tea, green, black	0.5
Tomato	0.5
Tree nuts	0.1
Vegetables [except as otherwise listed under this chemical]	0.1
Wheat bran, unprocessed	20
Wheat germ	20

Agvet chemical: Fenoxaprop-ethyl

Permitted residue: Sum of fenoxaprop-ethyl (all isomers) and 2-(4-(6-chloro-2-benzoxazolylloxy)phenoxy)propanoate and 6-chloro-2,3-dihydrobenzoxazol-2-one, expressed as fenoxaprop-ethyl

Barley	*0.01
Chick-pea (dry)	*0.01
Edible offal (mammalian)	0.2
Eggs	*0.02
Meat (mammalian)	0.05
Milks	0.02
Poultry, edible offal of	*0.1
Poultry meat	*0.01
Rice	T*0.02
Rye	*0.01
Triticale	*0.01
Wheat	*0.01

Agvet chemical: Fenoxycarb

Permitted residue: Fenoxycarb

Currant, black	T2
Currant, red	T2
Gooseberry	T2
Olive oil, virgin	T3
Olives	T1
Pome fruits	2

Agvet chemical: Fenpropathrin

Permitted residue: Fenpropathrin

Cherries	5
Citrus fruits	2
Grapes	5
Tea, green, black	2

Agvet chemical: Fenpyroximate*Permitted residue: Fenpyroximate*

Apple	0.3
Citrus fruits	0.6
Pear	0.3
Strawberry	1

Agvet chemical: Fenthion*Permitted residue: Sum of fenthion, its oxygen analogue, and their sulfoxides and sulfones, expressed as fenthion*

Apricot	T0.2
Assorted tropical and sub-tropical fruits - inedible peel	5
Cattle, edible offal of	1
Cattle meat	1
Cherries	T0.4
Citrus fruits	T0.7
Eggs	*0.05
Grapes	T0.2
Melons, except watermelon	T3
Milks	T0.2
Nectarine	T0.25
Olive oil, crude	T0.5
Olives	T0.2
Peach	T0.2
Peppers, Chili	T7
Peppers, Sweet	T0.5
Persimmon, Japanese	T0.3
Pig, edible offal of	0.5
Pig meat	0.5
Plums	T0.25
Pome fruits	T0.25
Poultry, edible offal of	*0.05
Poultry meat	*0.05
Sheep, edible offal of	0.2
Sheep meat	0.2
Watermelon	T3

Agvet chemical: Fentin*Permitted residue: Fentin hydroxide, excluding inorganic tin and Di- and Mono-phenyltin*

Cacao beans	*0.1
Carrot	0.2
Celeriac	0.1
Celery	1
Coffee beans	*0.1
Peanut	*0.05
Pecan	*0.05
Potato	0.1
Rice	*0.1
Sugar beet	0.2

Agvet chemical: Fenvalerate*Permitted residue: Fenvalerate, sum of isomers*

Berries and other small fruits	1
Brassica (cole or cabbage) vegetables, Head cabbages, Flowerhead brassicas	1
Brassica leafy vegetables	1

Cereal grains	2
Celery	2
Dried grapes	0.5
Edible offal (mammalian)	0.05
Eggs	0.02
Grapes	0.1
Legume vegetables	0.5
Meat (mammalian) (in the fat)	1
Milks	0.2
Oilseed [except peanut]	0.5
Peanut	T0.1
Pome fruits	1
Poultry, edible offal of	*0.02
Poultry meat (in the fat)	0.05
Pulses	0.5
Stone fruits	1
Sweet corn (corn-on-the-cob)	0.05
Tea, green, black	0.05
Tomato	0.2
Wheat bran, unprocessed	5

Agvet chemical: Fipronil

Permitted residue: Sum of fipronil, the sulphenyl metabolite (5-amino-1-[2,6-dichloro-4-(trifluoromethyl)phenyl]-4-(trifluoromethyl) sulphenyl]-1H-pyrazole-3-carbonitrile), the sulphonyl metabolite (5-amino-1-[2,6-dichloro-4-(trifluoromethyl)phenyl]-4-[(trifluoromethyl)sulphonyl]-1H-pyrazole-3-carbonitrile), and the trifluoromethyl metabolite (5-amino-4-trifluoromethyl-1-[2,6-dichloro-4-(trifluoromethyl)phenyl]-1H-pyrazole-3-carbonitrile)

Asparagus	0.2
Assorted tropical and sub-tropical fruit - inedible peel [except banana; custard apple]	T*0.01
Banana	0.01
Bergamot	T0.1
Brassica (cole or cabbage) vegetables, Head cabbages, Flowerhead brassicas	T0.05
Burnet, salad	T0.1
Celery	T0.3
Chervil	T0.1
Citrus fruits	T*0.01
Coriander (leaves, stem, roots)	T0.1
Coriander, seed	T0.1
Cotton seed	*0.01
Cotton seed oil, crude	*0.01
Custard apple	T0.05
Dill, seed	T0.1
Edible offal (mammalian)	0.02
Eggs	0.02
Fennel, seed	T0.1
Ginger, root	*0.01
Grapes [except wine grapes]	T*0.01
Herbs	T0.1
Honey	0.01
Kaffir lime leaves	T0.1
Lemon grass	T0.1
Lemon verbena (fresh weight)	T0.1

Lettuce, head	T0.1
Lettuce, leaf	T0.1
Meat (mammalian) (in the fat)	0.1
Milks	0.01
Mizuna	T0.1
Mushrooms	0.02
Peanut	T*0.01
Peanut oil, crude	T*0.01
Pecan	T*0.01
Peppers, Chili	*0.005
Peppers, Sweet	T0.1
Pome fruits	T*0.01
Poppy seed	*0.01
Potato	*0.01
Poultry, edible offal of	*0.01
Poultry meat (in the fat)	0.02
Rape seed (canola)	*0.01
Rice	*0.005
Rucola (rocket)	T0.1
Sorghum	0.01
Stone fruits	0.01
Sugar cane	*0.01
Sunflower seed	*0.01
Swede	0.1
Sweet potato	*0.01
Turnip, garden	0.1
Wine grapes	*0.01

Agvet chemical: Flamprop-methyl*Permitted residue: Flamprop-methyl*

Edible offal (mammalian)	*0.01
Lupin (dry)	0.05
Meat (mammalian)	*0.01
Milks	*0.01
Safflower seed	*0.05
Triticale	0.05
Wheat	0.05

Agvet chemical: Flamprop-M-methylsee *Flamprop-methyl***Agvet chemical: Flavophospholipol***Permitted residue: Flavophospholipol*

Cattle fat	*0.01
Cattle kidney	*0.01
Cattle liver	*0.01
Cattle meat	*0.01
Cattle milk	T*0.01
Eggs	*0.02

Agvet chemical: Flonicamid

Permitted residue: Flonicamid [N-(cyanomethyl)-4-(trifluoromethyl)-3-pyridinecarboxamide] and its metabolites TFNA [4-trifluoromethylnicotinic acid], TFNA-AM [4-trifluoromethylnicotinamide] TFNG [N-(4-trifluoromethylnicotinoyl)glycine]

Cotton seed	T1
-------------	----

Edible offal (mammalian)	T*0.02
Eggs	T*0.02
Meat (mammalian)	T*0.02
Milks	T*0.02
Poultry, edible offal of	T*0.02
Poultry meat	T*0.02
Stone fruits	0.6

Agvet chemical: Florasulam*Permitted residue: Florasulam*

Cereal grains	*0.01
Edible offal (mammalian)	*0.01
Eggs	*0.01
Meat (mammalian)	*0.01
Milks	*0.01
Poultry, edible offal of	*0.01
Poultry meat	*0.01

Agvet chemical: Florfenicol*Permitted residue: Sum of florfenicol and its metabolites florfenicol alcohol, florfenicol oxamic acid, monochloroflorfenicol and florfenicol amine expressed as florfenicol amine*

Cattle kidney	0.5
Cattle liver	3
Cattle meat	0.3
Fish	T0.5
Pig fat/skin	1
Pig kidney	1
Pig liver	3
Pig meat	0.5

Agvet chemical: Fluazifop-p-butyl*Permitted residue: Sum of fluazifop-butyl, fluazifop and their conjugates, expressed as fluazifop*

Assorted tropical and sub-tropical fruits - inedible peel [except avocado and banana]	0.05
Avocado	*0.02
Banana	*0.02
Berries and other small fruits	0.2
Brassica (cole or cabbage) vegetables, Head cabbages, Flowerhead brassicas	1
Celery	*0.02
Chia	T2
Citrus fruits	*0.02
Coriander (leaves, stem, roots)	T2
Date	T0.2
Edible offal (mammalian)	*0.05
Egg plant	T0.7
Eggs	*0.05
Fruiting vegetables, cucurbits	0.1
Galangal, rhizomes	0.05
Garlic	0.05
Ginger, root	0.05
Herbs	T2
Hops, dry	0.05
Leafy vegetables [except lettuce, head]	T2

Leek	T1
Legume vegetables	0.1
Lettuce, head	0.05
Lotus root	T3
Lupin (dry)	0.1
Meat (mammalian)	*0.05
Milks	0.1
Oilseed	0.5
Onion, bulb	0.05
Onion, Chinese	0.05
Onion, Welsh	0.05
Peppers, Sweet	*0.02
Pome fruits	*0.01
Potato	0.05
Poultry, edible offal of	*0.05
Poultry meat	*0.05
Pulses	0.5
Root and tuber vegetables [except potato; sweet potato; taro; yam bean; yams]	T1
Shallot	0.05
Spring Onion	0.05
Stone fruits	0.05
Sugar cane	T*0.1
Sweet potato	T0.3
Taro	T3
Tea, green, black	T50
Tomato	0.1
Turmeric, root	0.05
Water chestnut	T3
Yam bean	T3
Yams	T0.3

Agvet chemical: Fluazinam*Permitted residue: Fluazinam*

Brassica (cole or cabbage) vegetables, Head cabbages, Flowerhead brassicas	*0.01
Pome fruits	*0.01
Potato	*0.01
Wine grapes	*0.05

Agvet chemical: Fluazuron*Permitted residue: Fluazuron*

Cattle, edible offal of	0.5
Cattle meat (in the fat)	7

Agvet chemical: Flubendiamide*Permitted residue—commodities of plant origin:**Flubendiamide**Permitted residue—commodities of animal origin: Sum of flubendiamide and 3-iodo-N-(2-methyl-4-[1,2,2,2-tetrafluoro-1-(trifluoromethyl)ethyl]phenyl)phthalimide, expressed as flubendiamide*

Brassica (cole or cabbage) vegetables, Head cabbages, Flowerhead brassicas	5
Chia	1
Common bean (pods and/or immature seeds)	T2

Cotton seed	0.5
Edible offal (mammalian)	0.03
Eggs	*0.01
Fruiting vegetables, cucurbits	0.2
Fruiting vegetables, other than cucurbits [except sweet corn (corn-on-the-cob)]	2
Grapes	1.4
Herbs	20
Leafy vegetables [except lettuce, head]	10
Lettuce, head	5
Meat (mammalian) (in the fat)	0.05
Milk fats	0.05
Milks	*0.01
Potato	*0.02
Poultry, edible offal of	*0.01
Poultry meat (in the fat)	*0.01
Root and tuber vegetables [except potato]	0.2
Stalk and stem vegetables	5
Stone fruits	1.6
Sweet corn (corn-on-the-cob)	T*0.05

Agvet chemical: Flucythrinate*Permitted residue: Flucythrinate*

Cotton seed	*0.1
Cotton seed oil, crude	*0.1
Edible offal (mammalian)	*0.05
Eggs	*0.05
Meat (mammalian)	*0.05
Milks	*0.05
Poultry, edible offal of	*0.05
Poultry meat	*0.05

Agvet chemical: Fludioxonil*Permitted residue—commodities of animal origin: Sum of fludioxonil and oxidisable metabolites, expressed as fludioxonil**Permitted residue—commodities of plant origin:**Fludioxonil*

Apricot	10
Blackberries	5
Blueberries	2
Boysenberry	5
Broccoli	T*0.01
Chestnuts	T1
Citrus fruits	10
Cloudberry	T5
Common bean (pods and/or immature seeds)	0.7
Cotton seed	*0.05
Cucumber	0.5
Dewberries (including boysenberry and loganberry)	T5
Edible offal (mammalian)	0.1
Egg plant	T0.2
Grapes	2
Kiwifruit	15

Leafy vegetables	10
Maize	*0.02
Mango	3
Meat (mammalian)	0.05
Melons, except watermelon	T0.2
Milks	0.05
Onion, bulb	0.2
Peach	10
Peanut	T*0.01
Peas (pods and succulent, immature seeds)	0.5
Peppers, Sweet	2
Pistachio nut	T0.2
Pome fruits	5
Pomegranate	5
Potato	0.02
Rape seed (canola)	*0.01
Raspberries, red, black	5
Sorghum	*0.01
Stone fruits [except apricot; peach]	5
Strawberry	5
Sunflower seed	T*0.02
Sweet corn (corn-on-the-cob)	*0.02
Tomato	T1

Agvet chemical: Flumethrin*Permitted residue: Flumethrin, sum of isomers*

Cattle, edible offal of	0.05
Cattle meat (in the fat)	0.2
Honey	T*0.005
Horse, edible offal of	0.1
Horse meat	0.1
Milks	0.05

Agvet chemical: Flumetsulam*Permitted residue: Flumetsulam*

Barley	*0.05
Edible offal (mammalian)	0.3
Eggs	*0.1
Garden pea	*0.1
Maize	*0.05
Meat (mammalian)	*0.1
Milks	*0.1
Oats	*0.05
Peanut	*0.05
Poultry, edible offal of	*0.1
Poultry meat	*0.1
Pulses	*0.05
Rye	*0.05
Triticale	*0.05
Wheat	*0.05

Agvet chemical: Flumiclorac pentyl*Permitted residue: Flumiclorac pentyl*

Cotton seed	0.1
Edible offal (mammalian)	*0.01
Eggs	*0.01

Meat (mammalian)	*0.01
Milks	*0.01
Poultry, edible offal of	*0.01
Poultry meat	*0.01

Agvet chemical: Flumioxazin*Permitted residue: Flumioxazin*

Cereal grains	*0.05
Edible offal (mammalian)	*0.01
Eggs	*0.01
Meat (mammalian)	*0.01
Milks	*0.01
Oilseed	*0.1
Poultry, edible offal of	*0.01
Poultry meat	*0.01
Pulses	*0.1

Agvet chemical: Flunixin*Permitted residue: Flunixin*

Cattle kidney	0.02
Cattle liver	0.02
Cattle meat (in the fat)	0.02

Agvet chemical: Fluometuron*Permitted residue: Sum of fluometuron and 3-trifluoromethylaniline, expressed as fluometuron*

Cereal grains	*0.1
Citrus fruits	0.5
Cotton seed	*0.1
Pineapple	*0.1

Agvet chemical: Fluopicolide*Permitted residue: Fluopicolide*

Grapes	2
--------	---

Agvet chemical: Fluoxastrobin*Permitted residue: Sum of fluoxastrobin and its Z isomer*

Cranberry	1.9
-----------	-----

Agvet chemical: Flupropanate*Permitted residue: Flupropanate*

Edible offal (mammalian)	*0.1
Meat (mammalian) (in the fat)	*0.1
Milks	0.1

Agvet chemical: Fluquinconazole*Permitted residue: Fluquinconazole*

Barley	*0.02
Edible offal (mammalian)	0.2
Eggs	*0.02
Meat (mammalian) (in the fat)	0.5
Milks	*0.02
Pome fruits	0.3
Poultry, edible offal of	*0.02
Poultry meat (in the fat)	*0.02
Rape seed (canola)	*0.01

Wheat	*0.02
-------	-------

Agvet chemical: Fluroxypyr*Permitted residue: Fluroxypyr*

Cereal grains	0.2
Edible offal (mammalian) [except kidney]	0.1
Eggs	*0.01
Kidney (mammalian)	1
Meat (mammalian) (in the fat)	0.1
Milks	0.1
Poultry, edible offal of	*0.05
Poultry meat	*0.05
Sugar cane (in the juice)	0.2
Sweet corn (corn-on-the-cob)	0.2

Agvet chemical: Flusilazole*Permitted residue: Flusilazole*

Grapes	0.5
Pome fruits	0.2
Sugar cane	*0.02

Agvet chemical: Flutolanil*Permitted residue—commodities of plant origin:**Flutolanil**Commodities of animal origin: Flutolanil and metabolites hydrolysed to 2-trifluoromethyl-benzoic acid and expressed as flutolanil*

Edible offal (mammalian)	*0.05
Eggs	*0.05
Meat (mammalian) (in the fat)	*0.05
Milks	*0.05
Potato	0.05
Poultry, edible offal of	*0.05
Poultry meat (in the fat)	*0.05

Agvet chemical: Flutriafol*Permitted residue: Flutriafol*

Barley	0.2
Cereal grains [except as otherwise listed under this chemical]	*0.02
Edible offal (mammalian)	0.5
Eggs	*0.05
Garden pea (young pods)	*0.01
Meat (mammalian)	*0.05
Milks	*0.05
Poultry, edible offal of	*0.05
Poultry meat	*0.05
Rape seed (canola)	*0.02
Sugar cane	*0.01

Agvet chemical: Fluvalinate*Permitted residue: Fluvalinate, sum of isomers*

Apple	0.1
Asparagus	0.2
Cauliflower	0.5
Cotton seed	0.1

Honey	T*0.01
Stone fruits	0.05
Table grapes	0.05
Tomato	0.5

Agvet chemical: Fluxapyroxad*Permitted residue—commodities of plant origin:**Fluxapyroxad**Permitted residue—commodities of animal origin for enforcement: Fluxapyroxad*

All other foods	0.1
Barley	0.2
Barley bran, unprocessed	0.5
Edible offal (mammalian)	0.03
Eggs	0.005
Meat (mammalian) (in the fat)	0.05
Milk fats	0.02
Milks	0.005
Poultry, edible offal of	*0.01
Poultry meat (in the fat)	*0.01

Agvet chemical: Fluxapyroxad*Permitted residue: Fluxapyroxad*

Plums (including prunes)	3
Pome fruits	0.8
Pulses [except soya bean (dry)]	0.4
Soya bean (dry)	0.3
Soya bean (immature seeds)	0.15
Stone fruits [except plums (including prunes)]	2

Agvet chemical: Forchlorfenuron*Permitted residue: Forchlorfenuron*

Blueberries	T*0.01
Grapes	*0.01
Kiwifruit	T*0.01
Mango	T*0.01
Plums (including prunes)	T*0.01
Prunes	T*0.01

Agvet chemical: Fosetyl*Permitted residue: Fosetyl*

Apple	1
Avocado	5
Brassica (cole or cabbage) vegetables, Head cabbages, Flowerhead brassicas	T0.1
Durian	T5
Fruiting vegetables, other than cucurbits	T0.02
Leafy vegetables [except rucola (rocket); spinach]	T0.2
Peach	1
Pineapple	5
Rucola (rocket)	T0.7
Spinach	T0.7
Stone fruits [except cherries; peach]	T1

Agvet chemical: Furathiocarb

see Carbofuran

*Residues arising from the use of furathiocarb are covered by MRLs for carbofuran***Agvet chemical: Glufosinate and Glufosinate-ammonium***Permitted residue: Sum of glufosinate-ammonium, N-acetyl glufosinate and 3-[hydroxy(methyl)-phosphinoyl] propionic acid, expressed as glufosinate (free acid)*

Assorted tropical and sub-tropical fruits - inedible peel	0.2
Berries and other small fruits	0.1
Cereal grains	*0.1
Citrus fruits	0.1
Coffee beans	T*0.05
Cotton seed	3
Date	T0.1
Edible offal (mammalian)	5
Eggs	*0.05
Hops, dry	T1
Lemon myrtle	T20
Maize	0.2
Meat (mammalian)	0.1
Milks	*0.05
Native foods [except lemon myrtle]	T0.1
Oilseeds [except cotton seed; rape seed (canola)]	*0.1
Olives	*0.1
Pome fruits	*0.1
Poultry, edible offal of	*0.1
Poultry meat	*0.05
Pulses [except soya bean (dry)]	*0.1
Rape seed (canola)	5
Saffron	T*0.05
Soya bean (dry)	2
Stone fruits	*0.05
Tomato	*0.05
Tea, green, black	T20
Tree nuts	0.1

Agvet chemical: Glyphosate*Permitted residue: Sum of glyphosate and Aminomethylphosphonic acid (AMPA) metabolite, expressed as glyphosate*

Adzuki bean (dry)	10
Avocado	*0.05
Babaco	*0.05
Banana	0.2
Barley	10
Berries and other small fruits	*0.05
Bulb vegetables	*0.1
Cereal grains [except barley; maize; sorghum; wheat]	T*0.1
Citrus fruits	0.5
Coffee beans	T0.2
Cotton seed	15
Cotton seed oil, crude	*0.1

Cowpea (dry)	10
Custard apple	*0.05
Date	T2
Edible offal (mammalian)	2
Eggs	*0.05
Fig	*0.05
Fruiting vegetables, cucurbits	*0.1
Fruiting vegetables, other than cucurbits	*0.1
Guar bean (dry)	10
Guava	*0.05
Hops, dry	*0.1
Kiwifruit	*0.05
Leafy vegetables	*0.1
Legume vegetables	*0.1
Lemon myrtle	T20
Linseed	T5
Litchi	0.2
Maize	5
Mango	*0.05
Meat (mammalian)	*0.1
Milks	*0.1
Monstero	*0.05
Mung bean (dry)	10
Native foods [except lemon myrtle]	T2
Oilseed [except cotton seed; peanut; poppy seed; linseed; rape seed (canola); sunflower seed]	T*0.1
Olives	*0.1
Papaya (pawpaw)	*0.05
Passionfruit	3
Peanut	*0.1
Persimmon, American	*0.05
Persimmon, Japanese	*0.05
Pome fruits	*0.05
Poppy seed	T20
Poultry, edible offal of	1
Poultry meat	*0.1
Pulses [except adzuki bean (dry); cowpea (dry); guar bean (dry); mung bean (dry); soya bean (dry)]	5
Rape seed (canola)	20
Rollinia	*0.05
Root and tuber vegetables	*0.1
Saffron	T*0.05
Sorghum	15
Soya bean (dry)	10
Stalk and stem vegetables	*0.01
Stone fruits	0.2
Sugar cane	T0.3
Sugar cane molasses	T5
Sunflower seed	T20
Tea, green, black	2
Tree nuts	0.2
Wheat	5
Wheat bran, unprocessed	20

Agvet chemical: Guazatine

Permitted residue: Guazatine

Citrus fruits	5
Melons, except watermelon	10
Tomato	5

Agvet chemical: Halauxifen-methyl*Permitted residue—Commodities of plant origin:**Halauxifen-methyl**Permitted residue—Commodities of animal origin: 4-Amino-3-chloro-6-(4-chloro-2-fluoro-3-hydroxyphenyl)-pyridine-2-carboxylic acid, expressed as halauxifen-methyl*

Cereal grains	T*0.01
Edible offal (mammalian)	T0.01
Eggs	T*0.01
Meat (mammalian)	T*0.01
Milks	T*0.01
Poultry, edible offal	T*0.01
Poultry meat	T*0.01

Agvet chemical: Halofuginone*Permitted residue: Halofuginone*

Cattle fat	0.025
Cattle kidney	0.03
Cattle liver	0.03
Cattle muscle	0.01

Agvet chemical: Halosulfuron-methyl*Permitted residue: Halosulfuron-methyl*

Cotton seed	*0.05
Edible offal (mammalian)	0.2
Maize	*0.05
Meat (mammalian)	*0.01
Milks	*0.01
Poultry, edible offal of	*0.01
Poultry meat	*0.01
Sorghum	*0.05
Sugar cane	*0.05

Agvet chemical: Haloxyfop*Permitted residue: Sum of haloxyfop, its esters and conjugates, expressed as haloxyfop*

Assorted tropical and sub-tropical fruits - inedible peel	*0.05
Berries and other small fruits	*0.05
Chia	T3
Citrus fruits	*0.05
Cotton seed	0.1
Cotton seed oil, crude	0.2
Edible offal (mammalian)	0.5
Eggs	*0.01
Garlic	T0.05
Guar bean (dry)	T2
Linola seed	0.1
Linseed	0.1
Meat (mammalian) (in the fat)	0.02
Milks	0.02

Onion, bulb	T*0.05
Peanut	0.05
Persimmon, Japanese	*0.05
Pome fruits	*0.05
Poultry, edible offal of	0.05
Poultry meat (in the fat)	*0.01
Pulses	0.1
Rape seed (canola)	0.1
Stone fruits	*0.05
Sugar cane	T0.03
Sunflower seed	*0.05
Tree nuts	*0.05

Agvet chemical: Hexaconazole*Permitted residue: Hexaconazole*

Apple	0.1
Grapes	0.05
Pear	0.1

Agvet chemical: Hexazinone*Permitted residue: Hexazinone*

Blueberries	0.6
Edible offal (mammalian)	*0.1
Eggs	*0.05
Meat (mammalian)	*0.1
Milks	*0.05
Pineapple	1
Poultry, edible offal of	*0.05
Poultry meat	*0.05
Sugar cane	*0.1

Agvet chemical: Hexythiazox*Permitted residue: Hexythiazox*

Berries and other small fruits	1
Pome fruits	1
Stone fruits	1

Agvet chemical: Hydrogen phosphidesee *Phosphine***Agvet chemical: Imazalil***Permitted residue: Imazalil*

Chicken, edible offal of	*0.01
Chicken meat	*0.01
Citrus fruits	10
Eggs	*0.01
Melons, except watermelon	10
Mushrooms	T1
Pome fruits	5
Potato	5

Agvet chemical: Imazamox*Permitted residue: Imazamox*

Adzuki bean (dry)	T*0.05
Barley	*0.05
Broad bean (dry) (fava beans)	T*0.05

Edible offal (mammalian)	*0.05
Field pea (dry)	*0.05
Meat (mammalian)	*0.05
Milks	*0.05
Peanut	*0.05
Poppy seed	T*0.05
Rape seed (canola)	*0.05
Soya bean (dry)	*0.05
Wheat	*0.05

Agvet chemical: Imazapic

Permitted residue: Sum of imazapic and its hydroxymethyl derivative

Edible offal (mammalian)	*0.05
Eggs	*0.01
Meat (mammalian) (in the fat)	*0.05
Milks	*0.01
Peanut	*0.1
Poultry, edible offal of	*0.01
Poultry meat	*0.01
Rape seed (canola)	*0.05
Sugar cane	*0.05
Wheat	*0.05

Agvet chemical: Imazapyr

Permitted residue: Imazapyr

Barley	*0.05
Edible offal (mammalian)	*0.05
Meat (mammalian) (in the fat)	*0.05
Maize	*0.05
Milks	*0.01
Poppy seed	T*0.05
Rape seed (canola)	*0.05
Wheat	*0.05

Agvet chemical: Imazethapyr

Permitted residue: Imazethapyr

Edible offal (mammalian)	*0.1
Eggs	*0.1
Legume vegetables	*0.1
Maize	*0.05
Meat (mammalian)	*0.1
Milks	*0.1
Peanut	*0.1
Poultry, edible offal of	*0.1
Poultry meat	*0.1
Pulses	*0.1

Agvet chemical: Imidacloprid

Permitted residue: Sum of imidacloprid and metabolites containing the 6-chloropyridinylmethylene moiety, expressed as imidacloprid

Apple	0.3
Assorted tropical and sub-tropical fruits - inedible peel [except banana]	T1
Banana	0.5
Beetroot	T0.05

Bergamot	T5
Berries and other small fruits [except blueberries; cranberry; grapes; strawberry]	5
Blueberries	T0.1
Brassica (cole or cabbage) vegetables, Head cabbages, Flowerhead brassicas	0.5
Broad bean (dry)	*0.05
Burdock, greater	T0.05
Burnet, Salad	T5
Celery	0.3
Cereal grains [except maize and sorghum]	*0.05
Citrus fruits	2
Common bean (dry) (navy bean)	T1
Common bean (pods and/or immature seeds)	T1
Coriander (leaves, stem, roots)	T5
Coriander, seed	T5
Cotton seed	*0.02
Date	T1
Dill, seed	T5
Edible offal (mammalian)	0.2
Eggs	*0.02
Fennel, bulb	T0.1
Fennel, seed	T5
Field pea (dry)	*0.05
Fruiting vegetables, cucurbits	0.2
Fruiting vegetables, other than cucurbits [except sweet corn, (corn-on-the-cob)]	0.5
Galangal, Greater	T0.05
Garlic	T0.5
Ginger, Japanese	T5
Ginger, root	T0.3
Grapes	T0.1
Hazelnuts	T*0.01
Herbs	T5
Hops, dry	T10
Kaffir lime leaves	T5
Leafy vegetables [except lettuce, head]	20
Lemon balm	T5
Lemon grass	T5
Lemon verbena (fresh weight)	T5
Lentil (dry)	0.2
Lettuce, head	5
Lupin (dry)	0.2
Maize	0.05
Meat (mammalian)	0.05
Milks	0.05
Peanut	T0.5
Persimmon, Japanese	T1
Potato	0.3
Poultry, edible offal of	*0.02
Poultry meat	*0.02
Radish, Japanese	T0.05
Rape seed (canola)	*0.05
Rhubarb	T0.2
Rose and dianthus (edible flowers)	T5

Sorghum	*0.02
Stone fruits	0.5
Strawberry	0.5
Sugar cane	*0.05
Sunflower seed	*0.02
Sweet corn (corn-on-the-cob)	*0.05
Sweet potato	0.3
Taro	T0.05
Teas (tea and herb teas)	T10
Tree tomato	T2
Turmeric, root (fresh)	T0.05
Yam bean	T0.05
Yams	T0.05

Agvet chemical: Imidocarb (dipropionate salt)*Permitted residue: Imidocarb*

Cattle, edible offal of	5
Cattle meat	1
Cattle milk	0.2

Agvet chemical: Indoxacarb*Permitted residue: Sum of indoxacarb and its R-isomer*

Asparagus	T1
Berries and other small fruits [except grapes]	T1
Brassica (cole or cabbage) vegetables, Head cabbages and Flowerhead brassicas	2
Celery	T5
Chervil	T10
Coriander (leaves, stem, roots)	T20
Cotton seed	1
Dried grapes	2
Edible offal (mammalian) [except kidney]	*0.01
Egg plant	0.5
Eggs	*0.01
Grapes	0.5
Herbs	T20
Kidney (mammalian)	0.2
Leafy vegetables [except chervil; lettuce, head; mizuna; rucola]	5
Lemon balm	T10
Lettuce, head	3
Linseed	T0.5
Meat (mammalian) (in the fat)	1
Mexican tarragon	T20
Milk fats	1
Milks	0.01
Mizuna	T10
Olives	T0.2
Peanut	T0.02
Peppers, Sweet	0.5
Pome fruits	2
Poultry (edible offal of)	*0.01
Poultry meat (in the fat)	*0.01
Pulses	0.2
Rape seed (canola)	T*0.05

Rucola (rocket)	T20
Safflower seed	T0.5
Stone fruits	2
Sunflower seed	T1
Tomato	T0.5

Agvet chemical: Inorganic bromide*Permitted residue: Bromide ion*

Avocado	75
Cereal grains	50
Citrus fruits	30
Dates, dried	100
Dried fruits [except as otherwise listed under this chemical]	30
Dried grapes	100
Dried herbs	400
Dried peach	50
Figs, dried	250
Fruit [except as otherwise listed under this chemical]	20
Peppers, Sweet	50
Prunes	20
Spices	400
Strawberry	30
Vegetables [except as otherwise listed under this chemical]	20

Agvet chemical: Iodosulfuron methyl*Permitted residue: Iodosulfuron methyl*

Barley	*0.01
Edible offal (mammalian)	*0.01
Eggs	*0.01
Meat (mammalian) (in the fat)	*0.01
Milks	*0.01
Poultry, edible offal of	*0.01
Poultry meat (in the fat)	*0.01
Wheat	*0.01

Agvet chemical: Ioxynil*Permitted residue: Ioxynil*

Garlic	*0.02
Leek	T2
Onion, bulb	*0.02
Onion, Welsh	T10
Shallot	T10
Spring onion	T10
Sugar cane	*0.02

Agvet chemical: Ipconazole*Permitted residue: Ipconazole*

Cereal grains	*0.01
Edible offal (mammalian)	*0.01
Eggs	*0.01
Meat (mammalian)	*0.01
Milks	*0.01
Poultry, edible offal of	*0.01
Poultry meat	*0.01

Agvet chemical: Iprodione*Permitted residue: Iprodione*

Almonds	*0.02
Beans [except broad bean and soya bean]	T1
Beetroot	T0.1
Berries and other small fruits [except grapes]	12
Brassica leafy vegetables	15
Broad bean (green pods and immature seeds)	0.2
Broccoli	T*0.05
Brussels sprouts	0.5
Cabbages, head	T*0.05
Carrot	T0.5
Cauliflower	T*0.05
Celeriac	T0.7
Celery	2
Chard (silver beet)	T5
Edible offal (mammalian)	*0.1
Egg plant	T1
Garlic	T10
Grapes	20
Kiwifruit	10
Lettuce, head	5
Lettuce, leaf	5
Lupin (dry)	*0.1
Macadamia nuts	*0.01
Mandarins	T5
Meat (mammalian)	*0.1
Milks	*0.1
Onion, bulb	T0.7
Passionfruit	10
Peanut	0.05
Peanut oil, crude	0.05
Peppers	T3
Pistachio nut	T*0.05
Pome fruits	3
Potato	*0.05
Rape seed (canola)	0.5
Soya bean (dry)	0.05
Spinach	T5
Stone fruits	10
Tangelo, large-sized cultivars	T5
Tomato	2

Agvet chemical: Isoeugenol*Permitted residue: Isoeugenol, sum of cis- and trans-isomers*

Diadromous fish (whole commodity)	100
Freshwater fish (whole commodity)	100
Marine fish (whole commodity)	100

Agvet chemical: Isoxaben*Permitted residue: Isoxaben*

Assorted tropical and sub-tropical fruits - edible peel	*0.01
---	-------

Assorted tropical and sub-tropical fruits - inedible peel	*0.01
Barley	*0.01
Citrus fruits	*0.01
Edible offal (mammalian)	*0.01
Eggs	*0.01
Grapes	*0.01
Hops, dry	*0.1
Meat (mammalian)	*0.01
Milks	*0.01
Pome fruits	*0.01
Poultry, edible offal of	*0.01
Poultry meat	*0.01
Stone fruits	*0.01
Tree nuts	*0.01
Triticale	*0.01
Wheat	*0.01

Agvet chemical: Isoxaflutole

Permitted residue: The sum of isoxaflutole and 2-cyclopropylcarbonyl-3-(2-methylsulfonyl-4-trifluoromethylphenyl)-3-oxopropanenitrile, expressed as isoxaflutole

Cereal grains	*0.02
Chick-pea (dry)	*0.02
Edible offal (mammalian)	0.1
Eggs	*0.05
Meat (mammalian)	*0.05
Milks	*0.05
Poppy seed	*0.02
Poultry, edible offal of	*0.05
Poultry meat	*0.05
Sugar cane	*0.01

Agvet chemical: Ivermectin

Permitted residue: H₂B_{1a}

Cattle kidney	*0.01
Cattle liver	0.1
Cattle meat (in the fat)	0.04
Cattle milk	0.05
Deer kidney	*0.01
Deer liver	*0.01
Deer meat (in the fat)	*0.01
Horse, edible offal of	*0.01
Horse meat	*0.01
Pig kidney	*0.01
Pig liver	*0.01
Pig meat (in the fat)	0.02
Sheep kidney	*0.01
Sheep liver	0.015
Sheep meat (in the fat)	0.02

Agvet chemical: Ketoprofen

Permitted residue: Ketoprofen

Cattle, edible offal of	*0.05
Cattle meat	*0.05
Cattle milk	*0.05

Agvet chemical: Kitasamycin*Permitted residue: Inhibitory substance, identified as kitasamycin*

Eggs	*0.2
Pig, edible offal of	*0.2
Pig meat	*0.2

Agvet chemical: Kresoxim-methyl*Permitted residue—commodities of plant origin:**Kresoxim-methyl**Permitted residue—commodities of animal origin: Sum of a-(p-hydroxy-o-tolyloxy)-o-tolyl (methoxyimino) acetic acid and (E)-methoxyimino[a-(o-tolyloxy)-o-tolyl]acetic acid, expressed as kresoxim-methyl*

Edible offal (mammalian)	*0.01
Fruiting vegetables, cucurbits	0.05
Grapes	1
Meat (mammalian)	*0.01
Milks	*0.001
Pome fruits	0.1

Agvet chemical: Lambda-cyhalothrinsee *Cyhalothrin***Agvet chemical: Lasalocid***Permitted residue: Lasalocid*

Cattle milk	*0.01
Edible offal (mammalian)	0.7
Eggs	*0.05
Meat (mammalian)	*0.05
Poultry, edible offal of	0.4
Poultry meat	*0.1
Poultry skin/fat	1

Agvet chemical: Levamisole*Permitted residue: Levamisole*

Edible offal (mammalian)	1
Eggs	1
Goat milk	0.1
Meat (mammalian)	0.1
Milks [except goat milk]	0.3
Poultry, edible offal of	0.1
Poultry meat	0.1

Agvet chemical: Lincomycin*Permitted residue: Inhibitory substance, identified as lincomycin*

Cattle milk	*0.02
Edible offal (mammalian) [except sheep, edible offal of]	0.2
Eggs	0.2
Goat milk	*0.1
Meat (mammalian) [except sheep meat]	0.2
Poultry, edible offal of	0.1
Poultry meat	0.1

Agvet chemical: Lindane*Permitted residue: Lindane*

Pineapple	0.5
-----------	-----

Agvet chemical: Linuron*Permitted residue: Sum of linuron plus 3,4-dichloroaniline, expressed as linuron*

Celeriac	T0.5
Celery	*0.05
Cereal grains	*0.05
Chervil	T1
Coriander (leaves, stem, roots)	T1
Coriander, seed	0.2
Edible offal (mammalian)	1
Eggs	*0.05
Herbs	T1
Leek	*0.02
Lemon grass	T1
Lemon verbena (dry leaves)	T1
Meat (mammalian)	*0.05
Milks	*0.05
Mizuna	T1
Parsnip	T0.05
Poultry, edible offal of	*0.05
Poultry meat	*0.05
Rucola (rocket)	T1
Turmeric root	T*0.05
Vegetables [except celeriac; celery; leek; parsnip]	*0.05

Agvet chemical: Lufenuron*Permitted residue: Lufenuron*

Cotton seed	T0.2
Cotton seed oil, crude	T0.5
Edible offal (mammalian)	T*0.01
Eggs	T0.05
Meat (mammalian) (in the fat)	T1
Milks	T0.2
Poultry, edible offal of	T*0.01
Poultry meat (in the fat)	T1