Provisional Consent to the Distribution of New Medicines

Pursuant to section 23(1) of the Medicines Act 1981, the Minister of Health hereby provisionally consents to the sale, supply or use in New Zealand of the new medicines set out in the Schedule hereto:

Schedule

 Product:
 Comirnaty Original/Omicron BA.4-5 (Single Dose Vial)

 Active Ingredients:
 Famtozinameran 0.017mg/mL equivalent to 5mcg/0.3mL dose

Tozinameran 0.017mg/mL equivalent to 5mcg/0.3mL dose

Dosage Form: Suspension for injection
New Zealand Sponsor: Pfizer New Zealand Limited

Manufacturer: Pfizer Manufacturing Belgium NV, Puurs-Sint-Amands, Belgium

Provisional consent is granted until 3 November 2025. This consent is given subject to the following conditions.

The New Zealand Sponsor must fulfil the following obligations within the timelines specified, which may be altered by mutual agreement with Medsafe:

- 1. The New Zealand site of batch release will only release batches for distribution in New Zealand once the sponsor has verified that the shipping temperature profile meets specifications.
- 2. Provide Certificates of Analysis to Medsafe for the first three batches of vaccine intended for the New Zealand market, prior to distribution.
- 3. Provide independent batch certification, such as UK National Institute for Biological Standards and Control (NIBSC) certification, EU Official Control Authority Batch Release (OCABR) certification, Australian TGA batch release assessment, or any other certification agreed with Medsafe, on request for all batches distributed in New Zealand
- 4. Provide the final clinical study report that includes for immunogenicity and safety data after the second booster (fourth) dose in subjects 55 years of age and older from Study C4591031 Phase III Substudy E within five working days of the report being produced.
- 5. Provide the final clinical study report that includes for immunogenicity and safety data after the second booster (fourth) dose in subjects 18 to 54 years of age from Study C4591031 Phase III Substudy D within five working days of the report being produced.
- 6. Provide interim and final clinical study reports that include immunogenicity and safety data after the first booster (third) dose of in subjects 12 to 17 years of age from Study C4591031 Phase III Substudy C within five working days of the reports being produced.
- 7. Provide the final clinical study report that includes safety data after the first booster (third) dose in subjects 12 to 17 years of age from Study C4591031 Phase III Substudy B within five working days of the report being produced.
- 8. Provide the final clinical study report that includes safety and immunogenicity data for Cohorts 2 and 3 through 6 months after a booster dose in subjects 12 years of age and older from Study C4591044 Phase II within five working days of the report being produced.
- 9. Provide Periodic Safety Update Reports according to the same schedule as required by the EMA.
- 10. Provide any safety reports and safety reviews conducted or they become aware of.
- 11. Perform the required pharmacovigilance activities and interventions detailed in the agreed RMP and any agreed updates to the RMP. An RMP should be submitted at the request of Medsafe or whenever the risk management system is modified, especially as the result of new information being received that may lead to a significant change to the benefit/risk profile or as the result of an important milestone being reached.

Product: Comirnaty Original/Omicron BA.4-5 (Multi Dose Vial)

Active Ingredients: Famtozinameran 0.017mg/mL equivalent to 5mcg/0.3mL dose

Tozinameran 0.017mg/mL equivalent to 5mcg/0.3mL dose

Dosage Form: Suspension for injection
New Zealand Sponsor: Pfizer New Zealand Limited

Manufacturer: Pfizer Manufacturing Belgium NV, Puurs-Sint-Amands, Belgium

Provisional consent is granted until 3 November 2025.

This consent is given subject to the following conditions.

The New Zealand Sponsor must fulfil the following obligations within the timelines specified, which may be altered by mutual agreement with Medsafe:

- 1. The New Zealand site of batch release will only release batches for distribution in New Zealand once the sponsor has verified that the shipping temperature profile meets specifications.
- 2. Provide Certificates of Analysis to Medsafe for the first three batches of vaccine intended for the New Zealand market, prior to distribution.
- 3. Provide independent batch certification, such as UK National Institute for Biological Standards and Control (NIBSC) certification, EU Official Control Authority Batch Release (OCABR) certification, Australian TGA batch release assessment, or any other certification agreed with Medsafe, on request for all batches distributed in New Zealand.
- 4. Provide the final clinical study report that includes for immunogenicity and safety data after the second booster (fourth) dose in subjects 55 years of age and older from Study C4591031 Phase III Substudy E within five working days of the report being produced.
- 5. Provide the final clinical study report that includes for immunogenicity and safety data after the second booster (fourth) dose in subjects 18 to 54 years of age from Study C4591031 Phase III Substudy D within five working days of the report being produced.
- 6. Provide interim and final clinical study reports that include immunogenicity and safety data after the first booster (third) dose of in subjects 12 to 17 years of age from Study C4591031 Phase III Substudy C within five working days of the reports being produced.
- 7. Provide the final clinical study report that includes safety data after the first booster (third) dose in subjects 12 to 17 years of age from Study C4591031 Phase III Substudy B within five working days of the report being produced.
- 8. Provide the final clinical study report that includes safety and immunogenicity data for Cohorts 2 and 3 through 6 months after a booster dose in subjects 12 years of age and older from Study C4591044 Phase II within five working days of the report being produced.
- 9. Provide Periodic Safety Update Reports according to the same schedule as required by the EMA.
- 10. Provide any safety reports and safety reviews conducted or they become aware of.
- 11. Perform the required pharmacovigilance activities and interventions detailed in the agreed RMP and any agreed updates to the RMP. An RMP should be submitted at the request of Medsafe or whenever the risk management system is modified, especially as the result of new information being received that may lead to a significant change to the benefit/risk profile or as the result of an important milestone being reached.

Product: Comirnaty Original/Omicron BA.4-5

Active Ingredients: Famtozinameran 0.05mg/mL equivalent to 5mcg/0.2mL dose

Tozinameran 0.05mg/mL equivalent to 5mcg/0.2mL dose

Dosage Form: Concentrate for injection
New Zealand Sponsor: Pfizer New Zealand Limited

Manufacturer: Pfizer Manufacturing Belgium NV, Puurs-Sint-Amands, Belgium

Provisional consent is granted until 3 November 2025.

This consent is given subject to the following conditions.

The New Zealand Sponsor must fulfil the following obligations within the timelines specified, which may be altered by mutual agreement with Medsafe:

- 1. The New Zealand site of batch release will only release batches for distribution in New Zealand once the sponsor has verified that the shipping temperature profile meets specifications.
- 2. Provide Certificates of Analysis to Medsafe for the first three batches of vaccine intended for the New Zealand market, prior to distribution.
- 3. Provide independent batch certification, such as UK National Institute for Biological Standards and Control (NIBSC) certification, EU Official Control Authority Batch Release (OCABR) certification, Australian TGA batch

release assessment, or any other certification agreed with Medsafe, on request for all batches distributed in New Zealand.

- 4. Provide the final clinical study report that includes for immunogenicity and safety data after the second booster (fourth) dose in subjects 55 years of age and older from Study C4591031 Phase III Substudy E within five working days of the report being produced.
- 5. Provide the final clinical study report that includes for immunogenicity and safety data after the second booster (fourth) dose in subjects 18 to 54 years of age from Study C4591031 Phase III Substudy D within five working days of the report being produced.
- 6. Provide interim and final clinical study reports that include immunogenicity and safety data after the first booster (third) dose of in subjects 12 to 17 years of age from Study C4591031 Phase III Substudy C within five working days of the reports being produced.
- 7. Provide the final clinical study report that includes safety data after the first booster (third) dose in subjects 12 to 17 years of age from Study C4591031 Phase III Substudy B within five working days of the report being produced.
- 8. Provide the final clinical study report that includes safety and immunogenicity data for Cohorts 2 and 3 through 6 months after a booster dose in subjects 12 years of age and older from Study C4591044 Phase II within five working days of the report being produced.
- 9. Provide Periodic Safety Update Reports according to the same schedule as required by the EMA.
- 10. Provide any safety reports and safety reviews conducted or they become aware of.
- 11. Perform the required pharmacovigilance activities and interventions detailed in the agreed RMP and any agreed updates to the RMP. An RMP should be submitted at the request of Medsafe or whenever the risk management system is modified, especially as the result of new information being received that may lead to a significant change to the benefit/risk profile or as the result of an important milestone being reached.

Product: Comirnaty Original/Omicron BA.4-5

Active Ingredients: Famtozinameran 0.05mg/mL equivalent to 15mcg/0.3mL dose

Tozinameran 0.05 mg/mL equivalent to 15 mcg/0.3 mL dose

Dosage Form: Suspension for injection
New Zealand Sponsor: Pfizer New Zealand Limited

Manufacturers: Pfizer Manufacturing Belgium NV, Puurs-Sint-Amand, Belgium

Sanofi-Aventis Deutschland GmbH, Frankfurt am Main, Germany

Baxter Oncology GmbH, Halle-Westfalen, Germany

Patheon Italia S.p.A, Milan, Italy

BioNTech Manufacturing Marburg GmbH, Marburg, Germany

Mibe GmbH Arzneimittel, Brehna, Germany

Allergopharma GmbH & Co. KG, Reinbek, Germany

Provisional consent is granted until 3 November 2025.

This consent is given subject to the following conditions.

The New Zealand Sponsor must fulfil the following obligations within the timelines specified, which may be altered by mutual agreement with Medsafe:

- 1. The New Zealand site of batch release will only release batches for distribution in New Zealand once the sponsor has verified that the shipping temperature profile meets specifications.
- 2. Provide Certificates of Analysis to Medsafe for the first three batches of vaccine intended for the New Zealand market, prior to distribution.
- 3. Provide independent batch certification, such as UK National Institute for Biological Standards and Control (NIBSC) certification, EU Official Control Authority Batch Release (OCABR) certification, Australian TGA batch release assessment, or any other certification agreed with Medsafe, on request for all batches distributed in New Zealand.
- 4. Provide the final clinical study report that includes for immunogenicity and safety data after the second booster (fourth) dose in subjects 55 years of age and older from Study C4591031 Phase III Substudy E within five working days of the report being produced.
- 5. Provide the final clinical study report that includes for immunogenicity and safety data after the second booster

- (fourth) dose in subjects 18 to 54 years of age from Study C4591031 Phase III Substudy D within five working days of the report being produced.
- 6. Provide interim and final clinical study reports that include immunogenicity and safety data after the first booster (third) dose of in subjects 12 to 17 years of age from Study C4591031 Phase III Substudy C within five working days of the reports being produced.
- 7. Provide the final clinical study report that includes safety data after the first booster (third) dose in subjects 12 to 17 years of age from Study C4591031 Phase III Substudy B within five working days of the report being produced.
- 8. Provide the final clinical study report that includes safety and immunogenicity data for Cohorts 2 and 3 through 6 months after a booster dose in subjects 12 years of age and older from Study C4591044 Phase II within five working days of the report being produced.
- 9. Provide Periodic Safety Update Reports according to the same schedule as required by the EMA.
- 10. Provide any safety reports and safety reviews conducted or they become aware of.
- 11. Perform the required pharmacovigilance activities and interventions detailed in the agreed RMP and any agreed updates to the RMP. An RMP should be submitted at the request of Medsafe or whenever the risk management system is modified, especially as the result of new information being received that may lead to a significant change to the benefit/risk profile or as the result of an important milestone being reached.

Product: Comirnaty Original/Omicron BA.4-5

Active Ingredients: Famtozinameran 0.05mg/mL equivalent to 1.5mcg/0.2mL dose

Tozinameran 0.05mg/mL equivalent to 1.5mcg/0.2mL dose

Dosage Form: Concentrate for injection
New Zealand Sponsor: Pfizer New Zealand Limited

Manufacturer: Pfizer Manufacturing Belgium NV, Puurs-Sint-Amands, Belgium

Provisional consent is granted until 3 November 2025.

This consent is given subject to the following conditions.

The New Zealand Sponsor must fulfil the following obligations within the timelines specified, which may be altered by mutual agreement with Medsafe:

- 1. The New Zealand site of batch release will only release batches for distribution in New Zealand once the sponsor has verified that the shipping temperature profile meets specifications.
- 2. Provide Certificates of Analysis to Medsafe for the first three batches of vaccine intended for the New Zealand market, prior to distribution.
- 3. Provide independent batch certification, such as UK National Institute for Biological Standards and Control (NIBSC) certification, EU Official Control Authority Batch Release (OCABR) certification, Australian TGA batch release assessment, or any other certification agreed with Medsafe, on request for all batches distributed in New Zealand.
- 4. Provide the final clinical study report that includes for immunogenicity and safety data after the second booster (fourth) dose in subjects 55 years of age and older from Study C4591031 Phase III Substudy E within five working days of the report being produced.
- 5. Provide the final clinical study report that includes for immunogenicity and safety data after the second booster (fourth) dose in subjects 18 to 54 years of age from Study C4591031 Phase III Substudy D within five working days of the report being produced.
- 6. Provide interim and final clinical study reports that include immunogenicity and safety data after the first booster (third) dose of in subjects 12 to 17 years of age from Study C4591031 Phase III Substudy C within five working days of the reports being produced.
- 7. Provide the final clinical study report that includes safety data after the first booster (third) dose in subjects 12 to 17 years of age from Study C4591031 Phase III Substudy B within five working days of the report being produced.
- 8. Provide the final clinical study report that includes safety and immunogenicity data for Cohorts 2 and 3 through 6 months after a booster dose in subjects 12 years of age and older from Study C4591044 Phase II within five working days of the report being produced.

- 9. Provide Periodic Safety Update Reports according to the same schedule as required by the EMA.
- 10. Provide any safety reports and safety reviews conducted or they become aware of.
- 11. Perform the required pharmacovigilance activities and interventions detailed in the agreed RMP and any agreed updates to the RMP. An RMP should be submitted at the request of Medsafe or whenever the risk management system is modified, especially as the result of new information being received that may lead to a significant change to the benefit/risk profile or as the result of an important milestone being reached.

Dated this 12th day of August 2024.

CHRIS JAMES, Group Manager, Medsafe, Ministry of Health (pursuant to delegation given by the Minister of Health on 11 September 2013).

2024-go3994 15-08-2024 11:01